

Glossary of my translation of Bhâskara's commentary to the AaryabhaTiiya

Agathe Keller

▶ To cite this version:

Agathe Keller. Glossary of my translation of Bhâskara's commentary to the AaryabhaTiiya. 2000. halshs-00006347

HAL Id: halshs-00006347 https://shs.hal.science/halshs-00006347

Preprint submitted on 28 Nov 2005

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Chapter 1

Glossary

The words are given in the Sanskrit order. Double quotes indicate the technical translation chosen, as opposed to the literal translation of a word or expression. Are noted as synonyms, those that are given as such by Bhāskara¹.

Α

Aksa is the latitude.

 $Aksajy\bar{a}$ is the Rsine of the latitude.

Akṣepa Non-additive. Said of two *karaņīs* that cannot be summed.

- Agra remainder. In one instance of far-fetched interpretation (BAB.2.32-33), Bhāskara understands this word used in Āryabhaṭa's verse as meaning "a number".
- Adhikāgrabhāgahāra or adhikāgraccheda Technical term of the *kuṭṭakāra* procedure.

It is "the divisor of the greater remainder" in a pulveriser with remainder $(s\bar{a}grakuttak\bar{a}ra)$ procedure. It is "the divisor which is a large number" in the pulveriser without remainder (niragrakuttaka) procedure.

Anuloma Same direction. Direct.

Anulomagati is a direct motion, as opposed to vilomagati, a retrograde motion. Anulomacārin has the same meaning. Anulomavivara is the distance of $\langle \text{two bodies moving in} \rangle$ the same direction.

¹Please see in the section "Conventions of translations" in *Introducing the Translation*, the paragraph on synonyms, for a short discussion of this topic.

Anta Last term of a series.

Antara distance, difference.

 $Desciration and the constraints of the spots, is the "longitude". Sthānāntara is a different place. In common sanskrit it means particular, as in <math>up\bar{a}y\bar{a}ntara$ (a particular method) or different, as in $\bar{a}bh\bar{a}dh\bar{a}ntara$: the different sections (of the base).

Antarāla Space between. An interval.

Antya Last.

Apacaya Decrease; subtractive (quantity), subtrahend.

Apanayed One should subtract.

Apavartita, apavartya reduced (by a common factor).

Aparvartana Division. reducer (as one who does the action described as *apavartita*).

Given as a synonym of $bh\bar{a}ga$ (division, part) in BAB.2.4.

apa-VRT to reduce (by a common factor), to divide.

- Abhyasta Multiplied.
- Abhyāsa Product. The product of two or more quantities, as opposed to the multiplication of a quantity by another.
- **A**máa part. numerator of a fraction. A fraction. When a fractional number is stated, the denominator is marked with am sa. Also used as a substitute for $bh\bar{a}ga$ with the meaning of "degree".

Ardha Half. Increase in commercial problems.


Ardhita Halved.

Avagāhya, avagāha Penetration. Lit. "having plunged". Segment of the diameter of a circle. Also used for the arrow (*śara*), of a bow-field (illustrated in Figure 1.1)

Avayava part.

Avarga See varga.

 $\mathbf{2}$



Avalambaka perpendicular. Plumb-line. Rsine of the colatitude.

The Rsine of the colatitude is proportional, on an equinoctial day, to the perpendicular formed by the body of a gnomon.

- Avasāna distance. Literally it means a boundary. Only used in BAB.2.16. to refer to the distance between a gnomon and a source of light.
- **Aśeṣagaṇita** mathematics as a whole, i.e. mathematics seen as a global subject.
- Aśra or Aśri side, edge. Used in the names of planes and solids.

A *caturaśraksetra* is a quadrilateral field, and a $dv\bar{a}das\bar{a}sri$ "a twelve edged $\langle solid \rangle$ ", which is one of the names, here, for a cube. However in BAB.2.14. a *caturaśra* is used to qualify a solid- this may be another name for a cube, or that of a prism.

A *tryaśraksetra* is a "trilateral field" and a *sadaśri* is "a six-edged solid", which is the name, here, of an equilateral pyramid with a triangular base. However in BAB.2.14, a *tryaśra* is used to qualify a solid, maybe a pyramid with a triangular base.

Asata Incorrect $\langle value \rangle$. Companion term of *sata* (correct $\langle value \rangle$).

Ahargana lit. group of days, is the number of days elapsed since a given epoch, usually the *Kaliyuga*.

Ā

Acārya Teacher, learned one. It is often attached, as an honorific suffix, to the name of a person. We have left it untranslated in the last case, since even in India today a person, referred to in English, may be called " $\bar{a}c\bar{a}rya$ ".

Ādi the first term of a series.

Ānayana To compute, computation.

Mostly used in the introductive sentence, preceding the quotation of a verse of the $\bar{A}ryabhat\bar{i}ya$ about to be commented, which gives the aim of the procedure which will be treated.

- **Abhādhā** Technical term naming a segment of the base delimited by a perpendicular.
- **Āyata** Elongated. length. *Ayatacaturaśrakṣetra*, lit. elongated quadrilateral field is always a rectangular field.
- **Āyāma** length.

In a trapezium, it is one of the names of the height. length in a rectangle as opposed to *vistāra* which then means width.

- $\bar{\mathbf{A}}$ rya This is the meter in which the three last quarters of the \bar{A} ryabha $t\bar{i}ya$, including the ganitapāda, are written.
- Alekhya Lit. written, painted. A "drawing".
- $\bar{\mathbf{A}}$ sanna Approximate, approximation. Lit. close to. Companion term of $s\bar{u}ksma$, accurate.

However, $s\bar{u}ksmasya \ \bar{a}sanna$ is the approximation of an accurate (value). $Vy\bar{a}vah\bar{a}rikasya \ \bar{a}sanna$ is the approximation of a practical value. The first being of better quality then the latter.

Ahniko bhogah Daily passing. This is the name of the sum of the daily motions of two planets.

Ι


 $\mathbf{Icch}\mathbf{\bar{a}}$ Desire.

 $Icch\bar{a}r\bar{a}\dot{s}i$ is the "desire quantity" in a Rule of Three. $Icch\bar{a}phala$ is the "fruit of the desire" in a Rule of Three.

Iṣṭa Desired. Sometimes close to the meaning of optional. In computation with series, *iṣṭa* is the desired number of terms.

U

Ucchrāya height. Used when relating the geometrical cube to the square it is derived from, and when defining a triangular based pyramid.



Utkramajyā is the R-versed sine, i.e R-Rsin. See the Annex to BAB.2.12.

Uttara The common difference in arithmetical series. Increase.

Udara Belly. Used to characterize one of the sides of a tusk-field, see Figure $\infty 1.2$.

Uddeśaka example.

Uddeśana example.

Udvartanā Multiplication. Given as a synonym of *saṃvarga* in BAB.2.3ab.

Upacaya Increase. Additive (quantity).

Upaciti Lit. accumulation. Is the name of the series of (the progressive sum of) natural numbers.

Upapatti proof.

Opposed to tradition $(\bar{a}gama)$ in BAB.2.10.

Uparirāśi See rāśi.

Upalaksita characterized.

Upāya method.


$\bar{\mathbf{U}}$

 $\overline{\mathbf{U}}\mathbf{n}\mathbf{a}$ Decreased. Subtractive (quantity).

 $\bar{U}n\bar{a}graccheda$ or $\bar{u}n\bar{a}grabh\bar{a}gah\bar{a}ra$ is "the divisor for the smaller remainder" in a pulveriser with remainder and "the divisor which is a small number" in a pulveriser without remainder procedure.

 $\mathbf{5}$

Figure 1.3: Right-angled triangle in a śringāta field.



Urdhvabhujā Upward side. Used for the perpendicular issued from one vertex on to the triangular base in a śringātaka field, as illustrated in Figure $\infty 1.3$.

Ŗ

Rksa sign. 1/12th of the circumference of a circle.

Rju Vertical.

Rjuta is verticality. *Rjusthiti* is a steady vertical.


Rna Debt. When opposed to *dhana* (wealth) it is a "subtractive $\langle quantity \rangle$ ".

\mathbf{E}

- **Ekatra kṛtvā** summed. lit. having made in one place; this may refer to the fact that the two summed quantities were erased from the working surface, and replaced by one quantity, their sum, that occupied thereafter only "one place" on the working surface.
- **Ekī bhavā, ekī kṛtya** sum. lit. the state of becoming one, having made into one; this may refer to the fact that the two summed quantities where erased from the working surface, and replaced by one quantity, their sum. See *ekatrakṛtvā*.

Ka

 $Kakşy\bar{a}$ orbit of a planet.



Karana procedure. Name given to the part of an example which exposes its resolution.

Pratilomakarana is a reversed procedure.

Karanika Which belongs to karanis which measures the karani (of a given quantity).

Karanika is derived from the word karani, to which the suffix -ka is added, followed by a diminution of the long $\overline{1}$.

Karaņī Usually considered as a "surd", the expression "the *karaņīs* of a" may be translated as meaning : "that whose square is a", or \sqrt{a} . However, it seems to be a geometrical concept. It may be a specific way of considering the square of the measure of a geometrical object synonym of *varga* in BAB.2.3ab.

karaṇīparikarman the geometrical operation of constructing the square having the hypotenuse for side: its area is equal to the sum of the two other sides of a right-angle triangle, as well as the numerical squaring of the length of the hypotenuse as the sum of the squares of the two other sides.

Karidantaksetra A (two dimensional) tusk-field. see Figure @1.2.

Karkața, karkațaka Lit., a crab; it is the name of " a pair of compasses".

Karņa hypotenuse. diagonal. In customary sanskrit it is an "ear". Karņa is used in the traditional enumeration of the sides of a right-angle triangle: karņabhujākoţi. See Figure 1.4.

We will use the literal translation when it is used to describe the side of a field or a solid, where no right-angle triangle is immediately involved. But usually it names a segment of a geometrical figure, in which Ab.2.17 (i.e. the so called "Pythagorean Theorem") may be applied; when this is the case, it becomes then the hypotenuse of a right-angle triangle, and we have translated it accordingly. See for instance Figure 1.3.

In any triangle, the sides for a given base are also called *karṇa*, which means "ears". These may also be named by synonyms of this term as *śravaṇa* and so forth.

Karman computation, operation.

ganitakarman is a mathematical operation. *viparīta-*, *pratiloma-* and *vilomakarman* mean a reversed operation.

- Kārikā A verse.
- **Kāla** time. $K\bar{a}lakr\bar{i}y\bar{a}$, "time reckoning" is the third chapter of the $\bar{A}ryabhat\bar{i}ya$. $yogak\bar{a}la$ is the meeting time (of two moving bodies). Ť
- **Kāṣṭha** A unit arc. This is a terminology particular to Bhāskara. It glosses Āryabhaṭa's use of *capa* in Ab.2.11. but can be found in the $Mah\bar{a}bh\bar{a}skar\bar{i}ya$ as well².
- Kuțțākāra or Kuțțāka Pulveriser. Name of the procedure described in verses 32-33 of the Chapter on mathematics of the $\bar{A}ryabhat\bar{i}ya$.

 $S\bar{a}grakuttak\bar{a}ra$ is a pulveriser with remainder. Niragrakuttaka is a pulveriser without remainder.

 $Vel\bar{a}kutt\bar{a}k\bar{a}ra$ is the time pulveriser.

- Krti Square. Given as a synonym of *varga* in BAB.2.3ab.
- Kendra Center.
- Koțī or koți The upright-side.

It is usually one of the sides of a right-angle triangle, the other one is called $bhuj\bar{a}$, and the hypotenuse karna. See Figure 1.4. This word is also used to name the vertical edge of a gnomon.

Krama method.

Kriyyā method.

Ksaya Decrease.

²See Shukla's remark in [Shukla 1976; Intro, p.xlii].

Ksetra A field, and by extension a geometrical figure.

It sometimes refers to the *surface* delimited by a number of sides or a line. It sometimes refers only to the *set of lines and inner segments* that draw the field, and not to the delimited surface.

Ksetraganita is the mathematics of fields or computations with fields.

Ksepa Additive (quantity)

Ga

- **Gaccha** The number of terms in a series. In one instance, BAB.2.20, it is also interpreted as a term of the series. This would be rather Āryabhaṭa's understanding of the word, rather than Bhāskara's. In BAB.2.29. it is a term of a set: *pada* and *paryavasāna* are given as synonyms of this word.
- **Gaṇaka** Mathematician? A literal translation would be computer (in the sense of someone who computes), we have translated it by "calculator".
- **ganita** mathematics. computation. By extension *ganita* sometimes names the result of any computation, and therefore means sometimes: area, sum, quantity.

Aśeṣagaṇita lit. mathematics without remainder, is "mathematics as a whole" which englobes both samānyagaṇita, general mathematics, and its counterpart, viśeṣagaṇita, "specific mathematics".

ganitakarman is a mathematical operation.

 $\hat{S}reddh\bar{i}ganita$ is the sum of a series.

Laukikaganita is wordly computations.

Gata lit. gone, "exponention"; i.e. the raising to any power of a quantity. The word with this technical meaning is only used in BAB.2.introduction.

A dvigata, a double-gata, is a square (varga); a trigata is a cube (ghana). By the same token, gatasya $m\bar{u}la$ or $gatam\bar{u}la$, lit. the root of a gata, is a root extraction from any power.

 $G\bar{a}th\bar{a}$ Synonym of $\bar{a}rya$ as a name of a verse-meter.

Guna A multiplier. Occasionally translated as "times".

Gunakāra Multiplier.

- **Guṇanā** Multiplication (of two different quantities, counterpart of the term gata); however it is given as a synonym of samvarga in BAB.2.3ab.
- Gunita Multiplied. This word is given as synonym of *hata* in BAB.2.7.ab.
- Gunya Multiplicand.
- $\mathbf{Gulik}\mathbf{\bar{a}}$ bead. Name of the coefficient of the unknown quantity in first order equations.
- $G\bar{u}ha$ sign. 1/12th of the circumference of a circle.
- Gola, golaka sphere.

 $Golap\bar{a}da$ is the name of the fourth chapter of the $Aryabha t\bar{i}ya$. Ghanagola is a circular solid.

- **Graha** A planet. *Grahacāra* is the "motion of planets". *Grahagaņita* is the "mathematics of planets/planetary computations".
- **Grāsa** Lit. mouthful. Segment of the diameter of two intersecting circles. Name of the part of the sun eclipsed by the moon, or of the part of the moon eclipsed by the shadow of the earth (i.e. the part of the moon eaten by $R\bar{a}hu$).

Gha

Ghana cube. solid. A cube $\langle \text{place} \rangle$, i.e. in the decimal place-value notation it is a place whose power of ten is a cube. Conversely, a non-cube $\langle \text{place} \rangle$ is a place whose power of ten is not a cube.

Ghanaphala is the volume. $Ghanam\bar{u}la$ is the cube-root.

Ghanagola is a circular solid.

Citighana is a solid (made of) a pile. This is the name used by Aryabata for the series of the progressive sums of natural numbers (i.e. the sum of $1, 1+2, 1+2+3, \ldots, 1+2+3+\ldots+i, \ldots$).


Ghāta Multiplication. Given as a synonym of *saṃvarga* in BAB.2.3ab.

Ghna Multiplier.

 $\mathbf{C}\mathbf{a}$

Cakra A revolution. In customary sanskrit it is a circle.





Caturaśrakṣetra Quadrilateral field. Sometimes the term field (*kṣetra*) is omitted in which case we translate the compound as 'quadrilateral'. means literally: " a field with four sides".

Cāpa A unit arc.

Citi pile. Used in the geometrical description of series.

Cha

Chāya shadow. Rsine of the zenith distance.

It is the name of a specific field of mathematics, related to computations using the data given by a gnomon. It is the length of the midday shadow cast by a gnomon. It is proportionate to the Rsine of zenith distance which thus sometimes bears the same name.

Chindyāt One should divide.

Cheda part. denominator of a fraction. divisor. In BAB.2.12. once used as meaning "partial (half-chord)".

 $Adhik\bar{a}graccheda$ is the divisor of the greater remainder. $Un\bar{a}graccheda$ is the divisor of the smaller remainder.

Chedyaka A diagram. In this commentary the word is only used in reference to a specific diagram, whose construction is described in BAB.2.11., with which the measure of half-chords $(ardhajy\bar{a})$ or Rsinuses (R times the sinus) is derived. See Figure $\alpha 1.5$.

11

Ja

Jīvā A chord.

Jyā chord.

Ardhajyā is a half-chord. Half the chord subtending the arc $2\alpha \left(\frac{crd(2\alpha)}{2}\right)$ is called the half-chord of α . This is what we call $Rsin\alpha$, see Figure ce1.6 and the Annex to BAB.2.11.

By extension $jy\bar{a}$ is sometimes the half-chord.

Jyotpatti is a production of $\langle half \rangle$ -chords.

 $Jy\bar{a}vibh\bar{a}ga$ is a partition of chords. In BAB.2.11, this refers to the subdivision of the perimeter of the cercle into equal arcs and to the interior fields drawn inside the circle, as illustrated in Figure œ1.5. In BAB.2.12., this refers, along with other expressions as "khaṇditaṃ ... ardhaṃ" (the expression used by Āryabhaṭa in Ab.2.12) and "chinnaṃ ... ardhaṃ" (the expression used by Bhāskara), both meaning "sectioned half \langle -chord \rangle ", to the difference of two successive half-chords. The difference of two half-chords appears as a segment of the biggest half-chord. See Figure 1.7.

 $Ak sajy \bar{a}$ is the Rsine of the latitude. $Natajy \bar{a}$ is the Rsine of the zenith distance.

Ta

Tatparās Seconds.

Tithi Lunar day.

Tulya Equal.

Trairāśika A Rule of Three.


Da


Dalita Halved.

Dairghya length. Given as a synonym of $\bar{a}y\bar{a}ma$ in BAB.2.8.

Dik (Cardinal) direction. Also used in a figurative sense.

Figure 1.6: chord and Half-chord





Dina A day.

Dinarāśi, lit. the amount of days, is the number of days elapsed in the *Kaliyuga. Dinagana*, lit. the group of days, has the same meaning.

Divicara A planet. lit. roaming the sky.

Dravya object. sum.

Dvicchedāgra (A quantity that has such) remainders for two divisors. Technical term denoting the number to be found in a "pulveriser with remainder" process.

Dha

- **Dhatrī** lit. earth, the "base" of a triangle, or the "earth" in a trapezium (the "earth" here is the base of the trapezium, but we have kept the literal translation here in order to distinguish it from its segments which can be the "base" of a triangle).
- **Dhana** Lit. wealth. value, especially the value of the term of a series, i.e. the sum of the terms of a finit sequence. Amount. With the meaning of wealth as opposed to the word pa(debt) it is an additive quantity.

Madhyadhana is the mean value, i.e. the mean sum of the terms of the sequence. Sarvadhana is the whole value, i.e. the sum of all the terms of a sequence. Padadhana is the value of the terms, which ambiguiously may refer to the terms of the sequence or to its corresponding series.

Dhanuḥkṣetra A bow-field. It is made of an arc of a circle (called "the back" prstha), the chord that subtends it $(jy\bar{a})$ and an arrow (*śara*). It is illustrated in Figure 1.1.

 $\mathbf{N}\mathbf{a}$

Nata is the zenith distance.

 $Natajy\bar{a}$ is the Rsine of the zenith distance.

 $N\bar{a}d\bar{i}$ time unit equal to half a *muhūrta*, or 24 minutes.

Nirapavartita reduced. See apavartita.

Niravaśesa Without remainder; without exception.

Niravaśeṣagaņita is "mathematics as a whole", which englobes both *samānyagaņita* (general mathematics), and its counterpart, *viśeṣagaņita*, (special(ised)/specific mathematics).

Nīyamāna Computing.

Nyāya rule. method. Logic?

Pa

Pada term of a sequence, a series or of a set. Given as a synonym of *gaccha* in BAB.2.29. In \bar{A} ryabhaṭa's understanding it would be the number of terms of a sequence. For Bhāskara however, its meaning is restricted to the meanings given as entries. Name given to the successive remainders that are placed, in the mutual division of the pulveriser ($ku!t!\bar{a}k\bar{a}ra$) procedure.

padapramāņa is the number of terms in a series.

Panavaksetra A drum-field. See illustrations in BAB.2.9.ab.

Parikarman operation.

Parikalpaniyā calculation.

Parināha circumference. Given in BAB.2.9.cd. as a synonym of paridhi.

Paridhi circumference, given in BAB.2.7ab and BAB.2.10. as a synonym of *parināha*.

- **Parilekha** The out-line $\langle of a circle \rangle$, i.e. the line that draws the circumference.
- Parihāra refutation.
- **Paryavasānam** is the term of a set. Given as a synonym of *gaccha* in BAB.2.29.
- $\mathbf{P}\bar{\mathbf{a}}\mathbf{r}\mathbf{\dot{s}}\mathbf{v}\mathbf{a}$ lit. a flank, it has the technical meaning of "side". In Aryabhața's understanding it may be any side. In Bhāskara's understanding it may be restricted to orthognal sides. It is however given by Bhāskara as a synonym of *bhujā* in BAB.2.6.ab.

 $P\bar{a}r\dot{s}vat\bar{a}$ is "sideness", maybe an expression meaning orthogonality.

- **Pindita** Added. This term is used by Aryabhata rather than by Bhāskara.
- **Prstha** Back. Name of one of the sides of a tusk-field, see Figure $\infty 1.2$ and of the arc of a bow-field, see Figure 1.1. This may be a general term for anything curved.
- $\mathbf{Prakriy}\mathbf{\bar{a}}$ calculation. In grammatical sanskrit it means a derivation, i.e. what is done step by step.
- **Prakṣepa** sum. In commercial problems as the original sum invested by each member in a commercial transaction, so that it is sometimes translated as "investment".
- Pratiloma Reversed.

Pratilomakarana is a reversed procedure. *pratilomakarman* is a reversed operation.

Pratyayakarana lit. a conviction-procedure, a "verification" .

Pramāņa size, amount.

Pramanaraśi is the "measure-quantity" in a Rule of Three.

Pha

Phala Fruit; result. Thus the "interest" in commercial problems.

Ksetraphala is the area. *Ghanaphala* is the volume. By extension, in a geometrical context, *phala* alone has sometimes been translated by area or volume. In a specific part of BAB.2.3cd *phala* is used as meaning

'surface', although this understanding can generally be attributed to the word *ksetra* (field).

 $Phalar\bar{a}\dot{s}i$ is the "fruit quantity" in a Rule of Three.

 $M\bar{u}laphala$ is the interest on the capital.

Ba

Bāhu Its usual meaning is arm or forearm, as a synonym of *bhuja* (given as such in BAB.2.6.ab), it is translated as "side".

Bīja seed.

Brahma A pair of compasses. terminology used by Aryabhata.

Bha

Bhakta Divided.

Bhagana revolution.

Bhavana Zodiacal sign.

Bhāga part; division. Degree, the 60th part of a circle or revolution in an astronomical context.

This word is derived from the verbal root *Bhaj*-, to share, distribute, which has the technical meaning "to divide". Bhāgahrtvā, lit. when one has removed a part, means "when one has divided". Bhāgalabdha is what is obtained from the division or "the quotient of the division".

When expressing in words the fraction $\frac{a}{b}$, $bh\bar{a}ga$ may be affixed to the denominator (b), thus meaning a out of b parts. It may also be affixed to the numerator (a), thus meaning a parts of b.

 $Suddham \ bhagam$, lit. a pure division is "an exact division" that is it has no remainder.

 $Bh\bar{a}gasesa$ is "the residue of degrees", i.e the non integer part of the number of degrees crossed by a planet since the beginning of the Kaliyuga.

Bhāgahāra divisor. lit. removing a part.

Adhikāqrabhāqahāra is the divisor of the greater remainder. A technical term of the *kuttakāra* operation/procedure.

17

- **Bhajana** Division. Given as a synonym of *bhāga* in BAB.2.4.
- **Bhāṣya** commentary. *Āryabhaṭīyabhāṣya* is the name of Bhāskara's commentary on Āryabhaṭa's work.
- **Bhinna** fraction, an integer increased or decreased by a fractional part, part.

Bhukti Daily motion.

Bhujā side. In customary sanskrit it is the corporeal arm. $Bhuj\bar{a}$ can be any side of a field.

When considered in a *bahuvrīhi* compound, modified by *kṣetra*, it looses its \bar{a} : *tribhujakṣetra* is a trilateral field. Sometimes the word field (*kṣetra*) is omitted, the compound is then translated as 'trilateral'. *Caturbhujakṣetra* is a quadrilateral field.

Sometimes the meaning of $bhuj\bar{a}$ is restricted to that of the base of a trilateral. $Bhuj\bar{a}$ is one of the sides of the right-angle in a right-angle triangle, the other side is called $kot\bar{i}$ and the hypotenuse karna. See Figure 1.4.


 $Bhuj\bar{a}$ in astronomy is the name for the mean arcual distance of a planet at a given time, to its apogee. $Bhuj\bar{a}phala$ "the correction of the $bhuj\bar{a}$ " is a segment, which approximates the true position of a planet to its mean position at the same time. Please refer to the astronomical Appendix.


- Bhū lit. earth; the "base" of a triangle or the "earth" of a trapezium. In the case of the trapezium, to distinguish it from its segments which maybe the base of interior triangles, we have translated it as "earth". It is the companion term, in a trapezium, of *mukha* or *vadana*. See Figure œ1.8
- Bhūmi lit. earth; the "base" of a triangle or the "earth" of a trapezium.
- **Bheda** A part. Sometimes used figuratively, but also as the (fractional) part of a number.


$\mathbf{M}\mathbf{a}$

Mandala A circle. A revolution.

Mandalaśesa is "the residue of revolutions", that is the non integer part of the number of revolutions performed by a planet since the beginning of the Kaliyuga. This is illustrated in Figure 1.9. Figure 1.8: An isoceles trapezium







Madhya Middle. zenith. mean.

Madhyadhanam is the mean value, i.e. the mean value of the sum of the terms of an arithmetical series.

- Mahī lit. earth, the "base" of a trilateral.
- Miśrata lit. mixture, "increased".
- Mukha The face or mouth. Name of the side opposite to the earth in a trapezium. See Fig œ1.8.

It is also the name of the oppening of a pair of compasses.

The first term of a series.

- Muhūrta Period of time equal to 48 minutes.
- Mūla root (in the common and mathematical sense). The "capital" in commercial problems.

 $Vargam\bar{u}la$ is a square root. $Ghanam\bar{u}la$ is a cube root. $Gatam\bar{u}la$ is the root of an exponention, the fact of extracting a root. The latter compound is only used in BAB.2.introduction.

In BAB.2.14. the word $m\bar{u}la$ is used to qualify the lower base of a gnomon.

 $m\bar{u}laphala$ is the interest on the capital.

Maurika Minute (as a unit used in longitudes).

Ya

Yāma Unit of time equal to 1/8th of a day or 3 hours.

- Yāvakaraņa Square. Given as a synonym of *varga* in BAB.2.3ab.
- **Yāvattāvat** Lit. "as much as". Name of the the coefficient of the unknown quantity in first order equations. Used only by Bhāskara.

 $Y\bar{a}vatt\bar{a}vatpram\bar{a}na$ is the "value of the $y\bar{a}vatt\bar{a}vat$, which what is unknown.

- Yukta Increased. summed.
- Yuktyā Adverb meaning "cleverly". The word *yukti*, with the meaning "reasoning", has an important posterity in sanskrit mathematical texts.
- **Yuga** A period of 4320000 years. There are traditionally four *yugas*, the last one being the *Kaliyuga* (which corresponds to our time) after which the earth is destroyed, and the cycle starts again.

Yuta Increased. summed.

Yoga sum. Meeting point (of two moving bodies).

yogakāla is the meeting time (of two moving bodies).

\mathbf{Ra}

rāśi A quantity. traditionally, the 12th part of the ecliptic. It is the 12th part of a circle or 30 degrees.

 $r\bar{a}$ sigaņita is lit. the mathematics of quantities or computations with quantities, we have translated it as "arithmetic" or "arithmetical computations".

 $r\bar{a}\dot{s}ir\bar{u}pa$ is the integer $\langle part \rangle$ of the quantity. This expression is solely used in BAB.2.26-27.ab.

Uparirāśi is the "higher quantity", i.e. the integer in a fraction ina creased or decreased by a part; the disposion b corresponding to c $a + \frac{b}{c}$.

Bhāskara uses in BAB.2.9.cd the expression $r\bar{a}\acute{s}idvayaksetra$, a two- $r\bar{a}\acute{s}i$ field, which would be the name of an arc measuring 60 degrees.

 $r\bar{a}$ siséesa is "the residue of signs" that is the non integer part of the number of signs crossed by a planet since the beginning of the *Kaliyuga* (measured in degress and minutes). This is illustrated in Figure 1.9.

 $\mathbf{r \bar u pa}$ A unit. A digit (i.e numbers from 1 to 9). A whole number.

 $r\bar{a}\acute{s}ir\bar{u}pa$ is the integer $\langle \text{part}\rangle$ of a fraction nary quantity.

Rekha A line. Used in the drawing of a diagram.

La

- Lakṣaṇasūtra A rule which is a characterization. A way of expressing an abstract or general rule.
- **Labdha** What is obtained, the result, the quotient when connected with division $(bh\bar{a}ga)$.
- Lava Degree. 1/30th of the circumference of a circle.
- Liptā or Liptika Minutes, the 60th part of a degree.

 $Lipt\bar{a}$ is the "residue of minutes", that is the non-interger part of the number of minutes crossed by a certain planet since the beginning of the Kaliyuga.

Lekha A line. Used in the drawing of a diagram.

Parilekha is the out-line of a circle, i.e. the line that draws its circumference.

Laukikaganita Wordly computation.

Va

Vadana The face, the side opposite to the earth in a trapezium. See Figure 1.8.

Varga Square. The geometrical square as well as the square of a number, according to Āryabhaṭa. Practicaly, Bhāskara uses it for the square of a quantity. The square-place, i.e. a place in the decimal place-value notation whose power of ten is pair.

Vargakarman, square-operation, may be the squaring of the length of a diagonal in a quadrilateral or the hypothenuse of a right-angle triangle (karna). See the discussion in the Annex of BAB.2.3.ab.

Vargagaņita, a square computation. The squaring of a digit in the procedure of extraction of a square-root.

 $Vargam\bar{u}la$ is a square root.

Avarga is a non-square place. In the decimal place-value notation, it is a place whose power of ten is odd.

Varganā Square. Given as a synonym of *varga* in BAB.2.3ab.

- Vasudhā earth, in a trapezium, that is the side opposite to the face. See Figure ∞ 1.8.
- **Vastu** Subject, substance, object. Used to indicate the subjects of the treatise.

Vikalā A second, a unit used in giving longitudes.

Viganaya, viganayya Having computed.

Vi Decreased. Lit. "is removed".

Vidhi operation. method.

Vidhāna method.

Vinādika time unit equal to 1/60th of a $n\bar{a}d\bar{i}$.

Viparītakarma is the reversed operation.

Vibhāga A partition.

 $Jy\bar{a}vibh\bar{a}ga$ is "a partition of chords", see $jy\bar{a}$.

Vibhājed One should divide.

Virahita Decreased.

Viloma Reversed. Opposite directions. Retrograde.

Vilomakarman is a reversed operation. *Vilomagati* is a retrograde motion. *Vilomavivara* is the distance of $\langle two bodies moving in \rangle$ opposite directions.

Vivara distance. See viloma.

Viśesa difference.

Viśodhayed One should subtract.

Viṣama uneven. Odd. This word is also used with a different meaning in BAB.1.1, where it is the name given to equations with several unknowns

Viṣamacaturbhuja is "an uneven quadrilateral", i.e. in Bhāskara's commentary a non-isoceles trapezium. However Bhāskara notes in BAB.2.8. that in other treatises this could refer to any quadrilateral.

Viskambha diameter.

Viskambhaardha is the semi-diameter or radius.

- **Vistara** width. Bhāskara in BAB.2.8. interpretes the word as meaning literally a kind of spreading.
- **Vistāra** width. Given as a synonym of $\bar{a}y\bar{a}ma$ (length) in BAB.2.8, however in rectangles it is opposed to this very term.
- Vrtta A circle, circular.

Vṛttakṣetra is a circular field. Given in BAB.2.9.cd. as a synonym of *paridhi*, it then would mean circumference, although it is not used with this meaning in the commentary on the *gaṇitapāda*. *Samavṛttaparidhi* is interpreted by Prabhākara as a *bahuvrīhi*, meaning literally: an evenly-circular circumferenced $\langle \text{field} \rangle$; Bhāskara precises that this interpretation understands the compound as referring to a disk. The same compound is analysed as a *karmadhāraya* by Bhāskara meaning literally: a circumference which is evenly circular.

In Aryabhata's verses, in the Chapter on the sphere $(golap\bar{a}da)$, vrtta is used to characterise the sphericity of three dimensional objects. In BAB.2.7cd gola is paraphrased by vrtta in the compound ghanagolaphala. In this compound ghanagola is a sub-kamadhāraya therefore gola and with it vrtta means rather "a circular solid", rather than "a sphere/circle which is a solid". Svavrtta is one's own circle. It is the circle having for center the tip of the shadow of a gnomon, whose radius extends to the tip of the gnomon.

Vrddhi Increase. Common difference in an arithemtical series. Interest in commercial problems. This is word soly used by Bhāskara.

Velā time.

 $Vel\bar{a}kutt\bar{a}k\bar{a}ra$ is the time-pulveriser.

Vyavahāra Name of a set of eight subjects that form mathematics understood as a global subject (only part of which is presented in the $\bar{A}ryabhat\bar{i}ya$.

 $Lokavyavah\bar{a}ra$ is "wordly practice", the particular case where a rule is applied, or the common use of a rule.

- **Vyāvahāragaņita** Practical computation. Companion term of *sūkṣmagaņita*, an accurate computation.
- **Vyākhyāna** Explanation. commentary. Used by Bhāskara to characterize his own work in the introductory verse of the chapter on mathematics.
- **Vyāsa** diameter (literaly the seperating $\langle line \rangle$), $vy\bar{a}s\bar{a}rdha$ is the semi-diameter. This word is given as a synonym of viskambha in BAB.2.7.ab.

Śa

Śara arrow. One of the segments of a bow-field, illustrated in Figure 1.1.

Sańku gnomon, by extension (the height of) a gnomon; the Rsine of the altitude. For the relation between the size of the gnomon and the Rsine of altitude see the Annex to BAB.2.14.

Śāstra Science, treatise.

Šeșa remainder (of a subtraction). Residue.

Maṇḍalaśeṣa is "the residue of revolutions", that is the non integer part of the number of revolutions performed by a planet since the beginning of the *Kaliyuga* (measured in signs, degrees and minutes).

 $r\bar{a}\dot{s}\dot{i}\dot{s}e\dot{s}a$ is "the residue of signs" that is the non integer part of the number of signs crossed by a planet since the beginning of the *Kaliyuga* (measured in degress and minutes).

 $Bh\bar{a}gases is$ "the residue of degrees" that is the non integer part of the number of degrees crossed by a planet since the beginning of the *Kaliyuga* (measured in minutes).

 $\hat{\mathbf{Srng}}$ **ātaka** Probably an equilateral, triangular based pyramid, with the perpendicular issued from one of its tops onto the triangular base. It is illustrated in Fig ≈ 1.3 .

Śravana ear, side of a geometrical field.

Średhī series.

 \mathbf{Sa}

Sańkalanā summation.

Sańkalanāsańkalanā is the "summation of a summation", this is the name given by Bhāskara to the sum of the series of progressive sums of natural numbers (i.e. the sum of the series 1, 1+2, 1+2+3, ..., 1+2+...+i, ...).

Sańkhyā number, amount, value. calculation.

 $Sankhy\bar{a}sth\bar{a}n\bar{a}h$ is "the places of numbers", the places in which digits are written in the decimal place-value notation.

Sata Correct $\langle value \rangle$. Companion term of *asata* (incorrect $\langle value \rangle$).

Sadrsa Same kind. Equal.

Used with the first meaning for the result of the transformation of an integer increased or decreased by a fractional part into a fraction with only a numerator and a denominator. Also used to characterise the type of quantity which enters the multiplication when squaring and cubing.

Sama Same. Equal. even. Pair. This word does not seem to have exactly the same meaning for Āryabhaṭa and for Bhāskara. For the first, it would have had the meaning "even", in the sense of "uniform"; the meanings understood by the commentator are those given as entries.

Dvisamatryaśrakṣetra, is lit. a three sided field with two equal sides, we have translated it as an "isoceles trilateral".

sama catura śrak ścetra, an equi-quadrilateral field, $sama catura śrat \bar{a}$, lit. the quality of being an equi-quadrilateral; we have translated this expression by "equi-quadrilateralness", $sama catura śrat v \bar{a}$, the state of being an equi-quadrilateral.

dvisama caturbhuja, lit. a field with four sides two (of which) are equal, is "an isoceles quadrilateral" i.e. an isoceles trapezium.

Samakarana Lit. making equal. An equation.

Samadalakoți perpendicular. According to Bhāskara, other scholars interpretate this word as a *karmadhāraya* meaning a mediator.

Samaparināha An even circumference.

This compound, is analysed by Bhāakara as a karmadhāraya, meaning literally: that field which is and evenly circular and a circumference (an evenly circular circumference). According to our commentator other scholars interpreted it as a *bahuvrīhi* meaning lit.: that field which has an even circumference (i.e. a disk).

Samavrttaparidhi See Vrtta.

Samasta sum. Lit, mingled.

Samāsa A sum. Lit, joining.

Samkramana Name of the rule given in Ab.2.24.

- Samparka sum. Vocabulary used by Āryabhaṭa in Ab.2.23. rather than by Bhāskara.
- **Sampāta** The (line whose top is) the intersection. It is a substitute word for $svap\bar{a}talekha$.

 $P\bar{a}ta$ means "falling", $samp\bar{a}ta$, "falling together"; this is a substantivated adjective.

In astronomy, this word means "meeting": it is the momment where a planet eclipses another, or the momment of the greatest span of the eclipse.

Samyoga, samyojamāna Addition.

Samvarga Product.

Sahita Increased.

Sūkṣma Accurate. Exact. Companion term of *vyāvahāra* (practical) and of *āsanna* (approximate). Sharp (as the tip of a gnomon), precise.

 $S\bar{u}ksmaganita$ is an accurate computation.

Sūtra A thread or string. It is used in the construction of geometrical figures (as trilaterals and quadrilaterals) and of three dimensional objects (as a gnomon).

A technical rule given in the form of an aphoristic verse. We have translated when it is used with the latter meaning as "rule". It can be contrasted with $\bar{a}rya$ and $k\bar{a}rik\bar{a}$ both referring to the verse, in its metrical dimension.

Sthāna A place (for a digit or number).

Sthānāntaram is a different place. The next place, to the right or to the left, according to the context, when considering the places in the decimal place-value notation. Maybe in the procedure for extracting the square root, an allusion to a different space where the successive digits of the partial square-root extracted are placed.

- **Sthāpana** Placement. Disposition. Used as an alternative for $ny\bar{a}sa$ "settingdown", which precises how a quantity or a geometrical field is represented on a working surface.
- Sthūlatā The state of being rough.

 $atyantasth\bar{u}lat\bar{a}$ is the state of being exceedingly rough (said of an approximate value).

Sphuta Correct, true.

Used as a substitute for $s\bar{u}ksma$ in BAB.2.10.

Svapātalekhā A literal translation would be: "the line on its own falling". This expression names any of the two segments of a perpendicular in a trapezium, as illustrated in Figure œ1.8. These two segments of the perpendicular (or lines, $lekh\bar{a}$) are defined from the point of intersection of the diagonals to the middle of the earth and the mouth (the names of the parallel segment in a trapezium). The middle points of the parallel sides being each considered as the "falling" ($p\bar{a}ta$) of the line. However such "lines" are segments of the mediator in isoceles trapeziums but not in uneven trapeziums.

Hata Multiplied.

Hati Multiplication. Given as a synonym of *saṃvarga* in BAB.2.3ab.

Hīna Decreased.

Hrta Divided.

Hṛti Division. Given as a synonym of $bh\bar{a}ga$ in BAB.2.4.

 ${\bf Hr\bar{a}sa}\,$ Subtraction, diminution.

1.1 Peculiar and metaphoric expressions to name numbers

The reference in parentheses indicates the first occurrence of the expression.

- **zero** kha, void; $s\bar{u}nya$ (BAB.2.32-33, ex. 14), viyad, void (idem, ex. 18), $\bar{a}k\bar{a}s\bar{a}$, idem (idem, ex. 22); gagana, the sky (idem, ex. 26).
- One indu, the moon (BAB.2.5, ex. 1); śaśāṅka, lit. "marked with a rabbit", the moon (BAB.2.32-33; ex. 14); uḍupa, the moon (idem, ex. 19); śītāṃśu, "with cold rays" i.e. the moon (idem, ex. 20); śītakiraṇa, idem (idem, ex. 23); niśākara, "the maker of the night", i.e. the moon (idem, ex. 24).
- **Two** yama, a pair (BAB.2.4, ex. 1); aśvin, name of the twin sons of the sun (BAB.2.5, ex. 1); netra the eyes (BAB.2.32-33, ex. 23); dasra, another name of the aśvins (idem, ex. 26).
- Three Rāma, there are three famous Rāmas: the hero of the Rāmayaņa, Balarāma (Kṛṣṇa's brother) and Parasurāma (BAB.2.10, example 2). Dahana, fire as there are three sacrificial fires (BAB.2.11, ex. 1); hutāśana, idem; guṇa as the three qualities of all created things (truth/goodness for gods (sattva), matter/passions for men (rajas), darkness/ignorance for demons (tamas) (BAB.2.32-33, ex. 19); śikhin, fire (idem, ex. 23); bhuvana world, as the three worlds of god, men and demons (idem, ex. 24); puṣkara, a lake, there are three sacred lakes (idem).

Three and a half Ardhacaturth \bar{a} the fourth (unit) is a half.

- **Four** krta, the best of the four casts in a vedic dice game (BAB.2.5, ex.2); abdhi, ocean, it is considered that there are four oceans (BAB.2.5, ex.2); sāgara, ocean (BAB.2.32-33, ex. 14); udadhi idem (idem, ex. 24).
- Five śara, as the five arrows of Kāma, the god of love (BAB.2.4; ex.1); viṣaya, lit. the objects of the senses (BAB.2.32-33, ex. 13); bhūta, the five elements (earth, air, fire, water and stone) (idem, ex.20); iṣu, arrow (idem, ex. 24); artha, as objects of the senses (idem, ex. 26).
- Six rasa, perfume, taste. There are six tastes: kaţu (acrid), amla (sour, acid), madhura (sweet), lavaṇa (saline), tikta (bitter) and kaṣāya (astringent, fragant); aṅga, as the six Vedāṅgas (BAB.2.32-33, ex. 23); rtu a season, there are six seasons (idem).

1.1. PECULIAR AND METAPHORIC EXPRESSIONS TO NAME NUMBERS

- Seven muni, a sage, there are seven great sages or seers (*rsi*) or maybe the seven stars of the constellation Ursa Major (BAB.2.5, ex. 10); naga, "that which does not move", a mountain, there are seven chains of mountains (BAB.2.5, ex.2); bhūdhara, "supporting the earth" mountains, (BAB.2.32-33, ex. 14); adri, mountains (BAB.2.16); kṣoṇīdhara, idem (BAB.2.32-33, ex. 23); kṣamābhṛt, a mountain (idem); adri, mountain (idem); svara, the seven notes that can constitute a rāga (idem, ex. 26).
- Eight vasu, a class of eight deities (BAB.2.5, ex.1); nāga elephant; there are eight elephants symbolising the eight cardinal directions (East, West, South, North, South-east, South-west, North-east, North-west) (BAB.2.32-33, ex. 23).
- Nine randhra, orifice; the nine orifices of the human body are: the two eyes, the two nostrils, the mouth , the two ears, the sex, the anus (BAB.2.5, ex. 2); chidra, idem (BAB.2.32-33, ex. 24); nanda either the nine treasures of Kubera or the nine brother-kings called "Nanda" (idem).
- **Ten** paikti a verse with ten syllables in a quarter (BAB.2.9ab, ex.1)
- **Eleven** *Śiva*, as the head of a group of eleven gods called collectively *rudra*³. (BAB.2.32-33, ex. 13)
- **Fourteen** Manu the fourteen successive manus, progenitors or sovereigns of the earth mentioned in the Manusmrti 1. 63⁴. (BAB.2.9.ab. ex.1)
- Sixteen Asti a meter with sixteen syllables per quarter of verse (BAB.2.9.ab, ex. 1)
- **Eighteen** *dhṛti*, name of a meter with eighteen syllables per quarter of verse (BAB.2.32-33, ex. 14).
- Nineteen ekonavimśati, twenty minus one.
- Twenty-one Trisapta, three-(times)-seven (BAB.2.32-33, ex. 9)
- Twenty-five *Śarakrti*, the square of five.
- Fifty-nine Navapañca, lit. nine-five (BAB.2.32-33, ex. 9).

31

³For further information see [Doniger 1975; glossary, p.351].

⁴See also [Doniger 1975; Glossary, p.347].

1.2 Measure units

1.2.1 Units of length

Angula Smallest unit of length. Literally an *angula* is a finger or a thumb.

Nr Lit. a man. 1 nr = 96 angulas = 4 hastas.

Yojana A measure of distance. 1 yojana = 800 nr.

Hasta Lit. a hand or forearm. 24 angulas = 1 hasta.

Table 1.1. Onits of length					
	$a\dot{n}gula$	hasta	nr	yojana	
aṅgula	1				
hasta	24	1			
nŗ	96	4	1		
yojana	76800	1200	800	1	

Table 1.1: Units of length

1.2.2 Measures of Weight

Karṣa 4 karṣas = 1 pala.

Kuduva 1 kuduva = 4 setikas.

Guñjā 5 guñjas = 1 masaka. Used traditionally by jewelers.

Pala 4 karsas = 1 pala. 1 $bh\bar{a}ra = 2000$ palas.

Bhāra 1 $bh\bar{a}ra = 2000$ palas.

Mānaka 4 $m\bar{a}nakas = 1 \ setik\bar{a}$.

Māşaka 5 $gu \tilde{n} j \bar{a} s = 1 m \bar{a} saka$.

Setikā 1 setikā = 4 mānakas. 4 setikās = 1 kuduva.

Sauvarnika Equal to a karsa? measure of weight specific to gold.

measures of Grain					
	māṇaka	$setik\bar{a}$	kuḍuva		
māṇaka	1				
setikā	4	1			
kuḍuva	16	4	1		

Table 1.2 :	Units	of	weight
---------------	-------	----	--------

measures of Gold							
	guñja	māṣaka	karṣa	pala	bhāra		
$gu \widetilde{n} j a$	1						
$mar{a}saka$	5	1					
karṣa/sauvarṇika	80	16	1				
pala	320	64	4	1			
$bhar{a}ra$	640 000	128 000	8 000	2 000	1		

1.2.3 Coins

One name of a specific coins (dravya) is mentioned in the commentary, without any given value: $d\bar{i}n\bar{a}ra$.

rūpaka Probably the ancestor of the rupee. 1 $r\bar{u}paka = 20$ viņšopakas.

Vimśopaka 20 $vimśopakas = 1 r \bar{u} paka$.

1.2.4 Time Units

- **Ghațikā** One sixtieth of a day, half a $muh\bar{u}rtta$ or twenty-four $lipt\bar{a}s$. A $ghațik\bar{a}$ originally is the name of a clay pot, and by extension became the name of a water pot used in measuring time, and especially the $ghațik\bar{a}s$ of the day.
- Nadī or nādika A synonym of *ghatikā*. Half a *muhūrtta*, or 1/60th of a day.

Muhūrtta or Muhurta 1/30th of a day, roughly 48 minutes.

Yāma 1/8th of a day or 3 hours.

Liptā Minute.

Vinādika 1/60th of a $n\bar{a}d\bar{i}$.

ě	dina	yāma	muhurta	$nar{a}$ dika	$vinar{a}dika$	
dina (a day)	1	8	30	60	3600	
$y \bar{a} m a$		1	3 + 3/4	7 + 1/2	450	
muhurta or muhūrtta			1	2	120	
nādika, nadīor ghatikā				1	60	
vinādika					1	

Table 1.3: Divisions of the day

1.2.5 Subdivisions of a circle

 $r\bar{a}$ si A sign. 1/12th of the circumference of the circle.

Liptā A minute. 1/3600th of the circumference.

Kalā A minute. 1/3600th of the circumference.

Bhāga A degree. 1/60th of the circumference.

1.3 Names of planets, constellations, zodiac signs

The first occurence of the name is indicated in between parenthesis.

- **Aśvinī** Name of a *nakṣatra* roughly, a constelation- derived from the names of the twin vedic gods *Aśvin*. Contains stars of what is called today the Taurus constellation.
- **Balance** *tulādharanara*, litt. the man holding a balance or balance holder (BAB.2.32-33, ex. 14)

earth Ku (Ab.2.1).

- Jupiter Guru, (Ab.2.1); adhirūdhamahendrasūrau (BAB.2.32-33, ex. 17).
- Leo Mrgapati, lord of the beasts (Ab.2.32-33, ex. 7).
- Mars Kuja, born from the earth (Ab.2.1), medinihṛdayaja, born in the heart of the earth (BAB.2.32-33, ex.16); angāraka(BAB.2.32-33, ex. 23); bhauma "produced from the earth" (idem).

Mercury Budha (Ab.2.1).

- moon Śaśin, lit. that which has a rabbit (Ab.2.1), candra, lit. that which is bright; candramas (BAB.2.32-33, ex.13); niśānātha, litt. lord of the night (idem, ex. 14).
- Rāhu tamomaya "made of darkness" (BAB.2.18, ex. 1).
- Saturn Koņa, (Ab.2.1).
- Sagittarius Dhanu, bow (BAB.2.32-33 ex. 7); Dhanvin, the archer (BAB.2.32-33 ex. 12)
- sun Ravi (Ab.2.1), Mayūkhamāla, litt. wreathed with rays (BAB.2.1); sahasramarīca, "with a thousand rays" (BAB.2.16.); Sūrya (BAB.2.32-33),saviţr (Ab.2.32-33, ex. 7); bharttur divasasya, dinabharttur⁵ "lord of the day" (idem, ex. 9); bhānu (a ray of light, by extension) (idem, ex.12) divasakara, litt. maker of days (idem. ex.13); arka, vedic ray of light (idem, ex.14); bhāsvat "with lustre" (idem. ex. 19); tigmāńṣu, "with harsh rays" (idem, ex.21).

Venus Bhrgu (Ab.2.1).

1.4 Days of the week

Appear in commentary to verses 32-22

Monday *somadina* (com. preceding example 12).

Wednesday (Mercury day) jñavāra, rātreķpātustanujadivasa, litt. the son of the protector of the night (the moon) (ex.12), budhadivasa (resolution of ex. 12).

Thursday (Jupiter day) *jīvavāra* (ex.12).

Friday (Venus day) $\dot{s}ukrav\bar{a}ra$ (ex.12).

Saturday (Saturn day) *śanaiścarasya divasa* (ex.14)

sunday (sun day) sūryadina (com. preceding example 12).

⁵In classical sanskrit the word "lord" is usually writen with one 't': *bhartur*. This may be the trace of some dialectical writting or just a scribal error.

1.5 Gods and mythological figures

They do not appear often in the text, however occasionally, in examples, numbers' names and in the introductory verses, reference are made to some elements of Hindu Mythology. Therefore, we will briefly give some explanations on this topic.

One thing to bear in mind is that roughly the three major gods of Hinduism are Brahmā (the creator and grandfather), Śiva (the destroyer) and Viṣṇu (the preserver). Viṣṇu has eleven incarnations ($avat\bar{a}ra$). Brahmā, a masculin noun (in the nominative case) is the god; when a neutral noun, brahman, it is a philosophical concept⁶. Āryabhaṭa was a worshiper of Brahmā, a fact quite rare in India today, Bhāskara was a worshiper of Śiva, as the first verse introducing the $gaṇitap\bar{a}da$ seems to indicate.

Kṛṣṇa Is the 8th avatāra of Viṣṇu.

Brahmā The "Lotus-Born" (*Kamalodbhava*), Brahmā is said to be born from a lotus growing out of Viṣṇu's navel. (BAB.introduction to Ab.2).

The "Creator" (*vedhas*); $Sv\bar{a}yambh\bar{u}$, litt. self-existent or self-created; gives the name to the $Sv\bar{a}yambhuvasidh\bar{a}nta$ (BAB.2.1).

Ka, lit. "who?", would have arised from the interpretation of a vedic verse: 'Who (ka) knows whence this creation was born?', later interpretated as: '(The god) ka knows whence this creation was born.'⁷

Rāhu The demon of eclipses. He is thought to swallow the moon or part of it during an eclipse.

1.6 Cardinal directions

North Uttara.

South Daksina (at the right).

East $p\bar{u}rva$, $purast\bar{a}t$ (in front).

West Apara, paścad (the last).

⁶The essence of all things, the absolute see [Biardeau 1981; p.24-28, and glossaire, p. 183].

 $^{^{7}}$ See [Doniger 1975; p. 139, note 2].