

# **On the existence of a Ramsey equilibrium with endogenous labor supply and borrowing constraints**

Stefano Bosi, Cuong Le Van

# **To cite this version:**

Stefano Bosi, Cuong Le Van. On the existence of a Ramsey equilibrium with endogenous labor supply and borrowing constraints. 2011. halshs-00612131

# **HAL Id: halshs-00612131 <https://shs.hal.science/halshs-00612131v1>**

Submitted on 28 Jul 2011

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



**Documents de Travail du Centre d'Economie de la Sorbonne**

 $\left|\left|\left|\right|\right| \underset{s}{\overset{c}{\prod}}\left|\left|\left|\right|\right|\right|$ 

# **On the existence of a Ramsey equilibrium with endogenous labor supply and borrowing constraints**

Stefano BOSI, Cuong LE VAN

**2011.45**



# On the existence of a Ramsey equilibrium with endogenous labor supply and borrowing constraints<sup>\*</sup>

Stefano Bosi† and Cuong Le Van‡

July 22, 2011

<sup>∗</sup>We would like to thank Thomas Seegmuller for comments that have significantly improved the paper, and Robert Becker. This model has been presented to the international conference New Challenges for Macroeconomic Regulation held on June 2011 in Marseille.

<sup>†</sup>THEMA. E-mail: stefano.bosi@u-cergy.fr.

<sup>‡</sup>CNRS, CES, Exeter University, Paris School of Economics, VCREME. E-mail: levan@univ-paris1.fr.

### Résumé

Dans ce papier, on étudie l'existence d'un équilibre intertemporel dans un modèle de Ramsey avec escompte hétérogène, offre de travail élastique et contraintes d'emprunt. En appliquant un argument de point fixe de Gale et Mas-Colell (1975), on démontre l'existence d'un équilibre dans une économie bornée tronquée. Cet équilibre est aussi un équilibre pour toute économie non bornée aux mêmes fondamentaux. Enfin, on montre l'existence d'un équilibre dans une économie à horizon infini comme limite d'une suite d'économies tronquées. D'une part, notre papier généralise Becker et al. (1991) à cause de l'offre de travail élastique et, d'autre part, Bosi et Seegmuller (2010) à cause d'une démonstration d'existence globale. Notre méthodologie peut aussi s'appliquer à d'autres modèles de Ramsey avec des imperfections de marché différentes.

Mots-clés : Existence de l'équilibre ; Modèle de Ramsey ; Agents hétérogènes ; Offre de travail endogène ; Contraintes d'emprunt

#### Classification JEL : C62, D31, D91

### Abstract

In this paper, we study the existence of an intertemporal equilibrium in a Ramsey model with heterogenous discounting, elastic labor supply and borrowing constraints. Applying a fixed-point argument by Gale and Mas-Colell (1975), we prove the existence of an equilibrium in a truncated bounded economy. This equilibrium is also an equilibrium of any unbounded economy with the same fundamentals. Finally, we prove the existence of an equilibrium in an infinite-horizon economy as a limit of a sequence of truncated economies. On the one hand, our paper generalizes Becker et al. (1991) because of the elastic labor supply and, on the other hand, Bosi and Seegmuller (2010) because of a proof of global existence. Our methodology can be also applied to other Ramsey models with different market imperfections.

Keywords: Existence of equilibrium; Ramsey model; Heterogeneous agents; Endogenous labor supply; Borrowing constraint

JEL classification: C62, D31, D91

## 1 Introduction

Ramsey (1928) remains the most influential paper in growth literature and an inexhaustible source of inspiration for theorists. One of the puzzling aspects of the model is the so-called Ramsey conjecture: "... equilibrium would be attained by a division into two classes, the thrifty enjoying bliss and the improvident at the subsistence level" (Ramsey (1928), p. 559). This sentence ends the paper and means that, in the long run, the most patient agents would hold all the capital, while the others would live at their subsistence level. The Ramsey conjecture was proved by Robert Becker more than half a century later.

Becker (1980) pioneers a series of works during three decades on the properties of a Ramsey equilibrium under heterogenous discounting.<sup>1</sup> He shows the existence of a long-run equilibrium where the most patient agent holds the capital of the economy, while the impatient ones consume their labor income. The existence of the steady state rests on the introduction of borrowing constraints that prevent agents to borrow against their future labor income.

The complete markets case is considered by other authors. Le Van and Vailakis (2003) prove that, when individuals are allowed to borrow against future income, the impatient agents borrow from the patient one and spend the rest of their life to work to refund the debt. In addition, their consumption asymptotically vanishes and there is no longer room for a steady state. The extension with elastic labor supply, which is pertinent for a comparison with our paper, is provided by Le Van et al. (2007).

Borrowing constraints are credit market imperfections that change the equilibrium properties in terms of: (1) optimality, (2) stationarity and (3) monotonicity.

(1) Optimality. Credit market incompleteness entails the failure of the first welfare theorem. As a matter of fact, it is no longer possible to prove the existence of a competitive equilibrium by studying the set of Pareto-efficient allocations as done by Le Van and Vailakis (2003) and Le Van et al. (2007), among others, in absence of market imperfections.

(2) Stationarity. Under borrowing constraints, there exists a stationary state where impatient agents consume. The steady state vanishes when these constraints are retired: in the complete markets counterpart, Le Van and Vailakis (2003) and Le Van et al. (2007) show that the convergence of the optimal capital sequence to a particular stock still holds, but this stock is not itself a steady state.

(3) Monotonicity. In presence of borrowing constraints, persistent cycles arise (Becker (1980), Becker and Foias (1987, 1994), Sorger (1994)). To understand the role of these constraints, it is worthy to compare with similar models where markets are complete: Le Van and Vailakis (2003) and Le Van et al. (2007) also find that, under discounting heterogeneity, the monotonicity property of the representative agent counterpart does not carry over and that a twisted turnpike property holds (see Mitra (1979) and Becker (2005)). The

<sup>&</sup>lt;sup>1</sup>For a survey on this literature, the reader is referred to Becker  $(2006)$ .

very difference with the class of models à la Becker is that the optimal capital sequence always converges in the long run and, thus, there is no room for persistent cycles.

What is the reason of persistence? Becker and Foias (1987, 1994) show that cycles of period two may occur when capital income monotonicity fails, that is capital income is decreasing in the capital stock.

Thereby, the Ramsey conjecture holds under perfect competition, but also under the kind of imperfection represented by financial constraints. However, the introduction of other forms of imperfections makes this conjecture fragile. Prominent examples are given by distortionary taxation and market power. Sarte (1997) and Sorger (2002) study a progressive capital income taxation, while Sorger (2002, 2005, 2008) and Becker and Foias (2007) focus on the strategic interaction in the capital market. They prove the possibility of a long-run non-degenerated distribution of capital where impatient agents hold capital.

Our paper addresses the difficult question of the existence of an intertemporal equilibrium under borrowing constraints. The usual proof of existence à la Negishi no longer applies because markets are imperfect.

Becker et al. (1991) have shown the existence of an intertemporal equilibrium under borrowing constraints with inelastic labor supply. The argument of the proof rests on the introduction of a tâtonnement map giving an equilibrium as a fixed point of the map.

Bosi and Seegmuller (2010) provide a local proof of existence of an intertemporal equilibrium with elastic labor supply. Their argument rests on the existence of a local fixed point for the policy function based on the local stability properties of the steady state.

In this respect, the novelty of our paper is twofold.

(1) We generalize Becker et al. (1991) by considering an elastic labor supply.

(2) We go beyond Bosi and Seegmuller (2010) by providing a proof of global existence.

We show the existence of an intertemporal equilibrium in presence of market imperfections by applying a method inspired by Florenzano (1999), a model with incomplete markets. This method is based on a Gale and Mas-Colell (1975) fixed-point argument and can be applied in other contexts.

The entire paper is devoted to the proof of existence and is articulated in two steps.

(1) We first consider a time-truncated economy. Since the feasible allocations sets of our economy are uniformly bounded, we prove that there exists an equilibrium in a time-truncated bounded economy by using a theorem by Gale and Mas-Colell (1975). Actually, this equilibrium turns out to be an equilibrium for the time-truncated economy.

(2) Second, we take the limit of a sequence of truncated unbounded economies and we prove the existence of an intertemporal equilibrium in the limit economy.

These points correspond to the two main sections of the paper. Most of the proofs are given in Appendices 1 and 2.

### 2 Firms

We consider a representative firm with no market power. The technology is represented by a constant returns to scale production function:  $F(K_t, L_t)$ , where  $K_t$  and  $L_t$  are the aggregate capital and the aggregate labor. Profit maximization:  $\max_{K_t, L_t} |p_t F(K_t, L_t) - r_t K_t - w_t L_t|$ , gives  $\partial F / \partial K_t = r_t / p_t$  and  $\partial F/\partial L_t = w_t/p_t$ . We introduce the set of nonnegative real numbers:  $\mathbb{R}_+ \equiv$  ${x \in \mathbb{R} : x \ge 0}$ . Profit maximization is correctly defined under the following assumption.2

Assumption 1  $F: \mathbb{R}^2_+ \to \mathbb{R}_+$  is  $C^1$ , constant returns to scale, strictly increasing and concave. We assume that inputs are essential:  $F(0, L) = F(K, 0) = 0$ . In addition,  $F(K, L) \rightarrow +\infty$  when  $L > 0$  and  $K \rightarrow +\infty$  or when  $K > 0$  and  $L \rightarrow +\infty$ .

Let us introduce also boundary conditions on capital productivity when the labor supply is maximal and equal to  $m$  in order to simplify the proof of equilibrium existence.

**Assumption 2**  $(\partial F/\partial K_t)(0, m) > \delta$  and  $(\partial F/\partial K_t)(+\infty, m) < \delta$ , where  $\delta \in$  $(0, 1)$  denotes the rate of capital depreciation.

### 3 Households

We consider an economy without population growth where  $m$  households work and consume. Each household  $i$  is endowed with  $k_{i0}$  units of capital at period 0 and 1 unit of leisure-time per period. Leisure demand of agent  $i$  at time  $t$ is denoted by  $\lambda_{it}$  and the individual labor supply is given by  $l_{it} = 1 - \lambda_{it}$ . Individual wealth and consumption demand at time  $t$  are denoted by  $k_{it}$  and  $c_{it}$ .

Initial capital endowments are supposed to be positive.

Assumption 3  $k_{i0} > 0$  for  $i = 1, \ldots, m$ .

It is known that, in economies with heterogenous discounting and no borrowing constraints, impatient agents borrow, consume more and work less in the short run, and that they consume less and work more in the long run to refund the debt to patient agents. In our model, agents are prevented from borrowing:  $k_{it} \geq 0$  for  $t = 1, 2, ...$  and  $i = 1, ..., m$ .

<sup>&</sup>lt;sup>2</sup>The shortcut of maximization of an aggregate profit rests on the following argument. Consider a large number  $q$  of firms that share the same technology and have no market power. Each firm *j* maximizes the profit  $p_t F(k_{jt}, l_{jt}) - r_t k_{jt} - w_t l_{jt}$  in every period:  $t = 0, 1, ...$ <br>This gives  $\partial F/\partial k_{jt} = r_t/p_t$  and  $\partial F/\partial l_{jt} = w_t/p_t$  which in turn implies that the ratio  $k_{jt}/l_{jt}$ is the same across the firms. Let  $(K_t, L_t) \equiv \left(\sum_{j=1}^q k_{jt}, \sum_{j=1}^q l_{jt}\right)$  be the aggregate solution. We define an aggregate production function:  $F(K_t, L_t)$ . Since productivities  $\partial F/\partial k_{it}$  and  $\partial F/\partial l_{jt}$  are homogeneous of degree zero, the aggregate solution is also solution of the aggregate program:  $\max_{K_t, L_t} [ p_t F(K_t, L_t) - r_t K_t - w_t L_t ].$ 

Each household maximizes a utility separable over time:  $\sum_{t=0}^{T} \beta_i^t u_i (c_{it}, \lambda_{it}),$ where  $\beta_i \in (0,1)$  is the discount factor of agent *i*.

**Assumption 4**  $u_i : \mathbb{R}^2_+ \to \mathbb{R}$  is  $C^1$ , strictly increasing and concave.

## 4 Definition of equilibrium

We define an infinite-horizon sequences of prices and quantities:

$$
\left(\mathbf{p},\mathbf{r},\mathbf{w},\left(\mathbf{c}_i,\mathbf{k}_i,\boldsymbol{\lambda}_i\right)_{i=1}^m,\mathbf{K},\mathbf{L}\right)
$$

where

$$
\begin{array}{rcl}\n(\mathbf{p}, \mathbf{r}, \mathbf{w}) & \equiv & \left( (p_t)_{t=0}^{\infty}, (r_t)_{t=0}^{\infty}, (w_t)_{t=0}^{\infty} \right) \in \mathbb{R}^{\infty} \times \mathbb{R}_+^{\infty} \times \mathbb{R}_+^{\infty} \\
(\mathbf{c}_i, \mathbf{k}_i, \lambda_i) & \equiv & \left( (c_{it})_{t=0}^{\infty}, (k_{it})_{t=1}^{\infty}, (\lambda_{it})_{t=0}^{\infty} \right) \in \mathbb{R}_+^{\infty} \times \mathbb{R}^{\infty} \times \mathbb{R}_+^{\infty} \\
(\mathbf{K}, \mathbf{L}) & \equiv & \left( (K_t)_{t=0}^{\infty}, (L_t)_{t=0}^{\infty} \right) \in \mathbb{R}_+^{\infty} \times \mathbb{R}_+^{\infty}\n\end{array}
$$

with  $i = 1, \ldots, m$ .

**Definition 1** A Walrasian equilibrium  $(\bar{\mathbf{p}}, \bar{\mathbf{r}}, \bar{\mathbf{w}}, (\bar{\mathbf{c}}_i, \bar{\mathbf{k}}_i, \bar{\boldsymbol{\lambda}}_i)_{i=1}^m, \bar{\mathbf{K}}, \bar{\mathbf{L}})$  satisfies the following conditions.

(1) Price positivity:  $\bar{p}_t$ ,  $\bar{r}_t$ ,  $\bar{w}_t > 0$  for  $t = 0, 1, \ldots$ 

(2) Market clearing:

$$
goods : \sum_{i=1}^{m} \left[ \bar{c}_{it} + \bar{k}_{it+1} - (1 - \delta) \bar{k}_{it} \right] = F\left(\bar{K}_t, \bar{L}_t\right)
$$
  
capital :  $\bar{K}_t = \sum_{i=1}^{m} \bar{k}_{it}$   
labor :  $\bar{L}_t = \sum_{i=1}^{m} \bar{l}_{it}$ 

for  $t = 0, 1, \ldots$ , where  $l_{it} = 1 - \lambda_{it}$  denotes the individual labor supply.

(3) Optimal production plans:  $\bar{p}_t F\left(\bar{K}_t, \bar{L}_t\right) - \bar{r}_t \bar{K}_t - \bar{w}_t \bar{L}_t$  is the value of the program: max  $[\bar{p}_t F(K_t, L_t) - \bar{r}_t K_t - \bar{w}_t L_t]$ , for  $t = 0, 1, \ldots$  under the constraints  $K_t \geq 0$  and  $L_t \geq 0$ .

(4) Optimal consumption plans:  $\sum_{t=0}^{\infty} \beta_i^t u_i (\bar{c}_{it}, \bar{\lambda}_{it})$  is the value of the program:  $\max \sum_{t=0}^{\infty} \beta_i^t u_i(c_{it}, \lambda_{it})$ , under the following constraints:

budget constraint :  $\bar{p}_t [c_{it} + k_{it+1} - (1 - \delta) k_{it}] \leq \bar{r}_t k_{it} + \bar{w}_t (1 - \lambda_{it})$ borrowing constraint :  $k_{it+1} \geq 0$ leisure endowment :  $0 \leq \lambda_{it} \leq 1$ capital endowment :  $k_{i0} \geq 0$  given

for  $t = 0, 1, \ldots$ 

The following claims are essential in our paper.

Claim 1 Labor supply is bounded.

**Proof.** At the individual level, because  $l_{it} = 1 - \lambda_{it} \in [0, 1]$ . At the aggregate level, because  $0 \le \sum_{i=1}^{m} l_{it} \le m$ .

Claim 2 Under Assumptions 1 and 2, individual and aggregate capital supplies are bounded.

Proof. At the individual level, because of the borrowing constraint, we have  $0 \leq k_{it} \leq \sum_{h=1}^{m} k_{ht}.$ 

To prove that the individual capital supply is bounded, we prove that the aggregate capital supply is bounded. We want to show that  $0 \le \sum_{h=1}^{m} k_{ht} \le$  $\max\left\{x,\sum_{i=1}^m k_{i0}\right\} \equiv A$ , where x is the unique solution of

$$
x = (1 - \delta)x + F(x, m) \tag{1}
$$

Since F is  $C^1$ , increasing and concave,  $F(0, L) = 0$  and

$$
1 - \delta + (\partial F/\partial K_t)(0, m) > 1 > 1 - \delta + (\partial F/\partial K_t)(+\infty, m)
$$

(Assumptions 1 and 2), the solution of (1) is unique. Moreover,  $x \leq y$  implies

$$
(1 - \delta) y + F (y, m) \le y \tag{2}
$$

We notice that

$$
\sum_{i=1}^{m} k_{it+1} \leq \sum_{i=1}^{m} (c_{it} + k_{it+1}) \leq (1 - \delta) \sum_{i=1}^{m} k_{it} + F\left(\sum_{i=1}^{m} k_{it}, \sum_{i=1}^{m} l_{it}\right)
$$

$$
\leq (1 - \delta) \sum_{i=1}^{m} k_{it} + F\left(\sum_{i=1}^{m} k_{it}, m\right)
$$

because because F is increasing, the capital employed cannot exceed its aggregate supply  $\sum_{i=1}^{m} k_{it}$  and  $\sum_{i=1}^{m} l_{it} \leq m$ . Let  $x_t \equiv \sum_{i=1}^{m} k_{it}$ . Then,  $x_{t+1} \leq (1 - \delta) x_t +$  $\sum_{i=1}^{m} k_{it}$  and  $\sum_{i=1}^{m} l_{it} \leq m$ . Let  $x_t \equiv \sum_{i=1}^{m} k_{it}$ . Then,  $x_{t+1} \leq (1-\delta) x_t +$  $F(x_t, m)$ .

We observe that  $x_0 \leq \max\{x, x_0\} \equiv A$ . Therefore,  $x_1 \leq (1 - \delta)x_0 +$  $F(x_0,m) \leq (1-\delta) A + F(A,m) \leq A$  because  $x \leq A$  and, from (2), (1 –  $\delta A + F(A, m) \leq A$ . Iterating the argument, we find  $x_t \leq A$  for  $t = 0, 1, ...$ 

Claim 3 Under Assumptions 1 and 2, consumption is bounded.

**Proof.** At the individual level, we have  $0 \leq c_{it} \leq \sum_{h=1}^{m} c_{ht}$ .

To prove that the individual consumption is bounded, we prove that the aggregate consumption is bounded.

$$
\sum_{i=1}^{m} c_{it} \leq \sum_{i=1}^{m} (c_{it} + k_{it+1}) \leq (1 - \delta) \sum_{i=1}^{m} k_{it} + F\left(\sum_{i=1}^{m} k_{it}, m\right)
$$
  
 
$$
\leq (1 - \delta) A + F(A, m) \leq A
$$

# 5 On the existence of equilibrium in a finitehorizon economy

We consider an economy which goes on for  $T + 1$  periods:  $t = 0, \ldots, T$ .

Focus first on a bounded economy, that is choose sufficiently large bounds for quantities:

 $X_i \equiv \{(c_{i0}, \ldots, c_{iT}) : 0 \le c_{it} \le B_c\} = [0, B_c]^{T+1}$  with  $A < B_c$ 

$$
Y_i \equiv \{(k_{i1},...,k_{iT}): 0 \le k_{it} \le B_k\} = [0, B_k]^T
$$
 with  $A < B_k$ 

 $Z_i \equiv \{(\lambda_{i0}, \ldots, \lambda_{iT}) : 0 \leq \lambda_{it} \leq 1\} = [0, 1]^{T+1}$ 

$$
Y \equiv \{(K_0, \dots, K_T) : 0 \le K_t \le B_K\} = [0, B_K]^{T+1} \text{ with } A < B_K
$$

 $Z \equiv \{(L_0, \ldots, L_T) : 0 \le L_t \le B_L\} = [0, B_L]^{T+1}$  with  $m < B_L$ 

We notice that  $k_{i0}$  is given and that the borrowing constraints (inequalities  $k_{it} \geq 0$ ) capture the imperfection in the credit market.<sup>3</sup>

Let  $\mathcal{E}^T$  denote this economy with technology and preferences as in Assumptions 1 to 4 and with  $X_i$ ,  $Y_i$  and  $Z_i$  as the *i*th consumer-worker's bounded sets of consumption demand, capital supply and leisure demand respectively  $(i = 1, \ldots, m)$ , and Y and Z as the firm's bounded sets of capital and labor demands respectively.

Proposition 1 Under the Assumptions 1, 2, 3 and 4, there exists an equilibrium

$$
\left(\bar{\mathbf{p}},\bar{\mathbf{r}},\bar{\mathbf{w}},\left(\bar{\mathbf{c}}_h,\bar{\mathbf{k}}_h,\bar{\boldsymbol{\lambda}}_h\right)_{h=1}^m,\bar{\mathbf{K}},\bar{\mathbf{L}}\right)
$$

for the finite-horizon bounded economy  $\mathcal{E}^T$ .

**Proof.** The proof is quite long and articulated in many claims (see Appendix  $1$ ).  $\blacksquare$ 

Focus now on an unbounded economy.

**Theorem 4** Any equilibrium of  $\mathcal{E}^T$  is an equilibrium for the finite-horizon unbounded economy.

**Proof.** Let  $(\bar{\mathbf{p}}, \bar{\mathbf{r}}, \bar{\mathbf{w}})$   $(\bar{\mathbf{c}}_h, \bar{\mathbf{k}}_h, \bar{\boldsymbol{\lambda}}_h)_{h=1}^m$ ,  $\bar{\mathbf{K}}, \bar{\mathbf{L}})$  with  $\bar{p}_t, \bar{r}_t, \bar{w}_t > 0, t = 0, \ldots, T$ , be an equilibrium of  $\mathcal{E}^T$ .

Let  $(\mathbf{c}_i, \mathbf{k}_i, \boldsymbol{\lambda}_i)$  verify  $\sum_{t=0}^T \beta_i^t u_i (c_{it}, \lambda_{it}) > \sum_{t=0}^T \beta_i^t u_i (\bar{c}_{it}, \bar{\lambda}_{it})$ . We want to prove that this allocation violates at least one budget constraint, that is that there exists  $t$  such that

$$
\bar{p}_t [c_{it} + k_{it+1} - (1 - \delta) k_{it}] > \bar{r}_t k_{it} + \bar{w}_t (1 - \lambda_{it})
$$
\n(3)

Focus on a strictly convex combination of  $(c_i, k_i, \lambda_i)$  and  $(\bar{c}_i, \bar{k}_i, \bar{\lambda}_i)$ :

$$
c_{it}(\gamma) \equiv \gamma c_{it} + (1 - \gamma) \bar{c}_{it}
$$
  
\n
$$
k_{it}(\gamma) \equiv \gamma k_{it} + (1 - \gamma) \bar{k}_{it}
$$
  
\n
$$
\lambda_{it}(\gamma) \equiv \gamma \lambda_{it} + (1 - \gamma) \bar{\lambda}_{it}
$$
\n(4)

<sup>&</sup>lt;sup>3</sup>A possible generalization of credit constraints is  $h_i \leq k_{it}$  with  $h_i < 0$  given.

with  $0 < \gamma < 1$ . Notice that we assume that the bounds satisfy  $B_c, B_k, B_K > A$ and  $B_L > m$  in order ensure that we enter the bounded economy when the parameter  $\gamma$  is sufficiently close to 0.

Entering the bounded economy means  $(c_i(\gamma), k_i(\gamma), \lambda_i(\gamma)) \in X_i \times Y_i \times Z_i$ . In this case, because of the concavity of the utility function, we find

$$
\sum_{t=0}^{T} \beta_i^t u_i (c_{it}(\gamma), \lambda_{it}(\gamma)) \geq \gamma \sum_{t=0}^{T} \beta_i^t u_i (c_{it}, \lambda_{it}) + (1 - \gamma) \sum_{t=0}^{T} \beta_i^t u_i (\bar{c}_{it}, \bar{\lambda}_{it})
$$

$$
> \sum_{t=0}^{T} \beta_i^t u_i (\bar{c}_{it}, \bar{\lambda}_{it})
$$

Since  $(c_i(\gamma), k_i(\gamma), \lambda_i(\gamma)) \in X_i \times Y_i \times Z_i$  and  $(\bar{\mathbf{p}}, \bar{\mathbf{r}}, \bar{\mathbf{w}}, (\bar{\mathbf{c}}_h, \bar{\mathbf{k}}_h, \bar{\lambda}_h)_{h=1}^m, \bar{\mathbf{K}}, \bar{\mathbf{L}})$ is an equilibrium for this economy, there exists  $t \in \{0, \ldots, T\}$  such that

$$
\bar{p}_t\left[c_{it}\left(\gamma\right) + k_{it+1}\left(\gamma\right) - \left(1-\delta\right)k_{it}\left(\gamma\right)\right] > \bar{r}_t k_{it}\left(\gamma\right) + \bar{w}_t\left(1-\lambda_{it}\left(\gamma\right)\right)
$$

Replacing (4), we obtain

$$
\bar{p}_t \left( \gamma c_{it} + (1 - \gamma) \bar{c}_{it} + \gamma k_{it+1} + (1 - \gamma) \bar{k}_{it+1} - (1 - \delta) \left[ \gamma k_{it} + (1 - \gamma) \bar{k}_{it} \right] \right) \n> \bar{r}_t \left[ \gamma k_{it} + (1 - \gamma) \bar{k}_{it} \right] + \bar{w}_t \left( 1 - \left[ \gamma \lambda_{it} + (1 - \gamma) \bar{\lambda}_{it} \right] \right)
$$

that is

$$
\gamma \bar{p}_t \left[c_{it} + k_{it+1} - (1 - \delta) k_{it}\right] + (1 - \gamma) \bar{p}_t \left[\bar{c}_{it} + \bar{k}_{it+1} - (1 - \delta) \bar{k}_{it}\right]
$$
  
> 
$$
\gamma \left[\bar{r}_t k_{it} + \bar{w}_t (1 - \lambda_{it})\right] + (1 - \gamma) \left[\bar{r}_t \bar{k}_{it} + \bar{w}_t (1 - \bar{\lambda}_{it})\right]
$$

Since  $\bar{p}_t \left[ \bar{c}_{it} + \bar{k}_{it+1} - (1 - \delta) \bar{k}_{it} \right] = \bar{r}_t \bar{k}_{it} + \bar{w}_t (1 - \bar{\lambda}_{it}),$  we obtain (3). Thus  $\left(\bar{\mathbf{p}}, \bar{\mathbf{r}}, \bar{\mathbf{w}}, (\bar{\mathbf{c}}_h, \bar{\mathbf{k}}_h, \bar{\boldsymbol{\lambda}}_h)_{h=1}^m, \bar{\mathbf{K}}, \bar{\mathbf{L}}\right)$  is also an equilibrium for this unbounded economy.

# 6 On the existence of equilibrium in an infinitehorizon economy

In the section, we introduce a separable utility and, for simplicity, we denote by  $u_i$  the utility of consumption and by  $v_i$  that of leisure. If  $w_i$  is the utility defined on both these arguments, we have  $w_i(c_{it}, \lambda_{it}) \equiv u_i(c_{it}) + v_i(\lambda_{it}).$ 

**Assumption 5** The utility function is separable:  $w_i(c_{it}, \lambda_{it}) \equiv u_i(c_{it}) + v_i(\lambda_{it}),$ with  $u_i, v_i : \mathbb{R}_+ \to \mathbb{R}$  and  $u_i, v_i \in C^1$ . In addition, we assume that  $u_i(0) =$  $v_i(0) = 0, u'_i(0) = v'_i(0) = +\infty, u'_i(c_{it}), v'_i(\lambda_{it}) > 0$  for  $c_{it}, \lambda_{it} > 0$ , and that  $functions u, v$  are concave.

Theorem 5 Under the Assumptions 1, 2, 3 and 5, there exists an equilibrium in the infinite-horizon economy with endogenous labor supply and borrowing constraints.

Proof. We consider a sequence of time-truncated economies and the associated equilibria. We prove that there exists a sequence of equilibria which converges, when the horizon  $T$  goes to infinity, to an equilibrium of the infinite-horizon economy. The proof is detailed in Appendix 2.  $\blacksquare$ 

## 7 Conclusion

In this paper, we have shown the existence of an intertemporal equilibrium with market imperfections (borrowing constraints). Applying the fixed-point theorem of Gale-Mas-Colell, we have proved the existence of an equilibrium in a finitehorizon bounded economy. This equilibrium turns out to be also an equilibrium of any unbounded economy with the same fundamentals. Eventually, we have shown the existence of an equilibrium in an infinite-horizon economy as a limit of a sequence of truncated economies by applying a uniform convergence argument.

The paper generalizes in one respect Becker et al. (1991) by considering an elastic labor supply, and, in another respect, Bosi and Seegmuller (2010) by providing a proof of global existence. Our methodology, inspired by Florenzano (1999) is quite general and can be applied to other Ramsey models with different market imperfections.

### 8 Appendix 1: finite horizon

Let us prove Proposition 1.

We define a bounded price set:

$$
P \equiv \{ (\mathbf{p}, \mathbf{r}, \mathbf{w}) : -1 \le p_t \le 1, 0 \le r_t \le 1, 0 \le w_t \le 1, t = 0, \dots, T \}
$$

At this stage, we put no restriction on the sign of  $p_t$ . We will prove later the positivity of the good price through an equilibrium argument.

Focus now on the budget constraints:

$$
p_t [c_{it} + k_{it+1} - (1 - \delta) k_{it}] \le r_t k_{it} + w_t (1 - \lambda_{it})
$$

for  $t = 0, ..., T - 1$  and  $p_T [c_{iT} - (1 - \delta) k_{iT}] \le r_T k_{iT} + w_T (1 - \lambda_{iT}).$ In the spirit of Bergstrom (1976), we introduce modified budget sets:

$$
B_{i}(\mathbf{p}, \mathbf{r}, \mathbf{w})
$$
\n
$$
= \begin{cases}\n p_{t} [c_{it} + k_{it+1} - (1 - \delta) k_{it}] < r_{t} k_{it} \times Z_{i} : \\
 p_{t} [c_{it} + k_{it+1} - (1 - \delta) k_{it}] < r_{t} k_{it} + w_{t} (1 - \lambda_{it}) + \gamma (p_{t}, r_{t}, w_{t}) \\
 t = 0, \ldots, T - 1 \\
 p_{T} [c_{iT} - (1 - \delta) k_{iT}] < r_{T} k_{iT} + w_{T} (1 - \lambda_{iT}) + \gamma (p_{T}, r_{T}, w_{T})\n\end{cases}
$$
\n
$$
= \begin{cases}\n (c_{i}, \mathbf{k}_{i}, \lambda_{i}) \in X_{i} \times Y_{i} \times Z_{i} : \\
 p_{t} [c_{it} + k_{it+1} - (1 - \delta) k_{it}] < r_{t} k_{it} + w_{t} (1 - \lambda_{it}) + \gamma (p_{t}, r_{t}, w_{t}) \\
 t = 0, \ldots, T - 1 \\
 p_{T} [c_{iT} - (1 - \delta) k_{iT}] < r_{T} k_{iT} + w_{T} (1 - \lambda_{iT}) + \gamma (p_{T}, r_{T}, w_{T})\n\end{cases}
$$

where  $\gamma (p_t, r_t, w_t) \equiv 1 - \min \{1, |p_t| + r_t + w_t\}.$ Let  $B_i(\mathbf{p}, \mathbf{r}, \mathbf{w})$  denote the closure of  $B_i(\mathbf{p}, \mathbf{r}, \mathbf{w})$ .

**Claim 6** For every  $(\mathbf{p}, \mathbf{r}, \mathbf{w}) \in P$ , we have  $B_i(\mathbf{p}, \mathbf{r}, \mathbf{w}) \neq \emptyset$  and  $C_i(\mathbf{p}, \mathbf{r}, \mathbf{w}) =$  $\bar{B}_i(\mathbf{p}, \mathbf{r}, \mathbf{w}).$ 

Proof. Without loss of generality, focus on the modified budget constraints of the first two periods:

$$
p_0 [c_{i0} + k_{i1} - (1 - \delta) k_{i0}] < r_0 k_{i0} + w_0 (1 - \lambda_{i0}) + \gamma (p_0, r_0, w_0)
$$
 (5)

$$
p_1 [c_{i1} + k_{i2} - (1 - \delta) k_{i1}] < r_1 k_{i1} + w_1 (1 - \lambda_{i1}) + \gamma (p_1, r_1, w_1)
$$
 (6)

We know that  $-1 \le p_t \le 1, 0 \le r_t \le 1, 0 \le w_t \le 1.$ 

(1) Assume that  $|p_0| + r_0 + w_0 < 1$ . Then  $\gamma (p_0, r_0, w_0) > 0$ .

Assume  $B_c$  to be large enough to set  $c_{i0} = (1 - \delta) k_{i0}$  and choose  $\lambda_{i0} = 1$  (we stay in  $X_i \times Z_i$ ). Then the inequality (5) becomes  $p_0 k_{i1} < r_0 k_{i0} + \gamma (p_0, r_0, w_0)$ and it is satisfied if  $k_{i1} > 0$  is sufficiently close to zero.

Focus now on the second period and two subcases.

(1.1) Assume that  $|p_1| + r_1 + w_1 < 1$ . Then  $\gamma(p_1, r_1, w_1) > 0$ .

If  $p_1 < 0$ , choose  $c_{i1}$  sufficiently large (assume the upper bound  $B_c$  to be large enough) and the inequality (6) is satisfied.

If  $p_1 \geq 0$ , set  $c_{i1} = k_{i2} = 0$  and the inequality (6) becomes  $-p_1 (1 - \delta) k_{i1} <$  $r_1 k_{i1} + w_1 (1 - \lambda_{i1}) + \gamma (p_1, r_1, w_1)$  and it is satisfied. Notice that, in this case, inequality (6) is satisfied also if  $k_{i2} > 0$  but sufficiently close to zero.

(1.2) Assume that  $|p_1| + r_1 + w_1 \ge 1$ . Then  $\gamma(p_1, r_1, w_1) = 0$ .

If  $p_1 < 0$ , choose  $c_{i1}$  sufficiently large (assume the upper bound  $B_c$  to be large enough) and the inequality (6) is satisfied.

If  $p_1 = 0$ , choose  $\lambda_{i1} = 0$ . The inequality (6) becomes  $0 < r_1 k_{i1} + w_1$  and, since either  $r_1 > 0$  or  $w_1 > 0$ , it is satisfied because  $k_{i1} > 0$  (see point (1)).

If  $p_1 > 0$ , set  $c_{i1} = k_{i2} = 0$ : the inequality (6) becomes  $-p_1 (1 - \delta) k_{i1} <$  $r_1 k_{i1} + w_1 (1 - \lambda_{i1})$  and is satisfied because  $k_{i1} > 0$  (see point (1)) and  $\delta < 1$ . Notice that, in this case, inequality (6) is satisfied also if  $k_{i2} > 0$  but sufficiently close to zero.

(2) Assume that  $|p_0| + r_0 + w_0 \ge 1$ . Then  $\gamma(p_0, r_0, w_0) = 0$ .

If  $p_0 < 0$ , assume  $B_c$  to be large enough to set  $c_{i0} = (1 - \delta) k_{i0}$  and choose  $k_{i1} > 0$ . Inequality (5) becomes  $p_0 k_{i1} < r_0 k_{i0} + w_0 (1 - \lambda_{i0})$  and it is satisfied.

If  $p_0 = 0$ , we have either  $r_0 > 0$  or  $w_0 > 0$ . Set  $\lambda_{i0} = 0 < k_{i1}$ . Inequality (5) becomes  $0 < r_0 k_{i0} + w_0$ . We can not exclude the case  $r_0 = 0$  or  $w_0 = 0$ , but Assumption 3 ensures that inequality (5) is verified.

If  $p_0 > 0$ , set  $c_{i0} = 0$  and  $0 < k_{i1} < (1 - \delta) k_{i0}$ . Inequality (5) becomes  $p_0$  [ $k_{i1} - (1 - \delta) k_{i0}$ ]  $\lt r_0 k_{i0} + w_0 (1 - \lambda_{i0})$  and it is satisfied.

Focus on the second period and two subcases.

(2.1) Assume that  $|p_1| + r_1 + w_1 < 1$ . Then  $\gamma(p_1, r_1, w_1) > 0$ .

The same arguments of point (1.1) apply.

(2.2) Assume that  $|p_1| + r_1 + w_1 \ge 1$ . Then  $\gamma(p_1, r_1, w_1) = 0$ .

The same arguments of point  $(1.2)$  apply (just replace "see point  $(1)$ " with "see point  $(2)$ ").

Thus, we have proved that, for whatever price system  $(\mathbf{p}, \mathbf{r}, \mathbf{w}) \in P$ , there exists  $(c_i, k_i, \lambda_i) \in B_i(p, r, w)$ . In addition,  $B_i(p, r, w) \neq \emptyset$  implies  $C_i(p, r, w) =$  $B_i(\mathbf{p}, \mathbf{r}, \mathbf{w})$  for every  $(\mathbf{p}, \mathbf{r}, \mathbf{w}) \in P$ .

Claim 7  $B_i$  is a lower semi-continuous correspondence on  $P$ .

**Proof.** We observe that  $B_i$  has an open graph.  $\blacksquare$ 

**Claim 8**  $C_i$  is upper semi-continuous on  $P$  with closed convex values.

**Proof.** We remark that the inequalities in the definition of  $C_i$  are affine and that  $X_i^T \times Y_i^T \times Z_i^T$  is a compact convex set. Thus  $C_i$  has a closed graph with convex values.  $\blacksquare$ 

In the spirit of Gale and Mas-Colell (1975, 1979), we introduce the reaction correspondences  $\varphi_i(\mathbf{p}, \mathbf{r}, \mathbf{w}, (\mathbf{c}_h, \mathbf{k}_h, \boldsymbol{\lambda}_h)_{h=1}^m, \mathbf{K}, \mathbf{L}), i = 0, \ldots, m+1$  defined on  $P \times [\times_{h=1}^{m} (X_h \times Y_h \times Z_h)] \times Y \times Z$ , where  $i=0$  denotes an "additional" agent,  $i = 1, \ldots, m$  the consumers, and  $i = m + 1$  the firm. These correspondences are defined as follows.

Agent  $i = 0$  (the "additional" agent):

$$
\varphi_{0}(\mathbf{p}, \mathbf{r}, \mathbf{w}, (\mathbf{c}_{h}, \mathbf{k}_{h}, \boldsymbol{\lambda}_{h})_{h=1}^{m}, \mathbf{K}, \mathbf{L})
$$
\n
$$
\equiv \begin{cases}\n(\tilde{\mathbf{p}}, \tilde{\mathbf{r}}, \tilde{\mathbf{w}}) \in P : \\
\sum_{t=0}^{T} (\tilde{p}_{t} - p_{t}) (\sum_{i=1}^{m} [c_{it} + k_{it+1} - (1 - \delta) k_{it}] - F(K_{t}, L_{t})) \\
+ \sum_{t=0}^{T} (\tilde{r}_{t} - r_{t}) (K_{t} - \sum_{i=1}^{m} k_{it}) \\
+ \sum_{t=0}^{T} (\tilde{w}_{t} - w_{t}) (L_{t} - m + \sum_{i=1}^{m} \lambda_{it}) > 0\n\end{cases}
$$
\n(7)

Agents  $i = 1, \ldots, m$  (consumers-workers):

$$
\varphi_{i}(\mathbf{p}, \mathbf{r}, \mathbf{w}, (\mathbf{c}_{h}, \mathbf{k}_{h}, \boldsymbol{\lambda}_{h})_{h=1}^{m}, \mathbf{K}, \mathbf{L})
$$
\n
$$
\equiv \left\{\n\begin{array}{c}\nB_{i}(\mathbf{p}, \mathbf{r}, \mathbf{w}) \text{ if } (\mathbf{c}_{i}, \mathbf{k}_{i}, \boldsymbol{\lambda}_{i}) \notin C_{i}(\mathbf{p}, \mathbf{r}, \mathbf{w}) \\
B_{i}(\mathbf{p}, \mathbf{r}, \mathbf{w}) \cap [P_{i}(\mathbf{c}_{i}, \boldsymbol{\lambda}_{i}) \times Y_{i}] \text{ if } (\mathbf{c}_{i}, \mathbf{k}_{i}, \boldsymbol{\lambda}_{i}) \in C_{i}(\mathbf{p}, \mathbf{r}, \mathbf{w})\n\end{array}\n\right\}
$$

where  $P_i$  is the *i*th agent's set of strictly preferred allocations:  $P_i(\mathbf{c}_i, \boldsymbol{\lambda}_i) \equiv \int (\tilde{\mathbf{z}}, \tilde{\mathbf{\lambda}}) \cdot \nabla^T e^{i\omega_i} (\tilde{\mathbf{z}}, \tilde{\mathbf{\lambda}}) \times \nabla^T e^{i\omega_i} (\tilde{\mathbf{z}}, \tilde{\mathbf{\lambda}})$  $\left\{ \tilde{\mathbf{c}}_i, \tilde{\boldsymbol{\lambda}}_i \right\} : \sum_{t=0}^T \beta_i^t u_i \left( \tilde{c}_{it}, \tilde{\lambda}_{it} \right) > \sum_{t=0}^T \beta_i^t u_i \left( c_{it}, \lambda_{it} \right) \right\}.$ Agent  $i = m + 1$  (the firm):

$$
\varphi_{m+1}(\mathbf{p}, \mathbf{r}, \mathbf{w}, (\mathbf{c}_h, \mathbf{k}_h, \boldsymbol{\lambda}_h)_{h=1}^m, \mathbf{K}, \mathbf{L})
$$
\n
$$
\equiv \left\{ \begin{array}{c} (\tilde{\mathbf{K}}, \tilde{\mathbf{L}}) \in Y \times Z : \\ \sum_{t=0}^T \left[ p_t F\left(\tilde{K}_t, \tilde{L}_t\right) - r_t \tilde{K}_t - w_t \tilde{L}_t \right] \\ > \sum_{t=0}^T \left[ p_t F\left(K_t, L_t\right) - r_t K_t - w_t L_t \right] \end{array} \right\}
$$
\n(8)

We observe that  $\varphi_i : \Phi \to 2^{\Phi_i}$  where

$$
\begin{array}{rcl}\n\Phi & \equiv & \Phi_0 \times \ldots \times \Phi_{m+1} \\
\Phi_0 & \equiv & P \\
\Phi_i & \equiv & X_i \times Y_i \times Z_i, \ i = 1, \ldots, m \\
\Phi_{m+1} & \equiv & Y \times Z\n\end{array}
$$

and  $2^{\Phi_i}$  denotes the set of subsets of  $\Phi_i$ .

**Claim 9**  $\varphi_i$  is a lower semi-continuous convex-valued correspondence for  $i =$  $0, \ldots, m + 1$ .

#### Proof.

(1) Focus first on openness.

 $\varphi_0$  has an open graph.

Consider  $\varphi_i$  with  $i = 1, ..., m$ .  $B_i$  is lower semi-continuous and has an open graph (Claim 7) in  $X_i \times Y_i \times Z_i$ .  $P_i(c_i, \lambda_i)$  has also an open graph in  $X_i \times Z_i$ , so  $B_i(\mathbf{p}, \mathbf{r}, \mathbf{w}) \cap [P_i(\mathbf{c}_i, \lambda_i) \times Y_i]$  has an open graph in  $X_i \times Y_i \times Z_i$ .

 $\varphi_{m+1}$  has an open graph.

(2) Focus now on convexity.

The affinity of the function w.r.t.  $(\tilde{\mathbf{p}}, \tilde{\mathbf{r}}, \tilde{\mathbf{w}})$  in the LHS of the inequality defining  $\varphi_0$  implies the convexity of  $\varphi_0$ .

The affinity of the modified budget constraint implies the convexity of  $B_i$ for every  $(\mathbf{p}, \mathbf{r}, \mathbf{w}) \in P$ . The concavity of  $u_i$  implies the convexity of  $P_i(\mathbf{c}_i, \lambda_i)$ for every  $(c_i, \lambda_i) \in X_i \times Z_i$ . Then  $B_i(\mathbf{p}, \mathbf{r}, \mathbf{w}) \cap [P_i(c_i, \lambda_i) \times Y_i]$  is convex and  $\varphi_i$  is convex-valued for  $i = 1, \ldots, m$ .

Concavity of F implies also the convexity of  $\varphi_{m+1}$ . Let us simplify the notation

$$
\mathbf{v} \equiv (\mathbf{p}, \mathbf{r}, \mathbf{w}, (\mathbf{c}_h, \mathbf{k}_h, \boldsymbol{\lambda}_h)_{h=1}^m, \mathbf{K}, \mathbf{L})
$$
  
\n
$$
\mathbf{v}_0 \equiv (\mathbf{p}, \mathbf{r}, \mathbf{w})
$$
  
\n
$$
\mathbf{v}_i \equiv (\mathbf{c}_i, \mathbf{k}_i, \boldsymbol{\lambda}_i) \text{ for } i = 1, ..., m
$$
  
\n
$$
\mathbf{v}_{m+1} \equiv (\mathbf{K}, \mathbf{L})
$$

**Lemma 1** (a fixed-point argument) There exists  $\mathbf{v} \in \Phi$  such that either  $\varphi_i(\mathbf{v}) =$  $\varnothing$  or  $\mathbf{v}_i \in \varphi_i(\mathbf{v})$  for  $i = 0, \ldots, m + 1$ .

**Proof.**  $\Phi$  is a non-empty compact convex subset of  $\mathbb{R}^{mT+(5+2m)(T+1)}$ . Each  $\varphi_i : \Phi \to 2^{\Phi_i}$  is a convex (possibly empty) valued correspondence whose graph is open in  $\Phi \times \Phi_i$  (Claim 9). Then the Gale and Mas-Colell (1975) fixed-point theorem applies.  $\blacksquare$ 

We observe the following.

(1) By definition of  $\varphi_0$  (the inequality in (7) is strict):  $(\mathbf{p}, \mathbf{r}, \mathbf{w}) \notin \varphi_0(\mathbf{v})$ .

(2)  $(c_i, k_i, \lambda_i) \notin P_i(c_i, \lambda_i) \times Y_i$  implies that  $(c_i, k_i, \lambda_i) \notin \varphi_i(v)$  for  $i =$  $1, \ldots, m$ .

(3) By definition of  $\varphi_{m+1}$  (the inequality in (8) is strict):  $(\mathbf{K}, \mathbf{L}) \notin \varphi_{m+1} (\mathbf{v}).$ Then, for  $i = 0, \ldots, m + 1, \mathbf{v}_i \notin \varphi_i(\mathbf{v}).$ 

According to Lemma 1, there exists  $\bar{\mathbf{v}} \in \Phi$  such that  $\varphi_i(\bar{\mathbf{v}}) = \varnothing$  for  $i =$  $0, \ldots, m+1$ , that is, there exists  $\bar{\mathbf{v}} \in \Phi$  such that the following holds.

 $i = 0$ . For every  $(\mathbf{p}, \mathbf{r}, \mathbf{w}) \in P$ ,

$$
\sum_{t=0}^{T} (p_t - \bar{p}_t) \left( \sum_{i=1}^{m} \left[ \bar{c}_{it} + \bar{k}_{it+1} - (1 - \delta) \bar{k}_{it} \right] - F \left( \bar{K}_t, \bar{L}_t \right) \right) \n+ \sum_{t=0}^{T} (r_t - \bar{r}_t) \left( \bar{K}_t - \sum_{i=1}^{m} \bar{k}_{it} \right) + \sum_{t=0}^{T} (w_t - \bar{w}_t) \left( \bar{L}_t - m + \sum_{i=1}^{m} \bar{\lambda}_{it} \right) \n\leq 0
$$
\n(9)

 $i = 1, \ldots, m. \, (\bar{\mathbf{c}}_i, \bar{\mathbf{k}}_i, \bar{\boldsymbol{\lambda}}_i) \in C_i \left( \bar{\mathbf{p}}, \bar{\mathbf{r}}, \bar{\mathbf{w}} \right) \text{ and } B_i \left( \bar{\mathbf{p}}, \bar{\mathbf{r}}, \bar{\mathbf{w}} \right) \cap \left[ P_i \left( \bar{\mathbf{c}}_i, \bar{\boldsymbol{\lambda}}_i \right) \times Y_i \right] =$  $\varnothing$  for  $i = 1, \ldots, m$ . Then, for  $i = 1, \ldots, m$ ,  $(c_i, k_i, \lambda_i) \in C_i(\bar{\mathbf{p}}, \bar{\mathbf{r}}, \bar{\mathbf{w}})$  $\overline{B}_i(\overline{\mathbf{p}},\overline{\mathbf{r}},\overline{\mathbf{w}})$  implies

$$
\sum_{t=0}^{T} \beta_i^t u_i (c_{it}, \lambda_{it}) \leq \sum_{t=0}^{T} \beta_i^t u_i (\bar{c}_{it}, \bar{\lambda}_{it})
$$
\n(10)

 $i = m + 1$ . For  $t = 0, ..., T$  and for every  $(\mathbf{K}, \mathbf{L}) \in Y \times Z$ , we have  $\sum_{t=0}^{T} [\bar{p}_t F(K_t, L_t) - \bar{r}_t K_t - \bar{w}_t L_t] \leq \sum_{t=0}^{T} [\bar{p}_t F(\bar{K}_t, \bar{L}_t) - \bar{r}_t \bar{K}_t - \bar{w}_t \bar{L}_t]$ . This is possible if and only if

$$
\bar{p}_t F\left(K_t, L_t\right) - \bar{r}_t K_t - \bar{w}_t L_t \leq \bar{p}_t F\left(\bar{K}_t, \bar{L}_t\right) - \bar{r}_t \bar{K}_t - \bar{w}_t \bar{L}_t \tag{11}
$$

for any t (simply choose  $(\mathbf{K}, \mathbf{L})$  such that  $(K_s, L_s) = (\bar{K}_s, \bar{L}_s)$  if  $s \neq t$ , to prove the necessity, and sum (11) side by side to prove the sufficiency).

In particular, we have

$$
\bar{p}_t F\left(\bar{K}_t, \bar{L}_t\right) - \bar{r}_t \bar{K}_t - \bar{w}_t \bar{L}_t \ge 0 \tag{12}
$$

**Proposition 2** At the prices  $(\bar{p}_t, \bar{r}_t, \bar{w}_t)$ ,  $(\bar{K}_t, \bar{L}_t)$  satisfies the zero-profit condition:

$$
\bar{p}_t F\left(\bar{K}_t, \bar{L}_t\right) = \bar{r}_t \bar{K}_t + \bar{w}_t \bar{L}_t \tag{13}
$$

**Proof.** From (12), we know that  $\bar{p}_t F\left(\bar{K}_t, \bar{L}_t\right) - \bar{r}_t \bar{K}_t - \bar{w}_t \bar{L}_t \geq 0$ . Suppose, by contradiction, that  $\bar{p}_t F\left(\bar{K}_t, \bar{L}_t\right) - \bar{r}_t \bar{K}_t - \bar{w}_t \bar{L}_t > 0$ . Choose a new vector of inputs  $(\mu \bar{K}_t, \mu \bar{L}_t)$  with  $\mu > 1$  (this is possible if bounds  $B_K$  and  $B_L$  are sufficiently large). The constant returns to scale imply

$$
\bar{p}_t F\left(\mu \bar{K}_t, \mu \bar{L}_t\right) - \bar{r}_t \mu \bar{K}_t - \bar{w}_t \mu \bar{L}_t = \mu \left[\bar{p}_t F\left(\bar{K}_t, \bar{L}_t\right) - \bar{r}_t \bar{K}_t - \bar{w}_t \bar{L}_t\right] \\
> \bar{p}_t F\left(\bar{K}_t, \bar{L}_t\right) - \bar{r}_t \bar{K}_t - \bar{w}_t \bar{L}_t
$$

against the fact that inequality (11) holds for every  $(K_t, L_t) \in [0, B_K] \times [0, B_L]$ .

**Claim 10** If  $\bar{p}_t > 0$ , then  $\bar{K}_t - \sum_{i=1}^m \bar{k}_{it} \ge 0$  and  $\bar{L}_t - \sum_{i=1}^m \bar{l}_{it} \ge 0$ .

### Proof.

(1) We notice that, from (9), if the demand for capital is less than the supply of capital:  $\bar{K}_t < \sum_{i=1}^m \bar{k}_{it}$ , we have  $\bar{r}_t = 0$ . But, since  $\bar{p}_t > 0$ ,  $\bar{r}_t = 0$  implies  $\overline{K}_t = B_K$  and, so,  $B_K = \overline{K}_t < \sum_{i=1}^m \overline{k}_{it} \leq A < B_K$ , a contradiction. Then  $\bar{K}_t - \sum_{i=1}^m \bar{k}_{it} \ge 0$  for  $t = 0, \ldots, T+1$ .

(2) Similarly, we notice that, if the labor demand is less than the labor supply:  $\bar{L}_t < \sum_{i=1}^m \bar{l}_{it}$ , we have  $\bar{w}_t = 0$ . But  $\bar{w}_t = 0$  implies  $\bar{L}_t = B_L$  and, so,  $B_L = \bar{L}_t \leq \sum_{i=1}^{m} \bar{l}_{it} \leq m < B_L$ , a contradiction. Then  $\bar{L}_t - \sum_{i=1}^{m} \bar{l}_{it} \geq 0$  for  $t = 0, \ldots, T + 1.$ 

Let  $\bar{Z}_t \equiv \sum_{i=1}^m \left[ \bar{c}_{it} + \bar{k}_{it+1} - (1 - \delta) \bar{k}_{it} \right] - F\left( \bar{K}_t, \bar{L}_t \right)$  be the aggregate excess demand at time t. We want to prove that  $Z_t = 0$ .

Assume, by contradiction, that

$$
\bar{Z}_t \neq 0 \tag{14}
$$

**Claim 11** If  $\bar{Z}_t \neq 0$  and  $p_t \bar{Z}_t \leq \bar{p}_t \bar{Z}_t$  for every  $p_t$  with  $|p_t| \leq 1$ , then (1)  $|\bar{p}_t| = 1$ and (2)  $\bar{p}_t Z_t > 0$ .

### Proof.

(1) Let us show that  $-1 < \bar{p}_t < 1$  leads to a contradiction.

(1.1) If  $Z_t > 0$ , we choose  $p_t$  such that  $\bar{p}_t < p_t < 1$  and we find  $\bar{p}_t Z_t < p_t Z_t$ , a contradiction.

(1.2) If  $Z_t < 0$ , we choose  $p_t$  such that  $-1 < p_t < \bar{p}_t$  and we find  $\bar{p}_t Z_t < p_t Z_t$ , a contradiction.

(2) Clearly, if we choose  $p_t = 0$ , we have always  $\bar{p}_t \bar{Z}_t \geq 0$ . Since  $\bar{p}_t = \pm 1$ and  $Z_t \neq 0$ , then  $\bar{p}_t Z_t \neq 0$  and, so,  $\bar{p}_t Z_t > 0$ .

**Claim 12** If  $\bar{Z}_t \neq 0$ , then  $\bar{Z}_t > 0$  and, hence,  $\bar{p}_t = 1$ .

**Proof.** First, we observe that (9) holds also with  $p_t = \bar{p}_t$  for  $t \neq s$  and  $(r_t, w_t) =$  $(\bar{r}_t, \bar{w}_t)$  for  $t = 0, \ldots, T$ , that is

$$
(p_s - \bar{p}_s) \left( \sum_{i=1}^m \left[ \bar{c}_{is} + \bar{k}_{is+1} - (1 - \delta) \bar{k}_{is} \right] - F\left( \bar{K}_s, \bar{L}_s \right) \right) = (p_s - \bar{p}_s) \bar{Z}_s \le 0
$$

for every  $p_s$  with  $|p_s| \leq 1$ . Replacing s by t, we have  $p_t \overline{Z}_t \leq \overline{p}_t \overline{Z}_t$  for every  $p_t$ with  $|p_t| \leq 1$ .

Claim 11 applies. Then  $|\bar{p}_t| = 1$  and  $\bar{p}_t \bar{Z}_t > 0$ .

Suppose that the conclusion of Claim 12 is false, that is  $\bar{Z}_t < 0$  and, hence,  $\bar{p}_t = -1$ . We obtain  $\sum_{i=1}^m [\bar{c}_{it} + \bar{k}_{it+1} - (1 - \delta) \bar{k}_{it}] - F(\bar{K}_t, \bar{L}_t) < 0$ .

But if  $\bar{p}_t = -1$ , we have  $\bar{c}_{it} = B_c$ . Indeed, if  $\bar{c}_{it} < B_c$  for at least one agent, we can find  $\bar{c}_{it} < c_{it} < B_c$  such that  $\sum_{t=0}^{T} \beta_i^t u_i (c_{it}, \lambda_{it}) > \sum_{t=0}^{T} \beta_i^t u_i (\bar{c}_{it}, \bar{\lambda}_{it})$ with  $(c_i, k_i, \lambda_i) \in B_i(\bar{\mathbf{p}}, \bar{\mathbf{r}}, \bar{\mathbf{w}})$ , against the definition of  $\bar{\mathbf{v}}$  (see (10)). Then

$$
mB_c = \sum_{i=1}^{m} \bar{c}_{it} < F\left(\bar{K}_t, \bar{L}_t\right) + (1 - \delta) \sum_{i=1}^{m} \bar{k}_{it} - \sum_{i=1}^{m} \bar{k}_{it+1}
$$
\n
$$
\leq F\left(\sum_{i=1}^{m} \bar{k}_{it}, \sum_{i=1}^{m} \bar{l}_{it}\right) + (1 - \delta) \sum_{i=1}^{m} \bar{k}_{it} \leq F\left(A, m\right) + (1 - \delta) A \leq A
$$

a contradiction.

**Proposition 3** The goods market clears:  $\bar{Z}_t = 0$ , that is

$$
\sum_{i=1}^{m} \left[ \bar{c}_{it} + \bar{k}_{it+1} - (1 - \delta) \bar{k}_{it} \right] = F\left( \bar{K}_{t}, \bar{L}_{t} \right)
$$

**Proof.**  $\bar{p}_t = 1$  implies  $\gamma(\bar{p}_t, \bar{r}_t, \bar{w}_t) = 0$ . In this case,  $(\bar{\mathbf{c}}_i, \bar{\mathbf{k}}_i, \bar{\boldsymbol{\lambda}}_i) \in C_i(\bar{\mathbf{p}}, \bar{\mathbf{r}}, \bar{\mathbf{w}})$ implies  $\bar{p}_t \left[ \bar{c}_{it} + \bar{k}_{it+1} - (1 - \delta) \bar{k}_{it} \right] \leq \bar{r}_t \bar{k}_{it} + \bar{w}_t (1 - \bar{\lambda}_{it})$  and, therefore, we have

$$
\bar{p}_t \sum_{i=1}^m \left[ \bar{c}_{it} + \bar{k}_{it+1} - (1 - \delta) \bar{k}_{it} \right] \le \bar{r}_t \sum_{i=1}^m \bar{k}_{it} + \bar{w}_t \sum_{i=1}^m \bar{l}_{it} \tag{15}
$$

Assume, by contradiction,  $Z_t \neq 0$ . Claim 12 implies  $\bar{p}_t = 1$  and  $Z_t > 0$ . This implies, in turn,

$$
\bar{p}_t \sum_{i=1}^m \left[ \bar{c}_{it} + \bar{k}_{it+1} - (1 - \delta) \bar{k}_{it} \right] > \bar{p}_t F\left( \bar{K}_t, \bar{L}_t \right)
$$

According to (12), we have also  $\bar{p}_t F\left(\bar{K}_t, \bar{L}_t\right) \geq \bar{r}_t \bar{K}_t + \bar{w}_t \bar{L}_t.$ 

Finally, we know that  $\bar{K}_t \geq \sum_{i=1}^m \bar{k}_{it}$  and  $\bar{L}_t \geq \sum_{i=1}^m \bar{l}_{it}$  (Claim 10). Putting together, we have  $\overline{p}_t \sum_{i=1}^{m} \left[ \overline{c}_{it} + \overline{k}_{it+1} - (1-\delta) \overline{k}_{it} \right] > \overline{r}_t \sum_{i=1}^{m} \overline{k}_{it} +$  $\overline{w}_t \sum_{i=1}^m \overline{l}_{it}$ , in contradiction with (15). Thus the inequality (14) is false and  $\bar{Z}_t = 0$ .

We observe that

$$
\sum_{i=1}^{m} \bar{c}_{it} = F(\bar{K}_{t}, \bar{L}_{t}) + \sum_{i=1}^{m} [(1 - \delta) \bar{k}_{it} - \bar{k}_{it+1}]
$$
  

$$
\leq F\left(\sum_{i=1}^{m} \bar{k}_{it}, \sum_{i=1}^{m} \bar{l}_{it}\right) + (1 - \delta) \sum_{i=1}^{m} \bar{k}_{it}
$$
  

$$
\leq F(A, m) + (1 - \delta) A \leq A < B_{c}
$$

We have now to prove that also the capital and the labor markets clear.

Proposition 4  $\bar{p}_t, \bar{r}_t, \bar{w}_t > 0, t = 0, \ldots, T$ .

 $\sum_{i=1}^{m} (\bar{c}_{it} + \bar{k}_{it+1}) \ge B_c > F(A,m) + (1 - \delta) A \ge F(\bar{K}_t, \bar{L}_t) + (1 - \delta) \sum_{i=1}^{m} \bar{k}_{it}$ **Proof.** Let us show that  $\bar{p}_t > 0$ . Indeed, if  $\bar{p}_t \leq 0$ , then  $\bar{c}_{it} = B_c$  for every *i* and in contradiction with  $\bar{Z}_t = 0$ .

Recall that

$$
\bar{p}_t F(\bar{K}_t, \bar{L}_t) - \bar{r}_t \bar{K}_t - \bar{w}_t \bar{L}_t \ge \bar{p}_t F(K_t, L_t) - \bar{r}_t K - \bar{w}_t L_t
$$

for any pair  $(K_t, L_t)$  with  $K_t, L_t \geq 0$ . Assume  $\bar{r}_t = 0$  and  $\bar{w}_t \geq 0$ . In this case, given  $L_t > 0$ , we have  $\bar{p}_t F(K_t, L_t) - \bar{r}_t K_t - \bar{w}_t L_t = \bar{p}_t F(K_t, L_t) - \bar{w}_t L_t \rightarrow +\infty$ if  $K_t \to +\infty$ , since  $\bar{p}_t > 0$ : a contradiction. A similar proof works when  $\bar{w}_t = 0$ and  $\bar{r}_t \geq 0$ .

**Proposition 5**  $\bar{K}_t = \sum_{i=1}^m \bar{k}_{it}$  and  $\bar{L}_t = \sum_{i=1}^m \bar{l}_{it}$ .

**Proof.** Since  $\bar{p}_t > 0$ , we have  $\bar{K}_t \ge \sum_{i=1}^m \bar{k}_{it}$  (Claim 10). If  $\bar{K}_t > \sum_{i=1}^m \bar{k}_{it}$ , from (9), we have  $\bar{r}_t = 1 > 0$ . Then

$$
\bar{p}_t \sum_{i=1}^m \left[ \bar{c}_{it} + \bar{k}_{it+1} - (1 - \delta) \bar{k}_{it} \right] = \bar{p}_t F\left(\bar{K}_t, \bar{L}_t\right) \ge \bar{r}_t \bar{K}_t + \bar{w}_t \bar{L}_t
$$
\n
$$
> \bar{r}_t \sum_{i=1}^m \bar{k}_{it} + \bar{w}_t \sum_{i=1}^m \bar{l}_{it}
$$

But  $\left[\bar{\mathbf{c}}_i, \bar{\mathbf{k}}_i, \bar{\boldsymbol{\lambda}}_i\right] \in C_i \left(\bar{\mathbf{p}}, \bar{\mathbf{r}}, \bar{\mathbf{w}}\right)$  implies  $\bar{p}_t \sum_{i=1}^m \left[\bar{c}_{it} + \bar{k}_{it+1} - (1-\delta)\,\bar{k}_{it}\right] \leq$  $\overline{r}_t \sum_{i=1}^m \vec{k}_{it} + \overline{w}_t \sum_{i=1}^m (1 - \overline{\lambda}_{it}),$  a contradiction. Then  $\overline{K}_t = \sum_{i=1}^m \overline{k}_{it}.$ 

We know that  $\overline{L}_t \geq \sum_{i=1}^m \overline{l}_{it}$  (Claim 10). If  $\overline{L}_t > \sum_{i=1}^m \overline{l}_{it}$ , we have  $\overline{w}_t = 1 >$ 0. Then

$$
\bar{p}_t \sum_{i=1}^m \left[ \bar{c}_{it} + \bar{k}_{it+1} - (1 - \delta) \bar{k}_{it} \right] = \bar{p}_t F\left(\bar{K}_t, \bar{L}_t\right) \ge \bar{r}_t \bar{K}_t + \bar{w}_t \bar{L}_t
$$
\n
$$
> \bar{r}_t \sum_{i=1}^m \bar{k}_{it} + \bar{w}_t \sum_{i=1}^m \bar{l}_{it}
$$

But  $\left[\bar{\mathbf{c}}_i, \bar{\mathbf{k}}_i, \bar{\boldsymbol{\lambda}}_i\right] \in C_i\left(\bar{\mathbf{p}}, \bar{\mathbf{r}}, \bar{\mathbf{w}}\right)$  implies  $\bar{p}_t \sum_{i=1}^m \left[\bar{c}_{it} + \bar{k}_{it+1} - (1-\delta)\,\bar{k}_{it}\right] \leq$  $\bar{r}_t \sum_{i=1}^m \vec{k}_{it} + \bar{w}_t \sum_{i=1}^m (1 - \bar{\lambda}_{it}),$  a contradiction. Then  $\bar{L}_t = \sum_{i=1}^m \bar{l}_{it}.$ We observe that  $\sum_{i=1}^{m} \bar{k}_{it} \leq A < B_k$  and  $\sum_{i=1}^{m} \bar{l}_{it} \leq m < \overline{B_L}$ .

Proposition 6 The modified budget constraint at equilibrium is a budget constraint:  $\gamma(\bar{p}_t, \bar{r}_t, \bar{w}_t) = 0$  for  $t = 0, \ldots, T$ .

**Proof.**  $\bar{p}_t > 0$  implies that the modified budget constraint is binding:

$$
\bar{p}_t \left[ \bar{c}_{it} + \bar{k}_{it+1} - (1 - \delta) \bar{k}_{it} \right] = \bar{r}_t \bar{k}_{it} + \bar{w}_t \bar{l}_{it} + \gamma \left( \bar{p}_t, \bar{r}_t, \bar{w}_t \right)
$$

This gives

$$
\bar{p}_t \sum_{i=1}^m \left[ \bar{c}_{it} + \bar{k}_{it+1} - (1 - \delta) \bar{k}_{it} \right] = \bar{r}_t \sum_{i=1}^m \bar{k}_{it} + \bar{w}_t \sum_{i=1}^m \bar{l}_{it} + m\gamma \left( \bar{p}_t, \bar{r}_t, \bar{w}_t \right)
$$

Proposition 3 implies  $\bar{p}_t F\left(\bar{K}_t, \bar{L}_t\right) = \bar{r}_t \sum_{i=1}^m \bar{k}_{it} + \bar{w}_t \sum_{i=1}^m \bar{l}_{it} + m\gamma \left(\bar{p}_t, \bar{r}_t, \bar{w}_t\right),$ while Propositions 2 and 5 entail  $\bar{p}_t F\left(\bar{K}_t, \bar{L}_t\right) = \bar{r}_t \sum_{i=1}^m \vec{k}_{it} + \bar{w}_t \sum_{i=1}^m \bar{l}_{it}$ . So,  $\gamma(\bar{p}_t, \bar{r}_t, \bar{w}_t)=0$ .

Corollary 1  $(\bar{\mathbf{p}}, \bar{\mathbf{r}}, \bar{\mathbf{w}}, (\bar{\mathbf{c}}_h, \bar{\mathbf{k}}_h, \bar{\boldsymbol{\lambda}}_h)_{h=1}^m, \bar{\mathbf{K}}, \bar{\mathbf{L}})$  is an equilibrium for the finitehorizon bounded economy  $\mathcal{E}^{T}$ .

### 9 Appendix 2: infinite horizon

We want to prove Theorem 5. From now on, any variable  $x_t^T$  with subscript t and superscript T will refer to a period t in a T-truncated economy with  $x_t^T = 0$ if  $t > T$ . As above, sequences will be denoted in bold type.

Under the Assumptions 1, 2, 3 and 5 an equilibrium

$$
\left(\mathbf{\bar{p}},\mathbf{\bar{r}},\mathbf{\bar{w}},\left(\mathbf{\bar{c}}_i,\mathbf{\bar{k}}_i,\mathbf{\bar{\lambda}}_i\right)_{i=1}^m,\mathbf{\bar{K}},\mathbf{\bar{L}}\right)^T
$$

of a truncated economy exists. Under these assumptions, namely separability and differentiability of preferences, the following necessary conditions hold for the existence of an equilibrium in a truncated economy.

Claim 13 Under Assumption 5, the equilibrium of a truncated economy satisfies the following conditions.

For  $t = 0, \ldots, T$ : (1)  $\bar{p}_t^T, \bar{r}_t^T, \bar{w}_t^T > 0$  with  $\bar{p}_t^T + \bar{r}_t^T + \bar{w}_t^T = 1$  (normalization),  $\left( \hat{Z} \right) \left( \partial F / \partial K_t \right) \left( \bar{K}_t^T, \bar{L}_t^T \right) = \bar{r}_t^T / \bar{p}_t^T,$ (3)  $(\partial F/\partial L_t) (\overline{K_t^T}, \overline{L_t^T}) = \overline{w}_t^T/\overline{p}_t^T$ , (4)  $\overline{K}_{t}^{T} = \sum_{i=1}^{m} \overline{k}_{it}^{T},$  $(5)$   $\bar{L}_{t}^{T} = \sum_{i=1}^{m} \bar{l}_{it}^{T}$  $(6)$   $\sum_{i=1}^{m} \left[ \overline{\vec{c}}_{it}^{T} + \vec{k}_{it+1}^{T} - (1 - \delta) \vec{k}_{it}^{T} \right] = F\left( \overline{K}_{t}^{T}, \overline{L}_{t}^{T} \right)$  with  $\overline{k}_{iT+1}^{T} = 0$ . For  $i = 1, ..., m, t = 0, ..., T$ : (7)  $\beta_i^t u_i' (\bar{c}_{it}^T) = \bar{\mu}_{it}^T \bar{p}_t^T \geq \bar{\mu}_{it+1}^T \bar{p}_{t+1}^T (1 - \delta) + \bar{\mu}_{it+1}^T \bar{r}_{t+1}^T$ , with equality when  $k_{it+1}^T > 0,$ (8)  $v_i'(\bar{\lambda}_{it}^T) \ge u_i'(\bar{c}_{it}^T) \bar{w}_t^T / \bar{p}_t^T$ , with equality when  $\bar{\lambda}_{it}^T < 1$ ,  $(9) \, \bar{p}^T_t \left[ \bar{c}_{it}^T + \bar{k}_{it+1}^T - (1-\delta) \, \bar{k}_{it}^T \right] = \bar{r}_t^T \bar{k}_{it}^T + \bar{w}_t^T \left( 1 - \bar{\lambda}_{it}^T \right) \, with \, \bar{k}_{it}^T \geq 0, \, \bar{k}_{iT+1}^T =$ 0 and  $0 \leq \bar{\lambda}_{it}^T \leq 1$ ,

where  $\bar{\mu}_{it}^T$  is the multiplier associated to the budget constraint at time t.

### **Proof.** See Bosi and Seegmuller (2010) among others. ■

In the following claims, we omit for simplicity any reference to Assumptions 1, 2, 3 and 5. We suppose that they are always satisfied.

Let us introduce some new variables:

$$
\begin{aligned}\n\bar{\zeta}_{it}^{T} &\equiv \beta_{i}^{t} u_{i}^{\prime} \left( \bar{c}_{it}^{T} \right) \bar{c}_{it}^{T} &\text{if } t \leq T, \text{ and } \bar{\zeta}_{it}^{T} = 0 \quad \text{if } t > T, \\
\bar{\eta}_{it}^{T} &\equiv \beta_{i}^{t} v_{i}^{\prime} \left( \bar{\lambda}_{it}^{T} \right) \bar{\lambda}_{it}^{T} &\text{if } t \leq T, \text{ and } \bar{\eta}_{it}^{T} = 0 \quad \text{if } t > T, \\
\bar{\theta}_{it}^{T} &\equiv \beta_{i}^{t} v_{i}^{\prime} \left( \bar{\lambda}_{it}^{T} \right) &\text{if } t \leq T, \text{ and } \bar{\theta}_{it}^{T} = 0 \quad \text{if } t > T, \\
\bar{\vartheta}_{it}^{T} &\equiv \bar{\mu}_{it}^{T} \bar{w}_{t}^{T} &\text{if } t \leq T, \text{ and } \bar{\vartheta}_{it}^{T} = 0 \quad \text{if } t > T,\n\end{aligned}
$$
\n(16)

and  $\overline{\varepsilon}_{it}^T \equiv \overline{\theta}_{it}^T - \overline{\vartheta}_{it}^T$ .

We notice that points (7) and (8) of Claim 13 entail  $\bar{\varepsilon}_{it}^T \ge 0$  and  $\bar{\varepsilon}_{it}^T = 0$ when  $\bar{\lambda}_{it}^T < 1$ .

**Claim 14** For any  $\varepsilon > 0$ , there exists  $\tau$  such that, for any  $s > \tau$  and for any  $T, \sum_{t=s}^{\infty} \overline{\zeta}_{it}^{T} < \varepsilon.$ 

We observe that the critical  $\tau$  is independent of  $T$ .

**Proof.** We know that, under Assumptions 1 and 2,  $\bar{k}_{it}^T \leq A$  and  $\bar{c}_{it}^T \leq A$ . We observe that  $\sum_{i=0}^{\infty} \beta_i^t u_i(A) = u_i(A) / (1 - \beta_i) < \infty$ . Then, there exists  $\tau$  such that  $\sum_{t=\tau}^{\infty} \beta_i^t u_i(A) < \varepsilon$ . In addition, under Assumption 5,

$$
\sum_{t=\tau}^{\infty} \beta_i^t u_i(A) \geq \sum_{t=\tau}^T \beta_i^t u_i \left( \bar{c}_{it}^T \right) = \sum_{t=\tau}^T \beta_i^t \left[ u_i \left( \bar{c}_{it}^T \right) - u_i \left( 0 \right) \right]
$$
\n
$$
\geq \sum_{t=\tau}^T \beta_i^t u_i' \left( \bar{c}_{it}^T \right) \bar{c}_{it}^T \tag{17}
$$

because of the concavity of  $u_i$ . Thus, for any  $\varepsilon > 0$ , there exists  $\tau$  such that, for any  $s > \tau$  and for any  $T$ ,  $\sum_{t=s}^{\infty} \overline{\zeta}_{it}^T < \varepsilon$ .

**Claim 15** For any  $\varepsilon > 0$ , there exists  $\tau$  such that, for any  $s > \tau$  and for any  $T, \sum_{t=s}^{\infty} \bar{\eta}_{it}^{T} < \varepsilon.$ 

As above, the critical  $\tau$  does not depend on  $T$ . **Proof.** Since  $\sum_{t=0}^{\infty} \beta_t^t v_i(1) = v_i(1)/(1-\beta_i) < \infty$ , there exists  $\tau$  such that  $\sum_{t=0}^{\infty} \beta_t^t v_i(1) < \epsilon$ . In addition under Assumption 5  $\sum_{t=\tau}^{\infty} \beta_i^t v_i$  (1)  $\lt \varepsilon$ . In addition, under Assumption 5,

$$
\sum_{t=\tau}^{\infty} \beta_i^t v_i(1) \geq \sum_{t=\tau}^T \beta_i^t v_i \left(\bar{\lambda}_{it}^T\right) = \sum_{t=\tau}^T \beta_i^t \left[v_i \left(\bar{\lambda}_{it}^T\right) - v_i(0)\right]
$$
\n
$$
\geq \sum_{t=\tau}^T \beta_i^t v_i' \left(\bar{\lambda}_{it}^T\right) \bar{\lambda}_{it}^T \tag{18}
$$

because  $\overline{\lambda}_{it}^T \leq 1$  and  $v_i$  is concave. Thus, for any  $\varepsilon > 0$ , there exists  $\tau$  such that, for any  $s > \tau$  and for any T,  $\sum_{t=s}^{\infty} \bar{\eta}_{it}^{T} < \varepsilon$ .

Notice that, as above, the critical  $\tau$  does not depend on  $T$ .

**Claim 16** For any  $\varepsilon > 0$ , there exists  $\tau$  such that, for any  $s > \tau$  and for any  $T, \sum_{t=s}^{\infty} \overline{\vartheta}_{it}^{T} \overline{\lambda}_{it}^{T} < \varepsilon$  and  $\sum_{t=s}^{\infty} \overline{\varepsilon}_{it}^{T} < \varepsilon$ . In addition, for any  $T, \left(\overline{\vartheta}_{it}^{T} \overline{\lambda}_{it}^{T}\right)_{t=0}^{\infty} \in l_{+}^{1}$ and  $\left(\overline{\varepsilon}_{it}^T\right)_{t=0}^{\infty} \in l^1_+.$ 

Notice that the critical  $\tau$  does not depend on  $T$ . **Proof.** From (16), we observe that  $\beta_i^t v_i' \left( \bar{\lambda}_{it}^T \right) \bar{\lambda}_{it}^T = \bar{\vartheta}_{it}^T \bar{\lambda}_{it}^T + \bar{\varepsilon}_{it}^T \bar{\lambda}_{it}^T = \bar{\vartheta}_{it}^T \bar{\lambda}_{it}^T + \bar{\varepsilon}_{it}^T$ since  $\bar{\varepsilon}_{it}^T = 0$  when  $\bar{\lambda}_{it}^T$ since  $\bar{\varepsilon}_{it}^T = 0$  when  $\lambda_{it}^T < 1$ . For any  $\varepsilon > 0$ , there exists  $\tau$  such that, for any  $s > \tau$ ,  $\sum_{t=s}^{\infty} \beta_t^t v_i(1) < \varepsilon$ . Thus, according to (18), for any  $\varepsilon > 0$ , there exists  $\tau$  such that, for any  $s > \tau$  and for any  $T$ ,  $\sum_{t=s}^{T} \left( \overline{\partial}_{it}^T \overline{\lambda}_{it}^T + \overline{\varepsilon}_{it}^T \right) = \sum_{t=s}^{T} \beta_i^t v_i' \left( \overline{\lambda}_{it}^T \right) \overline{\lambda}_{it}^T <$  $\varepsilon$ . In particular,  $\sum_{t=s}^{\infty} \bar{\vartheta}_{it}^T \bar{\lambda}_{it}^T < \varepsilon$  and  $\sum_{t=s}^{\infty} \bar{\varepsilon}_{it}^T < \varepsilon$ .

From (18), we have also, for any  $T$ ,

$$
\sum_{t=0}^{\infty} \left( \bar{v}_{it}^{T} \bar{\lambda}_{it}^{T} + \bar{\varepsilon}_{it}^{T} \right) \le \sum_{t=0}^{\infty} \beta_{i}^{t} v_{i} \left( 1 \right) = v_{i} \left( 1 \right) / \left( 1 - \beta_{i} \right)
$$

and, so,  $\sum_{t=0}^{\infty} \bar{\vartheta}_{it}^T \bar{\lambda}_{it}^T \leq v_i(1) / (1 - \beta_i)$  and  $\sum_{t=0}^{\infty} \bar{\varepsilon}_{it}^T \leq v_i(1) / (1 - \beta_i)$ . Then, for any  $T, \left(\overline{\vartheta}_{it}^T \overline{\lambda}_{it}^T\right)_{t=0}^{\infty} \in l_+^1$  and  $\left(\overline{\varepsilon}_{it}^T\right)_{t=0}^{\infty} \in l_+^1$ .

**Claim 17** For any  $\varepsilon > 0$  there exists  $\tau$  such that for any  $s > \tau$  and any  $T \geq s$ we have  $\sum_{t=s}^{T} \bar{\vartheta}_{it}^{T} < \varepsilon$ . In addition, for any T,

$$
\sum_{t=0}^{T} \bar{\vartheta}_{it}^{T} < \frac{u_i(A) + v_i(1)}{1 - \beta_i} \tag{19}
$$

**Proof.** Focus now on the sequence of equilibrium budget constraints:  $\bar{r}_t^T \bar{k}_{it}^T$  +  $\bar{w}_t^T\left(1-\bar{\lambda}_{it}^T\right)-\bar{p}_t^T\left[\bar{c}_{it}^T+\bar{k}_{it+1}^T-(1-\delta)\,\bar{k}_{it}^T\right]\geq 0.$ 

Multiplying them by the multipliers, we obtain, according to the Kuhn-Tucker method,

$$
\bar{\mu}_{it}^T \bar{r}_t^T \bar{k}_{it}^T + \bar{\mu}_{it}^T \bar{w}_t^T \left( 1 - \bar{\lambda}_{it}^T \right) - \bar{\mu}_{it}^T \bar{p}_t^T \bar{c}_{it}^T - \bar{\mu}_{it}^T \bar{p}_t^T \bar{k}_{it+1}^T + \bar{\mu}_{it}^T \bar{p}_t^T \left( 1 - \delta \right) \bar{k}_{it}^T = 0 \tag{20}
$$

Summing them over time from  $t = \tau$  to  $t = T$ , we get

$$
\bar{\mu}_{i\tau}^{T}\bar{r}_{\tau}^{T}\bar{k}_{i\tau}^{T} + \bar{\mu}_{i\tau}^{T}\bar{w}_{\tau}^{T}\left(1 - \bar{\lambda}_{i\tau}^{T}\right) - \bar{\mu}_{i\tau}^{T}\bar{p}_{\tau}^{T}\bar{c}_{i\tau}^{T} - \bar{\mu}_{i\tau}^{T}\bar{p}_{\tau}^{T}\bar{k}_{i\tau+1}^{T} + \bar{\mu}_{i\tau}^{T}\bar{p}_{\tau}^{T}\left(1 - \delta\right)k_{i\tau} \n+ \bar{\mu}_{i\tau+1}^{T}\bar{r}_{\tau+1}^{T}\bar{k}_{i\tau+1}^{T} + \bar{\mu}_{i\tau+1}^{T}\bar{w}_{\tau+1}^{T}\left(1 - \bar{\lambda}_{i\tau+1}^{T}\right) - \bar{\mu}_{i\tau+1}^{T}\bar{p}_{\tau+1}^{T}\bar{c}_{i\tau+1}^{T} \n- \bar{\mu}_{i\tau+1}^{T}\bar{p}_{\tau+1}^{T}\bar{k}_{i\tau+2}^{T} + \bar{\mu}_{i\tau+1}^{T}\bar{p}_{\tau+1}^{T}\left(1 - \delta\right)\bar{k}_{i\tau+1}^{T} \n+ \dots \n+ \bar{\mu}_{i\tau}^{T}\bar{r}_{\tau}^{T}\bar{k}_{i\tau}^{T} + \bar{\mu}_{i\tau}^{T}\bar{w}_{\tau}^{T}\left(1 - \bar{\lambda}_{i\tau}^{T}\right) - \bar{\mu}_{i\tau}^{T}\bar{p}_{\tau}^{T}\bar{c}_{i\tau}^{T} - \bar{\mu}_{i\tau}^{T}\bar{p}_{\tau}^{T}\bar{k}_{i\tau+1}^{T} \n+ \bar{\mu}_{i\tau}^{T}\bar{p}_{\tau}^{T}\left(1 - \delta\right)\bar{k}_{i\tau}^{T} \n0
$$

that is

 $=$ 

$$
\sum_{t=\tau}^{T} \bar{\vartheta}_{it}^{T} - \sum_{t=\tau}^{T} \bar{\vartheta}_{it}^{T} \bar{\lambda}_{it}^{T}
$$
\n
$$
- \sum_{t=\tau}^{T-1} \left[ \bar{\mu}_{it}^{T} \bar{p}_{t}^{T} - \bar{\mu}_{it+1}^{T} \bar{p}_{t+1}^{T} (1 - \delta) - \bar{\mu}_{it+1}^{T} \bar{r}_{t+1}^{T} \right] \bar{k}_{it+1}^{T}
$$
\n
$$
+ \bar{\mu}_{i\tau}^{T} \bar{p}_{\tau}^{T} (1 - \delta) k_{i\tau} + \bar{\mu}_{i\tau}^{T} \bar{r}_{\tau}^{T} k_{i\tau} - \bar{\mu}_{iT}^{T} \bar{p}_{T}^{T} \bar{k}_{iT+1}^{T}
$$
\n
$$
= \sum_{t=\tau}^{T} \bar{\mu}_{it}^{T} \bar{p}_{t}^{T} \bar{c}_{it}^{T} = \sum_{t=\tau}^{T} \beta_{i}^{t} u_{i}^{\prime} (\bar{c}_{it}^{T}) \bar{c}_{it}^{T} = \sum_{t=\tau}^{T} \bar{\zeta}_{it}^{T}
$$

We know that  $\left[\bar{\mu}_{it}^T \bar{p}_{t}^T - \bar{\mu}_{it+1}^T \bar{p}_{t+1}^T (1-\delta) - \bar{\mu}_{it+1}^T \bar{r}_{t+1}^T\right] k_{it+1}^T = 0$  because either  $\bar{\mu}_{it}^T \bar{p}_t^T - \bar{\mu}_{it+1}^T \bar{p}_{t+1}^T (1 - \delta) - \bar{\mu}_{it+1}^T \bar{r}_{t+1}^T = 0$  or  $k_{it+1}^T = 0$  (point (7) of Claim 13). Then

$$
\sum_{t=\tau}^{T} \bar{\vartheta}_{it}^{T} = \sum_{t=\tau}^{T} \bar{\zeta}_{it}^{T} + \sum_{t=\tau}^{T} \bar{\vartheta}_{it}^{T} \bar{\lambda}_{it}^{T}
$$

$$
- \bar{\mu}_{i\tau}^{T} \bar{p}_{\tau}^{T} (1-\delta) k_{i\tau} - \bar{\mu}_{i\tau}^{T} \bar{r}_{\tau}^{T} k_{i\tau} + \bar{\mu}_{iT}^{T} \bar{p}_{T}^{T} \bar{k}_{iT+1}^{T}
$$
(21)

From the proof of Claim 14, we know that

$$
\sum_{t=\tau}^{T} \bar{\zeta}_{it}^{T} \le \sum_{t=\tau}^{T} \beta_{i}^{t} u_{i}(A) = u_{i}(A) \frac{\beta_{i}^{T} - \beta_{i}^{T+1}}{1 - \beta_{i}} < \frac{\beta_{i}^{T} u_{i}(A)}{1 - \beta_{i}}
$$
(22)

Thus, for any  $\varepsilon > 0$ , there exists  $\tau_1$  such that, for any  $s > \tau_1$  and for any  $T \geq s$ ,

$$
\sum_{t=s}^{T} \bar{\zeta}_{it}^{T} < \varepsilon/2 \tag{23}
$$

From the proof of Claim 16, we know also that

$$
\sum_{t=\tau}^{T} \bar{\vartheta}_{it}^{T} \bar{\lambda}_{it}^{T} \le \sum_{t=\tau}^{T} \beta_{i}^{t} v_{i} (1) = v_{i} (1) \frac{\beta_{i}^{T} - \beta_{i}^{T+1}}{1 - \beta_{i}} < \frac{\beta_{i}^{T} v_{i} (1)}{1 - \beta_{i}} \tag{24}
$$

Thus, for any  $\varepsilon > 0$ , there exists  $\tau_2$  such that, for any  $s > \tau_2$  and for any  $T \geq s$ ,

$$
\sum_{t=s}^T \bar{\vartheta}_{it}^T \bar{\lambda}_{it}^T < \varepsilon/2
$$

According to (21), we have that

$$
\sum_{t=s}^{T} \overline{\vartheta}_{it}^{T} \leq \sum_{t=s}^{T} \overline{\zeta}_{it}^{T} + \sum_{t=s}^{T} \overline{\vartheta}_{it}^{T} \overline{\lambda}_{it}^{T} + \overline{\mu}_{iT}^{T} \overline{\rho}_{T}^{T} \overline{k}_{iT+1}^{T}
$$
\n
$$
= \sum_{t=s}^{T} \overline{\zeta}_{it}^{T} + \sum_{t=s}^{T} \overline{\vartheta}_{it}^{T} \overline{\lambda}_{it}^{T}
$$
\n(25)

because in the truncated economy  $\bar{k}_{iT+1}^T = 0$ .

Thus, for any  $\varepsilon > 0$ , there exists  $\tau \equiv \max{\lbrace \tau_1, \tau_2 \rbrace}$  such that, for any  $s > \tau$ and for any  $T \geq s$ ,

$$
\sum_{t=s}^{T} \bar{\vartheta}_{it}^{T} < \varepsilon/2 + \varepsilon/2 = \varepsilon
$$

because in the truncated economy  $\bar{k}_{iT+1}^T = 0$ .

Finally, from  $(22)$ ,  $(24)$  and  $(25)$ , we have

$$
\sum_{t=\tau}^{T} \bar{\vartheta}_{it}^{T} \le \sum_{t=\tau}^{T} \bar{\zeta}_{it}^{T} + \sum_{t=\tau}^{T} \bar{\vartheta}_{it}^{T} \bar{\lambda}_{it}^{T} < [u_i(A) + v_i(1)] \frac{\beta_i^{T}}{1 - \beta_i}
$$

Taking  $\tau = 0$ , we obtain (19).

Claim 18 Let  $\bar{\boldsymbol{\vartheta}}_i^T \equiv$  $\left(\bar{\vartheta}_{it}^T\right)_{t=0}^{\infty}$ . There is a subsequence  $\left(\bar{\vartheta}_{i}^T\right)_{S=0}^{\infty}$  $S=0$   $\mu$   $\mu$   $con$ verges for the  $l^1$ -topology to a sequence  $\bar{\boldsymbol{\vartheta}}_i \equiv (\bar{\vartheta}_{it})_{t=0}^{\infty} \in l^1_+$ . The limit  $\bar{\boldsymbol{\vartheta}}_i$  shares the same properties of the terms  $\overline{\mathfrak{d}}_i^T$  of the sequence, namely, (1) for any  $\varepsilon > 0$ there exists  $\tau$  (the same for all the terms) such that, for any  $s > \tau$ , we have  $\sum_{t=s}^{\infty} \bar{\vartheta}_{it} \leq \varepsilon$ , and  $(2)$   $\sum_{t=0}^{\infty} \bar{\vartheta}_{it} \leq [u_i(A) + v_i(1)] / (1 - \beta_i)$ .

**Proof.** We apply Claim 17 and we find that, for any  $\varepsilon > 0$  there exists  $\tau$  such that for any  $s > \tau$  and for any T, we have  $\sum_{t=s}^{\infty} \overline{\vartheta}_{it}^{T} \leq \varepsilon$ . We observe also that (19) implies  $\sum_{t=0}^{\infty} \overline{\vartheta}_{it}^{T} \leq [u_i(A) + v_i(1)] / (1 - \beta_i)$  for any T. Thus, Lemma 2 in Appendix 3 applies with a ball  $B$  of radius  $\rho = [u_i(A) + v_i(1)] / (1 - \beta_i).$ 

Claim 19 In the infinite-horizon economy, leisure demand is positive:

$$
\lim_{T \to \infty} \bar{\lambda}_{it}^T = \bar{\lambda}_{it} \in (0, 1]
$$

**Proof.** We have  $\overline{\theta}_{it}^T = \overline{\theta}_{it}^T + \overline{\varepsilon}_{it}^T$  with  $\overline{\varepsilon}_{it}^T \ge 0$  and  $\overline{\varepsilon}_{it}^T = 0$  if  $\overline{\lambda}_{it}^T < 1$ .

From Claim 17, we know that, for any  $\varepsilon > 0$ , there exists  $\tau_1$  such that, for any  $s > \tau_1$  and for any  $T$ ,  $\sum_{t=s}^{\infty} \overline{\vartheta}_{it}^T \leq \varepsilon/2$ .

From Claim 16, we know that for any  $\varepsilon > 0$ , there exists  $\tau_2$  such that, for any  $s > \tau_2$  and for any  $T$ ,  $\sum_{t=s}^{\infty} \bar{\varepsilon}_{it}^T < \varepsilon/2$ .

Hence, for any  $\varepsilon > 0$ , there exists  $\tau \equiv \max{\lbrace \tau_1, \tau_2 \rbrace}$  such that, for any  $s > \tau$ and for any  $T, \sum_{t=s}^{\infty} \overline{\theta}_{it}^{T} = \sum_{t=s}^{\infty} \overline{\theta}_{it}^{T} + \sum_{t=s}^{\infty} \overline{\varepsilon}_{it}^{T} < \varepsilon$ . In addition, for any  $T$ ,

$$
\sum_{t=0}^{\infty} \bar{\theta}_{it}^{T} = \sum_{t=0}^{\infty} \bar{\vartheta}_{it}^{T} + \sum_{t=0}^{\infty} \bar{\varepsilon}_{it}^{T} \le \frac{u_i(A) + v_i(1)}{1 - \beta_i} + \frac{v_i(1)}{1 - \beta_i}
$$

Let  $\bar{\theta}_i^T \equiv$  $\left(\overline{\theta}_{it}^T\right)$ . Then  $\overline{\theta}_{i}^T \to \overline{\theta}_{i} \in l_+^1$  for the  $l^1$ -topology (Lemma 2 in Appendix 3 applies with  $\rho = [u_i(A)+2v_i(1)]/(1-\beta_i)).$ 

Therefore, for any t,  $\bar{\theta}_{it}^T$  converges to  $\bar{\theta}_{it} \in (0, +\infty)$ . Hence,  $\bar{\lambda}_{it}^T$  converges to  $\bar{\lambda}_{it} > 0$  since  $v_i$  satisfies the Inada conditions (Assumption 5). Clearly,  $\bar{\lambda}_{it} \leq 1$ .

Claim 20 In the infinite-horizon economy, the equilibrium prices are positive:  $\lim_{T \to \infty} \bar{p}_t^T = \bar{p}_t \in (0, 1), \lim_{T \to \infty} \bar{r}_t^T = \bar{r}_t \in (0, 1), \lim_{T \to \infty} \bar{w}_t = \bar{w}_t \in (0, 1).$ 

### Proof. Focus on prices.

Suppose that  $\lim_{T \to \infty} \bar{p}_t^T = 0$ . We know that  $\beta_i^t u_i' (\bar{c}_{it}^T) = \bar{\mu}_{it}^T \bar{p}_t^T$ .

If  $\bar{\mu}_{it}^T$  is bounded, we have  $\lim_{T \to \infty} u'_i \left( \bar{c}_{it}^T \right) = 0$  which is impossible because  $\bar{c}_{it}^T \leq A$  for every T.

Then,  $\lim_{T \to \infty} \bar{\mu}_{it}^T = +\infty$ . However,  $\beta_i^t v_i' \left(\bar{\lambda}_{it}^T\right) / \bar{\mu}_{it}^T = \bar{w}_t^T + \bar{\varepsilon}_{it}^T / \bar{\mu}_{it}^T$  and  $\lim_{T \to \infty} \bar{w}_t^T = \lim_{T \to \infty} \left( \bar{\theta}_{it}^T / \bar{\mu}_{it}^T \right) - \lim_{T \to \infty} \left( \bar{\varepsilon}_{it}^T / \bar{\mu}_{it}^T \right) = 0$  (Claim 19).

Since  $\lim_{T \to \infty} \bar{p}_t^T = 0$ ,  $\lim_{T \to \infty} \bar{w}_t^T = 0$  and  $\bar{p}_t^T + \bar{w}_t^T + \bar{r}_t^T = 1$ , we get  $\lim_{T\to\infty}\bar{r}_t^T=1.$ 

We know that  $\bar{\mu}_{\substack{t=1 \ n \to \infty}}^T \bar{p}_{t-1}^T \geq \bar{\mu}_{it}^T \bar{p}_t^T (1 - \delta) + \bar{\mu}_{it}^T \bar{r}_t^T \geq \bar{\mu}_{it}^T \bar{r}_t^T$  (point (7) of Claim 13). Then  $\lim_{T\to\infty} \bar{\mu}_{t-1}^T \bar{p}_{t-1}^T \ge \lim_{T\to\infty} \bar{\mu}_{it}^T \bar{r}_{t-1}^T = +\infty$ .

 $\text{Similarly, } \bar{\mu}_{i,t-2}^T \bar{p}_{t-2}^T \geq \bar{\mu}_{i,t-1}^T \bar{p}_{t-1}^T (1-\delta) + \bar{\mu}_{i,t-1}^T \bar{r}_{t-1}^T \geq \bar{\mu}_{i,t-1}^T \bar{p}_{t-1}^T (1-\delta) \text{ and }$  $\lim_{T\to\infty}\bar{\mu}_{it-2}^T\bar{p}_{t-2}^T \geq \lim_{T\to\infty}\bar{\mu}_{it-1}^T\bar{p}_{t-1}^T(1-\delta) = +\infty.$ 

Computing backward, we obtain  $\lim_{T\to\infty} \bar{\mu}_{i0}^T \bar{p}_0^T = +\infty$ .

If  $\lim_{T\to\infty} \bar{p}_0^T > 0$ , since  $\bar{p}_0^T \leq 1$ , then  $\lim_{T\to\infty} \bar{\mu}_{i0}^T = +\infty$  and, since  $\lim_{T\to\infty} \bar{\mu}_{i0}^T \bar{w}_0^T = \bar{\vartheta}_{i0} < +\infty$ , this implies  $\lim_{T\to\infty} \bar{w}_0^T = 0$ . Thus,

$$
0 = \bar{p}_0 F\left(K_0, \bar{L}_0\right) - \bar{r}_0 K_0 - \bar{w}_0 \bar{L}_0 = \bar{p}_0 F\left(K_0, \bar{L}_0\right) - \bar{r}_0 K_0
$$

Choose  $L_0 > L_0$  in order to obtain a strictly higher profit and a contradiction with profit maximization.

Let  $\lim_{T\to\infty} \bar{p}_0^T = 0$ . We know that  $u'_i(A) \leq u'_i(\bar{c}_{i0}^T) = \beta_i^0 u'_i(\bar{c}_{i0}^T) = \bar{\mu}_{i0}^T \bar{p}_0^T$ . If  $\lim_{T \to \infty} \bar{\mu}_{i0}^T < +\infty$ , we have  $\lim_{T \to \infty} \bar{\mu}_{i0}^T \bar{p}_0^T = 0$  and  $u'_i(A) \leq 0$ , a contradiction.

If  $\lim_{T \to \infty} \bar{\mu}_{i_0}^T = +\infty$ , then  $\lim_{T \to \infty} \bar{\mu}_{i_0}^T \bar{w}_0^T = \bar{\vartheta}_{i_0} < +\infty$  gives  $\lim_{T \to \infty} \bar{w}_0^T =$ 0 and  $\lim_{T\to\infty} \bar{r}_0^T = 1$ . Focus on the first budget constraint:

$$
\bar{p}_0^T \left[ \bar{c}_{i0}^T + \bar{k}_{i1}^T - (1 - \delta) k_{i0} \right] = \bar{r}_0^T k_{i0} + \bar{w}_0^T \left( 1 - \bar{\lambda}_{i0}^T \right)
$$

Assumption 3 ensures  $k_{i0} > 0$ . In this case, in the limit:

$$
0 = \bar{p}_0 \left[ \bar{c}_{i0} + \bar{k}_{i1} - (1 - \delta) k_{i0} \right] = \bar{r}_0 k_{i0} + \bar{w}_0 \left( 1 - \bar{\lambda}_{i0} \right) \ge k_{i0} > 0
$$

a contradiction. Thus, for every  $t, \bar{p}_t^T \to \bar{p}_t > 0$ .

Focus now on  $\bar{r}_t$  and  $\bar{w}_t$ . In the limit,  $\bar{p}_t F\left(\bar{K}_t, \bar{L}_t\right) - \bar{r}_t \bar{K}_t - \bar{w}_t \bar{L}_t = 0$ .

If  $\bar{r}_t = 0$ , then  $\bar{p}_t F(\bar{K}_t, \bar{L}_t) - \bar{w}_t \bar{L}_t = 0$ . Fix  $L_t > 0$  and choose  $K_t$  large enough such that  $\bar{p}_t F(K_t, L_t) - \bar{w}_t L_t > 0$ , against the equilibrium condition.

If  $\bar{w}_t = 0$ , then  $\bar{p}_t F(\bar{K}_t, \bar{L}_t) - \bar{r}_t \bar{K}_t = 0$ . Fix  $K_t > 0$  and choose  $L_t$  large enough such that  $\bar{p}_t F(K_t, L_t) - \bar{r}_t K_t > 0$ , against the equilibrium condition.

Thus,  $\bar{p}_t, \bar{r}_t, \bar{w}_t > 0$ .

Claim 21  $\bar{c}_{it} = \lim_{T \to \infty} \bar{c}_{it}^T \in (0, +\infty)$ .

**Proof.** For any t,  $\sum_{i=1}^{m} \bar{c}_{it}^{T} \leq A$ . This implies  $\bar{c}_{it}^{T} \leq A$  independently on the choice of T and  $\lim_{T\to\infty} \bar{c}_{it}^T \leq A < +\infty$ . In addition, if  $\bar{c}_{it} = \lim_{T\to\infty} \bar{c}_{it}^T = 0$ , then, since  $u'_i\left(\bar{c}_{it}^T\right)\bar{w}_t^T/\bar{p}_t^T \leq v'_i\left(\bar{\lambda}_{it}^T\right)$ , we obtain  $+\infty = \lim_{T\to\infty} u'_i\left(\bar{c}_{it}^T\right)\bar{w}_t^T/\bar{p}_t^T \leq$  $\lim_{T\to\infty} v_i' \left( \bar{\lambda}_{it}^T \right)$ , that is  $\bar{\lambda}_{it} = \lim_{T\to\infty} \bar{\lambda}_{it}^T = 0$ , a contradiction (see Claim 19). Then  $\bar{c}_{it} > 0$ .

Claim 22 For any t,  $\lim_{T \to \infty} \bar{K}_t^T = \bar{K}_t > 0$  and  $\lim_{T \to \infty} \bar{L}_t^T = \bar{L}_t > 0$ .

**Proof.** We know that  $\sum_{i=1}^{m} \bar{k}_{it+1} \geq 0$  and that  $\sum_{i=1}^{m} \bar{c}_{it} + \sum_{i=1}^{m} \bar{k}_{it+1} =$  $F\left(\bar{K}_t, \bar{L}_t\right) + (1-\delta)\bar{K}_t$ . If  $\bar{K}_t = 0$ , then  $\bar{c}_{it} = 0$  for every *i*, a contradiction. Now, if  $\overline{L}_t = 0$ , we have  $\overline{r}_t \overline{K}_t = 0$  and hence  $\overline{K}_t = 0$ : a contradiction.

Claim 23  $\lim_{t\to+\infty} \bar{\mu}_{it} \bar{p}_{t} \bar{k}_{it+1} = 0.$ 

**Proof.** Let  $\varepsilon > 0$ . We know that there exists  $\tau$  such that for any pair  $(s, s')$  such that  $s' > s > \tau$  and for any  $T > s$ , we have  $\sum_{t=s}^{s'} \overline{\zeta}_{it}^T < \varepsilon$  and  $\sum_{t=s}^{s'} \overline{\vartheta}_{it}^T \left(1 - \overline{\lambda}_{it}^T\right) < \varepsilon$  for every *i* (inequality (23) and Claim 17). Taking the limit for  $T \to +\infty$ , we get also

$$
\varepsilon \geq \lim_{T \to +\infty} \sum_{t=s}^{s'} \bar{\zeta}_{it}^{T} = \sum_{t=s}^{s'} \lim_{T \to +\infty} \left[ \beta_i^t u_i' \left( \bar{c}_{it}^{T} \right) \bar{c}_{it}^{T} \right] = \sum_{t=s}^{s'} \beta_i^t u_i' \left( \bar{c}_{it} \right) \bar{c}_{it}
$$

$$
= \sum_{t=s}^{s'} \bar{\mu}_{it} \bar{p}_{t} \bar{c}_{it}
$$

(see Claim 21) and

$$
\varepsilon \geq \lim_{T \to +\infty} \sum_{t=s}^{s'} \overline{\vartheta}_{it}^{T} \left( 1 - \overline{\lambda}_{it}^{T} \right) = \sum_{t=s}^{s'} \lim_{T \to +\infty} \left( \overline{\mu}_{it}^{T} \overline{\omega}_{t}^{T} \right) \left( 1 - \lim_{T \to +\infty} \overline{\lambda}_{it}^{T} \right)
$$

$$
= \sum_{t=s}^{s'} \overline{\mu}_{it} \overline{\omega}_{t} \left( 1 - \overline{\lambda}_{it} \right)
$$

(see Claims 18 and 19). Since this holds for any  $s' > s$ , we get also

$$
\sum_{t=s}^{\infty} \bar{\mu}_{it} \bar{p}_{t} \bar{c}_{it} \leq \varepsilon \text{ and } \sum_{t=s}^{\infty} \bar{\mu}_{it} \bar{w}_{t} \left(1 - \bar{\lambda}_{it}\right) \leq \varepsilon \tag{26}
$$

From the budget constraints, for any  $s' \geq T$ , we obtain

$$
\varepsilon > \sum_{t=s}^{s'} \bar{\mu}_{it}^T \bar{p}_t^T \bar{c}_{it}^T = \bar{\mu}_{is}^T \bar{p}_s^T (1 - \delta) \bar{k}_{is}^T + \bar{\mu}_{is}^T \bar{r}_s^T \bar{k}_{is}^T + \sum_{t=s}^{s'} \bar{v}_{it}^T (1 - \bar{\lambda}_{it}^T)
$$
  
\n
$$
\geq \bar{\mu}_{is}^T \bar{p}_s^T (1 - \delta) \bar{k}_{is}^T + \bar{\mu}_{is}^T \bar{r}_s^T \bar{k}_{is}^T
$$

(see (21)). Taking the limit for  $T \to +\infty$ , we obtain

$$
\bar{\mu}_{is}\bar{p}_s\left(1-\delta\right)\bar{k}_{is}\leq\varepsilon\text{ and }\bar{\mu}_{is}\bar{r}_s\bar{k}_{is}\leq\varepsilon
$$

for every  $s > \tau$ . Thus,  $\limsup_{s} \bar{\mu}_{is} \bar{p}_s (1 - \delta) \bar{k}_{is} \leq \varepsilon$  and  $\limsup_{s} \bar{\mu}_{is} \bar{r}_s \bar{k}_{is} \leq \varepsilon$ . These inequalities hold for any  $\varepsilon > 0$ . Hence

$$
\lim_{t \to +\infty} \bar{\mu}_{it} \bar{p}_t (1 - \delta) \bar{k}_{it} = 0 \text{ and } \lim_{t \to +\infty} \bar{\mu}_{it} \bar{r}_t \bar{k}_{it} = 0 \tag{27}
$$

Again, from the budget constraint, we have  $\bar{\mu}_{it}^T \bar{p}_t^T \bar{k}_{it+1}^T = \bar{\mu}_{it}^T \bar{p}_t^T (1 - \delta) \bar{k}_{it}^T +$  $\bar{\mu}_{it}^T \bar{r}_t^T \bar{k}_{it}^T + \bar{\mu}_{it}^T \bar{w}_t^T \left(1 - \bar{\lambda}_{it}^T\right) - \bar{\mu}_{it}^T \bar{p}_t^T \bar{c}_{it}^T$  (see (20)). Taking the limit for  $T \to +\infty$ , we obtain  $\bar{\mu}_{it}\bar{p}_{t}\bar{k}_{it+1} = \bar{\mu}_{it}\bar{p}_{t} (1-\delta) \bar{k}_{it} + \bar{\mu}_{it}\bar{r}_{t}\bar{k}_{it} + \bar{\mu}_{it}\bar{w}_{t} (1-\bar{\lambda}_{it}) - \bar{\mu}_{it}\bar{p}_{t}\bar{c}_{it}$ . We know that  $\lim_{t\to+\infty} \bar{\mu}_{it} \bar{p}_{t} (1-\delta) \bar{k}_{it} = 0$  and  $\lim_{t\to+\infty} \bar{\mu}_{it} \bar{r}_{t} \bar{k}_{it} = 0$  (see (27)). We know also that  $\lim_{t\to+\infty} \bar{\mu}_{it} \bar{\psi}_{t} (1-\bar{\lambda}_{it}) = 0$  and  $\lim_{t\to+\infty} \bar{\mu}_{it} \bar{p}_{t} \bar{c}_{it} = 0$  (see (26)). Therefore,  $\lim_{t\to+\infty} \bar{\mu}_{it} \bar{p}_{t} \bar{k}_{it+1} = 0$ .

Claim 24  $\left(\bar{\mathbf{p}}, \bar{\mathbf{r}}, \bar{\mathbf{w}}, \left(\bar{\mathbf{c}}_i, \bar{\mathbf{k}}_i, \bar{\boldsymbol{\lambda}}_i\right)_{i=1}^m, \bar{\mathbf{k}}, \bar{\mathbf{L}}\right)$  is an equilibrium.

**Proof.** Consider first the firm. For every truncated  $T$ -economy a zero profit condition holds:  $\bar{p}_t^T F\left(\bar{K}_t^T,\bar{L}_t^T\right) - \bar{r}_t^T \bar{K}_t^T - \bar{w}_t^T \bar{L}_t^T = 0$ . In the limit, for the condition holds.  $p_t r$   $(\mathbf{K}_t, \mathbf{L}_t) - r_t \mathbf{K}_t - w_t \mathbf{L}_t = 0$ . In the limit, for the<br>infinite-horizon economy:  $\bar{p}_t F(\bar{K}_t, \bar{L}_t) - \bar{r}_t \bar{K}_t - \bar{w}_t \bar{L}_t = 0$ , because  $\bar{p}_t^T \rightarrow \bar{p}_t \in$  $(0,1), \bar{r}_t^T \to \bar{r}_t \in (0,1), \bar{w}_t \to \bar{w}_t \in (0,1), \bar{K}_t^T = \sum_{i=1}^m \bar{k}_{it}^T \to \sum_{i=1}^m \bar{k}_{it} =$  $K_t \leq +\infty$ ,  $\bar{L}_t^T = \sum_{i=1}^m \bar{l}_{it}^T \to \sum_{i=1}^m \bar{l}_{it} = \bar{L}_t \leq +\infty$ . If  $(K_t, \bar{L}_t)$  does not maximize the profit in the infinite-horizon economy, then there exists  $(K_t, L_t)$ such that  $\bar{p}_t F(K_t, L_t) - \bar{r}_t K_t - \bar{w}_t L_t > \bar{p}_t F(\bar{K}_t, \bar{L}_t) - \bar{r}_t \bar{K}_t - \bar{w}_t \bar{L}_t = 0$  and, so, a critical  $\tau$ , such that, for any  $T > \tau$ ,  $\bar{p}_t^T F(\dot{K}_t, L_t) - \bar{r}_t^T K_t - \bar{w}_t^T L_t >$  $\bar{p}_t^T F\left(\bar{K}_t^T,\bar{L}_t^T\right) - \bar{r}_t^T \bar{K}_t^T - \bar{w}_t^T \bar{L}_t^T = 0$  against the fact that  $\left(\bar{K}_t^T,\bar{L}_t^T\right)$  maximizes the profit in the  $T$ -economy.

Focus on the consumer. Consider an alternative sequence  $(c_i, k_i, \lambda_i)$  which satisfies the budget constraints and the Euler inequalities in the infinite-horizon economy. We have

$$
\Delta_T \equiv \sum_{t=0}^T \beta_i^t \left[ u_i \left( \bar{c}_{it} \right) + v_i \left( \bar{\lambda}_{it} \right) \right] - \sum_{t=0}^T \beta_i^t \left[ u_i \left( c_{it} \right) + v_i \left( \lambda_{it} \right) \right]
$$
\n
$$
= \sum_{t=0}^T \beta_i^t \left[ u_i \left( \bar{c}_{it} \right) - u_i \left( c_{it} \right) \right] + \sum_{t=0}^T \beta_i^t \left[ v_i \left( \bar{\lambda}_{it} \right) - v_i \left( \lambda_{it} \right) \right]
$$
\n
$$
\geq \sum_{t=0}^T \beta_i^t u_i' \left( \bar{c}_{it} \right) \left( \bar{c}_{it} - c_{it} \right) + \sum_{t=0}^T \beta_i^t v_i' \left( \bar{\lambda}_{it} \right) \left( \bar{\lambda}_{it} - \lambda_{it} \right)
$$
\n
$$
\geq \sum_{t=0}^T \bar{\mu}_{it} \bar{p}_t \left( \bar{c}_{it} - c_{it} \right) + \sum_{t=0}^T \bar{\mu}_{it} \bar{w}_t \left( \bar{\lambda}_{it} - \lambda_{it} \right)
$$

We observe that

$$
\bar{\mu}_{it}\bar{p}_{t}\bar{c}_{it} - \bar{\mu}_{it}\bar{w}_{t} \left(1 - \bar{\lambda}_{it}\right) = \bar{\mu}_{it}\bar{r}_{t}\bar{k}_{it} + \bar{\mu}_{it}\bar{p}_{t} \left(1 - \delta\right)\bar{k}_{it} - \bar{\mu}_{it}\bar{p}_{t}\bar{k}_{it+1}
$$
\n
$$
\bar{\mu}_{it}\bar{p}_{t}c_{it} - \bar{\mu}_{it}\bar{w}_{t} \left(1 - \lambda_{it}\right) \leq \bar{\mu}_{it}\bar{r}_{t}k_{it} + \bar{\mu}_{it}\bar{p}_{t} \left(1 - \delta\right)k_{it} - \bar{\mu}_{it}\bar{p}_{t}k_{it+1}
$$

where the first equality holds because of the Kuhn-Tucker method.

Subtracting member by member, we get

$$
\bar{\mu}_{it}\bar{p}_{t}(\bar{c}_{it} - c_{it}) + \bar{\mu}_{it}\bar{w}_{t}(\bar{\lambda}_{it} - \lambda_{it})
$$
\n
$$
\geq \left[ \bar{\mu}_{it}\bar{r}_{t}\bar{k}_{it} + \bar{\mu}_{it}\bar{p}_{t}(1 - \delta)\bar{k}_{it} - \bar{\mu}_{it}\bar{p}_{t}\bar{k}_{it+1} \right]
$$
\n
$$
- \left[ \bar{\mu}_{it}\bar{r}_{t}k_{it} + \bar{\mu}_{it}\bar{p}_{t}(1 - \delta)\bar{k}_{it} - \bar{\mu}_{it}\bar{p}_{t}k_{it+1} \right]
$$

Summing over  $t$ , we obtain

$$
\sum_{t=0}^{T} \bar{\mu}_{it} \bar{p}_{t} (\bar{c}_{it} - c_{it}) + \sum_{t=0}^{T} \bar{\mu}_{it} \bar{w}_{t} (\bar{\lambda}_{it} - \lambda_{it})
$$
\n
$$
\geq \sum_{t=0}^{T} [\bar{\mu}_{it} \bar{p}_{t} (1 - \delta) \bar{k}_{it} + \bar{\mu}_{it} \bar{r}_{t} \bar{k}_{it} - \bar{\mu}_{it} \bar{p}_{t} \bar{k}_{it+1}]
$$
\n
$$
- \sum_{t=0}^{T} [\bar{\mu}_{it} \bar{p}_{t} (1 - \delta) k_{it} + \bar{\mu}_{it} \bar{r}_{t} k_{it} - \bar{\mu}_{it} \bar{p}_{t} k_{it+1}]
$$

We know also that

$$
\begin{aligned}\n\left[\bar{\mu}_{it}\bar{p}_{t} - \bar{\mu}_{it+1}\bar{p}_{t+1}\left(1-\delta\right) - \bar{\mu}_{it+1}\bar{r}_{t+1}\right]\bar{k}_{it+1} &= 0 \\
\left[\bar{\mu}_{it}\bar{p}_{t} - \bar{\mu}_{it+1}\bar{p}_{t+1}\left(1-\delta\right) - \bar{\mu}_{it+1}\bar{r}_{t+1}\right]k_{it+1} &= 0\n\end{aligned}
$$

(point (7) in the Claim 13), that is

$$
\bar{\mu}_{it}\bar{p}_t (1-\delta) \bar{k}_{it} + \bar{\mu}_{it}\bar{r}_t \bar{k}_{it} = \bar{\mu}_{it-1}\bar{p}_{t-1}\bar{k}_{it}
$$
  

$$
\bar{\mu}_{it}\bar{p}_t (1-\delta) k_{it} + \bar{\mu}_{it}\bar{r}_t k_{it} = \bar{\mu}_{it-1}\bar{p}_{t-1} k_{it}
$$

Then

$$
\sum_{t=0}^{T} \bar{\mu}_{it} \bar{p}_{t} (\bar{c}_{it} - c_{it}) + \sum_{t=0}^{T} \bar{\mu}_{it} \bar{w}_{t} (\bar{\lambda}_{it} - \lambda_{it})
$$
\n
$$
= \sum_{t=0}^{T} (\bar{\mu}_{it-1} \bar{p}_{t-1} \bar{k}_{it} - \bar{\mu}_{it} \bar{p}_{t} \bar{k}_{it+1}) - \sum_{t=0}^{T} (\bar{\mu}_{it-1} \bar{p}_{t-1} k_{it} - \bar{\mu}_{it} \bar{p}_{t} k_{it+1})
$$
\n
$$
= \bar{\mu}_{i,-1} \bar{p}_{-1} k_{i0} - \bar{\mu}_{iT} \bar{p}_{T} \bar{k}_{iT+1} - [\bar{\mu}_{i,-1} \bar{p}_{-1} k_{i0} - \bar{\mu}_{iT} \bar{p}_{T} k_{iT+1}]
$$
\n
$$
= -\bar{\mu}_{iT} \bar{p}_{T} \bar{k}_{iT+1} + \bar{\mu}_{iT} \bar{p}_{T} k_{iT+1}
$$
\n
$$
\geq -\bar{\mu}_{iT} \bar{p}_{T} \bar{k}_{iT+1}
$$

Thus  $\lim_{T\to+\infty}\Delta_T\geq 0$  (Claim 23) and

$$
\sum_{t=0}^{\infty} \beta_i^t \left[ u_i \left( \bar{c}_{it} \right) + v_i \left( \bar{\lambda}_{it} \right) \right] \ge \sum_{t=0}^{\infty} \beta_i^t \left[ u_i \left( c_{it} \right) + v_i \left( \lambda_{it} \right) \right]
$$

Thus  $(\bar{c}_i, \bar{\lambda}_i)$  maximizes the consumer's objective.

# 10 Appendix 3

Let  $B(0, \rho) \equiv \left\{ \mathbf{x} \in l^1 : \sum_{t=0}^{\infty} |x_t| \le \rho \right\}$  be a ball of  $l^1$ .

**Lemma 2** Let K be a subset of  $B(0, \rho)$ , which satisfies the property: for any  $\varepsilon > 0$ , there exists  $\tau$  such that for any  $s > \tau$  and for any  $\mathbf{x} \in K$ ,  $\sum_{t=s}^{\infty} |x_t| \leq \varepsilon$ . Then K is compact for the  $l^1$ -topology.

**Proof.** Let  $(\mathbf{y}^T)$  be a sequence in K.  $B(0, \rho)$  is a compact set for the product topology and contains the sequence  $(\mathbf{y}^T)$ . Thus there exists a subsequence  $\left( \mathbf{y}^{T_{S}}\right)$  which, for the product topology, converges to some  $\mathbf{y}\in B\left(0,\rho\right)$ .

For any  $\varepsilon > 0$ , there exists  $\tau$  such that for any  $s > \tau$  and for any S,  $\sum_{t=s}^{\infty}$  $\left| y_{t}^{T_{S}} \right| \leq \varepsilon$ . Take now any  $s' > s$ . We have, for any  $s'$ , for any  $s > \tau$  and for any  $S, \sum_{t=s}^{s'}$  $\left| y_t^{T_S} \right| \leq \sum_{t=s}^{\infty}$  $\left| y_t^{T_S} \right| \leq \varepsilon$ . Convergence of  $(\mathbf{y}^{T_S})$  for the product topology implies, for any s' and for any  $s > \tau$ ,  $\sum_{t=s}^{s'} |y_t| \leq \varepsilon$ . Thus we get, for any  $s > \tau$ ,  $\sum_{t=s}^{\infty} |y_t| \leq \varepsilon$ . Then  $\mathbf{y} \in K$  and K is compact for the  $l^1$ -topology.

### References

- [1] Becker R.A. (1980). On the long-run steady state in a simple dynamic model of equilibrium with heterogeneous households. Quarterly Journal of Economics 95, 375-382.
- [2] Becker R.A. (2005). An example of optimal growth with heterogeneous agents and twisted turnpike. Mimeo, Indiana University.
- [3] Becker R.A. (2006). Equilibrium dynamics with many agents. In Dana R.- A., C. Le Van, T. Mitra and K. Nishimura eds., Handbook of Optimal Growth 1, Springer Verlag, 385-442.
- [4] Becker R.A., J. H. Boyd III and C. Foias (1991). The existence of Ramsey equilibrium. Econometrica 59, 441-460.
- [5] Becker R.A. and C. Foias (1987). A characterization of Ramsey equilibrium. Journal of Economic Theory 41, 173-184.
- [6] Becker R.A. and C. Foias (1994). The local bifurcation of Ramsey equilibrium. Economic Theory 4, 719-744.
- [7] Becker R.A. and C. Foias (2007). Strategic Ramsey equilibrium dynamics. Journal of Mathematical Economics 43, 318-346.
- [8] Bergstrom T.C. (1976). How to discard "free disposability" at no cost. Journal of Mathematical Economics 3, 131-134.
- [9] Bosi S. and T. Seegmuller (2010). On the Ramsey equilibrium with heterogeneous consumers and endogenous labor supply. Journal of Mathematical Economics 46, 475-492.
- [10] Florenzano M. (1999). General equilibrium of financial markets: an introduction. Cahiers de la MSE 1999.76, University of Paris 1.
- [11] Gale D. and A. Mas-Colell (1975). An equilibrium existence theorem for a general model without ordered preferences. Journal of Mathematical Economics 2, 9-15.
- [12] Gale D. and A. Mas-Colell (1979). Corrections to an equilibrium existence theorem for a general model without ordered preferences. Journal of Mathematical Economics 6, 297-298.
- [13] Le Van C., M.H. Nguyen and Y. Vailakis (2007). Equilibrium dynamics in an aggregative model of capital accumulation with heterogeneous agents and elastic labor. Journal of Mathematical Economics 43, 287-317.
- [14] Le Van C. and Y. Vailakis (2003). Existence of a competitive equilibrium in a one sector growth model with heterogeneous agents and irreversible investment. Economic Theory 22, 743-771.
- [15] Mitra T. (1979). On optimal economic growth with variable discount rates: existence and stability results. International Economic Review 20, 133-145.
- [16] Ramsey F.P. (1928). A mathematical theory of saving. Economic Journal 38, 543-559.
- [17] Sarte P.-D. (1997). Progressive taxation and income inequality in dynamic competitive equilibrium. Journal of Public Economics 66, 145-171.
- [18] Sorger G. (1994). On the structure of Ramsey equilibrium: cycles, indeterminacy, and sunspots. *Economic Theory* **4**, 745-764.
- [19] Sorger G. (2002). On the long-run distribution of capital in the Ramsey model. Journal of Economic Theory 105, 226-243.
- [20] Sorger G. (2005). Differentiated capital and the distribution of wealth. In Deissenberg C. and R.F. Hartl eds., Optimal Control and Dynamic Games, Springer Verlag, 177-196.
- [21] Sorger G. (2008). Strategic saving decisions in the infinite-horizon model. Economic Theory 36, 353-377.