

## Closure, causal

Matteo Mossio

### ▶ To cite this version:

Matteo Mossio. Closure, causal. W. Dubitzky, O. Wolkenhauer, K.-H. Cho, H. Yokota. Encyclopedia of Systems Biology, Springer, pp.415-418, 2013, 10.1007/978-1-4419-9863-7. halshs-00792439v1

## HAL Id: halshs-00792439 https://shs.hal.science/halshs-00792439v1

Submitted on 24 Sep 2013 (v1), last revised 19 Aug 2016 (v2)

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

Comp. by: KJayaraja Stage: Proof Chapter No.: 54 Title Name: ESB Date:7/8/12 Time:01:11:29 Page Number: 1

# С

#### 2 Closure, Causal

- 3 Matteo Mossio
- 4 Department of Logic and Philosophy of Science,
- 5 University of the Basque Country, Donostia, San
- 6 Sebastian, Spain

#### 7 Definition

In biological systems, closure refers to a holistic fea-8 ture such that their constitutive processes, operations, 9 and transformations (1) depend on each other for their 10 production and maintenance and (2) collectively con-11 tribute to determine the conditions at which the whole 12 ▶ organization can exist. 13 According to several theoretical biologists, the con-14 cept of closure captures one of the central features of 15

biological organization since it constitutes, as well as
evolution by natural selection, an emergent and distinctively biological causal regime. In spite of an
increasing agreement on its relevance to understand
biological systems, no agreement on a unique defini-

tion has been reached so far.

#### 22 Characteristics

The concept of closure plays a relevant role in ▶ biological explanation since it is taken as a naturalized
grounding for many distinctive biological dimensions,
as purposefulness, normativity, and functionality
(Chandler and Van De Vijver 2000).
The contemporary application of closure to the bio-

29 logical domain comes from a philosophical and



One of the most influential contemporary charac- 40 terizations of closure in the biological domain has been 41 provided by Francisco Varela (1979). In his account, 42 he builds on an algebraic notion, according to which "a 43 domain K has closure if all operations defined in it 44 remain within the same domain. The operation of 45 a system has therefore closure, if the results of its 46 action remain within the system (Bourgine and Varela 47 1992, p. xii)."

Applied to biological systems, closure is realized as 49 what Varela labels *operational* (or *organizational*) 50 *closure*, which designates an organization of processes 51 such that "(1) the processes are related as a network, so 52 that they recursively depend on each other in the gen-53 eration and realization of the processes themselves, 54 and (2) they constitute the system as a unity recogniz-55 able in the space (domain) in which the processes 56 exist" (Varela 1979, p. 55). 57

It should be noted that Varela himself has proposed, 58 over time, slightly different definitions of operational 59 closure. In addition, more recent contributions have 60 introduced a theoretical distinction between organiza- 61 tional and operational closure. Whereas "organiza- 62 tional" closure indicates the abstract network of 63 relations that define the system as a unity, "operational" 64

W. Dubitzky, O. Wolkenhauer, K. Cho & H. Yokota (eds.), *Encyclopedia of Systems Biology*, DOI 10.1007/978-1-4419-9863-7, © Springer Science+Business Media, LLC 2012

**C** 2

In Varela's view, operational closure is closely 67 related to > autonomy, the central feature of living 68 organization. More precisely, he enunciates the "Clo-69 sure Thesis," according to which "every autonomous 70 system is operationally closed" (Varela 1979, p. 58). In 71 principle, the class of autonomous systems realizing 72 operational closure is larger than the class of biological 73 systems. As a consequence, operational closure is 74 taken as a necessary but not sufficient condition to 75 define biological organization. Biological systems, in 76 fact, constitute a subclass of autonomous systems, 77 which realize a specific form of operational closure, 78 which Varela labels, with Humberto Maturana, 79 ▶ autopoiesis (Varela 1979). The specificity of opera-80 tional closure as autopoiesis is that, unlike other pos-81 sible forms, it describes the system at the chemical and 82 molecular level, and supposes relations of material 83 production among its constituents. 84

A crucial distinction is usually made between orga-85 nizational/operational and material closure, where the 86 latter indicates the absence or incapacity to interact. 87 While being organizationally closed, biological sys-88 tems are structurally coupled with the environment, 89 with which they exchange matter, energy, and infor-90 mation. The concept of biological closure implies then 91 a distinction between two causal levels, an open and 92 a closed one - an issue which have been more explic-93 itly addressed by the account proposed by Robert 94 Rosen (Rosen 1991). 95

Rosen's account is based on a rehabilitation and reinterpretation of the Aristotelian categories of causality and, in particular, on the distinction between efficient and material cause. Let us consider an abstract mapping f between the sets *A* and *B*, such that f: A => > B. Represented in a relational diagram, we have (Fig. 1): When applied to model natural systems, Rosen

claims that the hollow-headed arrow represents material causation, a flow from A to B, whereas the solidheaded arrow represents efficient causation,  $a \triangleright constraint exerted by f on this flow.$ 

Rosen's central thesis is that "a material system is an organism [a living system] if, and only if, it is closed to efficient causation" (Rosen 1991, p. 244), whereas a natural system is closed to efficient causation if and only if its relational diagram has a closed path that contains all the solid-headed arrows. It is worth noting that, unlike the varelian tradition, Rosen takes closure 113 as the *definition* of biological organization. 114

According to Rosen, the central feature of 115 a biological system consists in the fact that all compo-116 nents having the status of efficient causes are materially 117 produced by and within the system itself. At the most 118 general level, closure is realized in biological systems 119 among three classes of efficient causes corresponding 120 to three broad classes of biological  $\triangleright$  functions that 121 Rosen denotes as *metabolism* (f: A=>> B), *repair* 122 ( $\Phi: B=>>$  f), and *replication* (B: f=>> $\Phi$ ) (Fig. 2). 123

By providing a clear-cut theoretical and formal 124 distinction between material and efficient causation, 125 Rosen's characterization explicitly spells out that biological organization consists of two coexisting causal 127 regimes: closure to efficient causation, which grounds 128 its unity and distinctiveness, and openness to material 129 causation, which allows material, energetic, and informational interactions with the environment. 131

More recently, the scientific work on biological 132 closure has been developed in various directions 133 (Chandler and Van De Vijver 2000). In particular, 134 a thriving research line has specifically focused on 135 the critical nature of systems realizing closure, which 136 must maintain a continuous flow of energy and matter 137 with the environment in conditions far from thermo-138 dynamic equilibrium. To capture this dimension of 139 closure, Stuart Kauffman has proposed the notion of 140 Work-Constraint cycle (Kauffman 2000). 141

The Work-Constraint cycle represents an interpreta- 142 tion of organizational closure that links the idea of 143 "work" to that of "▶ constraint," the former being 144 defined, as "constrained release of energy into relatively 145 few degrees of freedom." A system realizes a Work- 146 Constraint cycle if it is able to use its work to regenerate 147 at least some of the constraints that make work possible. 148 The cycle is a thermodynamic irreversible process, 149 which dissipates energy and requires a coupling 150 between exergonic (spontaneous, which release energy) 151 and endergonic (non spontaneous, which require 152 energy) reactions, such that exergonic processes are 153 constrained in a specific way to produce a work, 154 which can be used to generate endergonic processes, 155 which in turn generate those constraints canalizing 156 exergonic processes. In Kauffman's terms: "Work 157 begets constraints beget work" (Kauffman 2000). 158

A complementary account of closure has been pro- 159 posed by Howard Pattee, who focused on its informa- 160 tional dimension (Pattee 1982). In his view, biological 161

#### Closure, Causal

organization consists of the integration of two 162 intertwined dimensions, which cannot be understood 163 separately. On the one side, the organization realizes 164 a dynamic and autopoietic network of mechanisms and 165 processes, which defines itself as a topological unit, 166 structurally coupled with the environment. On the 167 other side, it is shaped by the material unfolding of 168 a set of symbolic instructions, stored and transmitted as 169 genetic  $\blacktriangleright$  information. 170

According to Pattee, the dynamic/mechanistic and 171 informational dimensions realize a distinct form of 172 closure between them, which he labels semantic clo-173 sure. By this notion, he refers to the fact that while 174 symbolic information, to be such, must be interpreted 175 by the dynamics and mechanisms that it constrains, the 176 mechanisms in charge of the interpretation and the 177 "material translation" require that very information 178 for their own production. Semantic closure, as an 179 interweaving between dynamics and information, con-180 stitutes then an additional dimension of organizational 181 closure of biological systems, complementary to the 182 operational/efficient one. 183

#### 184 Cross-References

#### 185 National Autonomy

- 186 ► Constraint
- 187 ► Emergence

#### 3

Explanation, Biological	188
Explanation, Functional	189
► Function	190
► Holism	191
► Information, Biological	192
► Organization	193

#### References

194

Bourgine P, Varela FJ (1992) Toward a practice of autonomous 195 systems. MIT Press/Bradford Books, Cambridge, MA 196

Chandler JLR, Van de Vijver G (eds) (2000) Closure: emergent 197 organizations and their dynamics. Ann NY Acad Sci 901 198

Kant I (1987/1790) Critique of judgment. Hackett, Indianapolis 199 Kauffman S (2000) Investigations. Oxford University Press, 200 Oxford 201

Pattee HH (1982) Cell psychology: an evolutionary approach to 202 the symbol–matter problem. Cogn Brain Theory 5(4):325–341 203

Rosen R (1991) Life itself: a comprehensive inquiry into the204nature, origin, and fabrication of life. Columbia University205Press, New York206

Thompson E (2007) Mind in life: biology, phenomenology, and 207 the sciences of mind. Harvard University Press, Cambridge, 208

MA 209 Varela FJ (1979) Principles of biological autonomy. North 210

Holland, New York 211

