Towards a Theory of Co-evolutive Networked Territorial Systems: Insights from Transportation Governance Modeling in Pearl River Delta, China

J. Raimbault^{1,2} juste.raimbault@polytechnique.edu

¹UMR CNRS 8504 Géographie-cités ²UMR-T IFSTTAR 9403 LVMT

Medium Project Seminar 4th December 2016





Complex Urban Systems





 ${\bf Source}: \ {\bf Wikipedia}$





Complex Systems Approaches in Science


- \rightarrow Failure of reductionism already highlighted by Anderson in 1972 [Anderson, 1972]
- \rightarrow Yet few domains with Integrative Theories : see e.g. Economics [Farmer and Foley, 2009], Urban Science [Portugali, 2012]
- \rightarrow Even physics begins to realize the potential of this "New Kind of Science [Wolfram, 2002]: Quantum coherence paradox solved through computational complexity [Bolotin, 2014]; Very recent theory of emergent gravity solves Dark Matter issue [Verlinde, 2016]
- \rightarrow Towards Complex Systems Sciences aiming at vertical integration (integrative disciplines) and horizontal integration (interdisciplinary transversal problems): see e.g. CS roadmap [Bourgine et al., 2009]





Theoretical and Quantitative Geography

An extended framework for TQG [Livet et al., 2010]



To go further: speculative embedding of this scheme into a meta-modeling framework [Raimbault, 2016d]





Complex Urban Systems

Research Context: Investigate relations between Networks and Territories, in particular through the construction of models of co-evolution between land-use and transportation network, strangely absent in the literature [Raimbault, 2015].


- \rightarrow Collection of evidences from previous research ; proposition of a geographical theory
- \rightarrow Application to Transportation Governance Modeling ; potential insights from application to Pearl River Delta






Meso-scale Coupled Growth

Simple co-evolutionary dynamics produce stylized urban forms at a mesoscopic scale [Raimbault et al., 2014]














Aggregation-diffusion Urban Growth

Evidence of autonomous Morphogenetic processes : morphological calibration of an Aggregation-diffusion growth model









Coupled Growth and Correlations

Spatial non-stationarity of correlation matrix between urban morphology and network topology [Raimbault, 2016a]; coupled growth model yield a large range of potential correlations [Raimbault, 2016b]









Macro-scale Growth and Network Necessity

Macro-scale population growth model reveals physical network effects in French System of Cities [Raimbault, 2016c]







Theory: Pillars

- Networked Human Territories → Raffestin approach to territory combined with Dupuy theory of networks.
- extstyle ext
- Urban Morphogenesis → Morphogenesis as autonomous rules to explain growth of urban form. Used as the provider of modular decompositions.
- Boundaries and Co-evolution → Co-evolution as the existence of niche, consequence of boundary patterns.





Theory: Specification

Definition: Territorial systems are networked Human Territories. They are multi-level complex adaptive systems following Evolutive Urban Theory.

Hypothesis: The existence of Morphogenetic processes in which networks are essential drivers is equivalent to the existence of co-evolutive niches in territorial systems. We call thus these *Co-evolutive Networked Territorial Systems*.





The LUTECIA Model: Rationale

Mega-city Regions [Hall and Pain, 2006] exhibit new qualitative regimes of urban systems ?


- → A LUTI + infrastructure provision model (LUTECIA)
- \rightarrow Coevolution transport / urbanism (LUTI model with endogeneous transport infrastructure provision)
- \rightarrow Game theory framework to predict emergence of centralized decision within a polycentric region
- ightarrow Importance of accessibility at MCR scale





The LUTECIA Model: Structure

LU : Land Use module ; T : Transport module ; EC : Evaluation of Centralized decision module ; I : Infrastructure provision module ; A : Agglomeration economies module $\ \$







Governance Modeling

Matrix of actors utilities, depending on respective choices

1 2	С	A
С	$U_i = \kappa \cdot \Delta X_i(Z_C^*) - I - \frac{\delta I}{2}$	$\begin{cases} U_1 = \kappa \cdot \Delta X_1(Z_1^*) - I \\ U_2 = \kappa \cdot \Delta X_2(Z_2^*) - I - \frac{\delta I}{2} \end{cases}$
А	$\begin{cases} U_1 = \kappa \cdot \Delta X_1(Z_1^*) - I - \frac{\delta I}{2} \\ U_2 = \kappa \cdot \Delta X_2(Z_2^*) - I \end{cases}$	$U_i = \kappa \cdot \Delta X_i(Z_i^*) - I$

Two types of games implemented :


- Mixed Nash equilibrium, where actors compete
- One Rational Discrete Choice equilibrium






Model Output : Examples

Implementation: Netlogo; particular treatment for dynamical programming computation of network shortest distances. Exploration with High Performance Computing on grid with OpenMole [Reuillon et al., 2013]














Model Exploration : Examples














Long Time Limits for Transportation Networks







Application to Pearl River Delta Mega-city Region

Stylized characteristics of Pearl River Delta make a perfect candidate for model application



Source: Guangdong Province Government





Application to Pearl River Delta

Specific characteristics:

- Regional Governance new level of State action; Mega-city region roughly at regional scale.
- Large development of infrastructures in a relatively short time
- Local and Regional Transportation masterplans at different dates
- Bridges across the delta: expensive infrastructure, require difficult collaboration
- High economic competition between cities; particular role of Hong-Kong and Macao





Application: Experience plan and Expected Results

Requirements:

- Thematic model adaptation
- Technical model adjustments

Experience plan:

- Conditions for emergence of the functional MCR
- Calibrate model retrospectively : unveil governance processes
- Calibrate model on planned infrastructure : collaboration patterns equivalent to a central planning
- Calibrate model on optimal infrastructure (multi-objectives to be determined): what are corresponding "optimal" governance structures?





Conclusion

- \rightarrow From this particular model and the case study, theory should be confirmed/informed/refined/etc. (ex. : network plays indeed a crucial role in governance bifurcations, territorial systems should include explicit agents, etc.)
- \rightarrow Knowledge production process is itself a metaphor of studied geographical processes : co-evolutive and complex.
- \rightarrow Vertical and Horizontal integration : Interdisciplinarity beyond qualitative/quantitative artificial distinctions

- All code and data available at https://github.com/JusteRaimbault/CityNetwork/tree/master/Models





Reserve slides

Reserve Slides





Governance Game Specification

Mixed Nash equilibrium probability :

$$p_i = \frac{J}{\Delta X_{\bar{i}} Z_C^* - \Delta X_{\bar{i}} Z_{\bar{i}}^*}$$

Discrete Choice model:

$$U_i(C) - U_i(NC) = p_{\bar{i}}(\Delta X_i Z_C^* - \Delta X_i Z_i^*) - J$$

then

$$p_i = \frac{1}{1 + \exp\left(-\beta_{DC} \cdot \left(\frac{\Delta X_i Z_C^{\star} - \Delta X_i Z_i^{\star}}{1 + \exp\left(-\beta_{DC}(p_i \cdot (\Delta X_i^{\tau} Z_C^{\star} - \Delta X_i^{\tau} Z_i^{\star}) - J)\right)} - J\right)\right)}$$





Lutetia: default parameter values

$$A_{max} = E_{max} = 500; r_A = 1; r_E = 0.8; \gamma_E = 0.9; \gamma_A = 0.65; \beta_I = 1.8; \lambda = 0.005; r_0 = 2$$

 $N_{expl} = 25; I = 0.001; J = 0.0001; v = 5; E_{ext}(t_0) = 3E_{max}; t_f = 4$



Lutetia: Land-use Initialization

Initial distribution of Actives and Employments around governance centers at positions \vec{x}_i by

$$A(\vec{x}) = A_{max} \cdot \exp\left(\frac{\|\vec{x} - \vec{x}_i\|}{r_A}\right); E(\vec{x}) = E_{max} \cdot \exp\left(\frac{\|\vec{x} - \vec{x}_i\|}{r_E}\right)$$



Lutetia: Transportation

Transportation module : computation of flows ϕ_{ij} by solving on p_i, q_j by a fixed point method (Furness algorithm), the system of gravital flows

$$\begin{cases} \phi_{ij} = p_i q_j A_i E_j \exp\left(-\lambda_{tr} d_{ij}\right) \\ \sum_k \phi_{kj} = E_j; \sum_k \phi_{ik} = A_i \\ p_i = \frac{1}{\sum_k q_k E_k \exp\left(-\lambda_{tr} d_{ik}\right)}; q_j = \frac{1}{\sum_k p_k A_k \exp\left(-\lambda_{tr} d_{kj}\right)} \end{cases}$$

Trajectories then attributed by effective shortest path, and corresponding congestion c obtained (no Wardrop equilibrium).

Speed of network given by BPR function $v(c) = v_0 \left(1 - \frac{c}{\kappa}\right)^{\gamma_c}$. Congestion not used in current studies (infinite capacity κ).





Lutetia: Land-use Evolution

Land-Use module: we assume that residential/employments relocations are at equilibrium at the time scale of a tick, that corresponds to transportation infrastructure evolution time scale which is much larger (Bretagnolle, 2009).

We take a Cobb-douglas function for utilities of actives/employments at a given cell

$$U_i(A) = X_i(A)^{\gamma_A} \cdot F_i(A)^{1-\gamma_A}; F_i(A) = \frac{1}{A_i E_i}$$
$$U_i(E) = X_i(E)^{\gamma_E} \cdot F_i(E)^{1-\gamma_E}; F_i(E) = 1$$

where $X_i(A) = A_i \cdot \sum_j E_j \exp(-\lambda \cdot d_{ij})$ and $X_j(E) = E_j \cdot \sum_i A_i \exp(-\lambda \cdot d_{ij})$. Relocations are then done deterministically following a discrete choice model :

$$A_{i}(t+1) = \sum_{i} A_{i}(t) \cdot \frac{\exp(\beta U_{i}(A))}{\sum_{i} \exp(\beta U_{i}(A))}$$

$$E_{j}(t+1) = \sum_{i} E_{j}(t) \cdot \frac{\exp(\beta U_{j}(E))}{\sum_{i} \exp(\beta U_{j}(E))}$$






Lutetia: Network Distance Computation

Effective distances computation

- Euclidian distance matrix d(i,j) computed analytically
- Network shortest paths between network intersections (rasterized network) updated in a dynamic way (addition of new paths and update/change of old paths if needed when a link is added), correspondance between network patches and closest intersection also updated dynamically; O(N³_{inters})
- Weak component clusters and distance between clusters updated ; $O(N_{nw}^2)$
- Network distances between network patches updated, through the heuristic of only minimal connexions between clusters; $O(N_{nw}^2)$
- Effective distances (taking paces/congestion into account) updated as minimum between euclidian time and $\min_{C,C'} d(i,C) + d_{nw}(p_C(i),p'_C(j)) + d(C',j)$; $O(N_{clusters}^2 \cdot N^2)$ [Approximed with \min_C only in the implementation, consistent within the interaction ranges ~ 5 patches taken in the model]
































References I

Anderson, P. W. (1972).

More is different.

Science, 177(4047):393-396.

Bolotin, A. (2014).

Computational solution to quantum foundational problems.

ArXiv e-prints.

Bourgine, P., Chavalarias, D., and al. (2009).

French Roadmap for complex Systems 2008-2009.

ArXiv e-prints.

Farmer, J. D. and Foley, D. (2009).

The economy needs agent-based modelling.

Nature, 460(7256):685–686.





References II

Hall, P. G. and Pain, K. (2006). The polycentric metropolis: learning from mega-city regions in Europe. Routledge.

Livet, P., Muller, J.-P., Phan, D., and Sanders, L. (2010). Ontology, a mediator for agent-based modeling in social science. Journal of Artificial Societies and Social Simulation, 13(1):3.

Portugali, J. (2012). Complexity theories of cities: Achievements, criticism and potentials. In Complexity Theories of Cities Have Come of Age, pages 47–62.

Springer.





References III



Models coupling urban growth and transportation network growth: An algorithmic systematic review approach.

Plurimondi. An International Forum for Research and Debate on Human Settlements, 7(15).



For a cautious use of big data and computation.

In RGS

2016, Session Geocomputation : the next 20 years ; abstract available at https://github.com/JusteRaimbault/CityNetwork/blob/master/Docs/Cor



Generation of correlated synthetic data.

In Actes des Journees de Rochebrune 2016.





References IV



Raimbault, J. (2016c).

Models of growth for system of cities: Back to the simple.

forthcoming presen-

 $tation\ at\ CCS2016,\ 19\text{-}22\ September,\ Amsterdam.\ Abstract\ available\ at\ https://github.com/JusteRaimbault/CityNetwork/blob/master/Docs/Cornell Cornell Corn$



Raimbault, J. (2016d).

Towards Models Coupling Urban Growth and Transportation Network Growth. First year preliminary memoire. DOI: http://dx.doi.org/10.5281/zenodo.60538.

PhD thesis, Université Paris-Diderot - Paris VII.





References V



Raimbault, J., Banos, A., and Doursat, R. (2014).

A hybrid network/grid model of urban morphogenesis and optimization.

In Proceedings of the 4th International Conference on Complex Systems and Applications (ICCSA 2014), June 23-26, 2014, Université de Normandie, Le Havre, France; M. A. Aziz-Alaoui, C. Bertelle, X. Z. Liu, D. Olivier, eds.: pp. 51-60.



Reuillon, R., Leclaire, M., and Rey-Coyrehourcq, S. (2013).

Openmole, a workflow engine specifically tailored for the distributed exploration of simulation models.

Future Generation Computer Systems, 29(8):1981–1990.



Verlinde, E. P. (2016).

Emergent Gravity and the Dark Universe.

ArXiv e-prints.





References VI



Wolfram, S. (2002).

A new kind of science, volume 5.

Wolfram media Champaign.



