

The Flightschedule Profiler

Jean-Yves Blaise, Iwona Dudek

▶ To cite this version:

Jean-Yves Blaise, Iwona Dudek. The Flightschedule Profiler. 8th International Joint Conference on Knowledge Discovery, Knowledge Engineering and Knowledge Management, Nov 2016, Porto, Portugal. Proceedings of the 8th International Joint Conference on Knowledge Discovery, Knowledge Engineering and Knowledge Management, Volume 1 (ISBN 978-989-758-203-5), p. 407-412, 2016, KDIR. 10.5220/0006081804070412. halshs-01494758

HAL Id: halshs-01494758 https://shs.hal.science/halshs-01494758v1

Submitted on 24 Mar 2017

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



The FlightSchedule Profiler

An attempt to synthetise visually an airport's flight offer in time and space.

Jean-Yves Blaise, Iwona Dudek

The challenge: providing users with a clear-cut visual overview of an airport's flight offer. Our objective: Not replacing but complementing reservation systems in upstream tasks.

The Issue - limitations of flight reservation systems


There definitely is a lot of information available on the net through airlines reservation systems, airports destination maps, etc. But is that 'space + time' information really synthetic, easy to read? The very nature of the query one fires on such systems (typically "find flights from A to B on day D, order them by price / duration") strongly impacts the type of information users will retrieve, and the way it will be displayed.

Shortly said, such queries end up on:

- sequential data series one flight after the other, page per page
- verbose presentations time slots and routes are given as texts, temporal densities not assessed
- focus views details on one flight at a time
- space parameter limited to a textual list of airports
- Self-proclaimed information retrieval basically a mess,
- Too much (irrelevant) data,
- No overview, no user-side mental image of time
 + space alternatives,
- Lacks ... infoVis?

Are there alternatives? Inspiring designs from the golden age*

* A tribute to M. Friendly's "The Golden Age of Statistical Graphics."




Etienne Jules Marey's 1885 train schedule (redrawn and simplified). Time runs horizontally from left to right (24 hour slot, starting 6AM). Railway stations (cities) are distributed vertically.

Oblique lines corresponds to trains connecting Paris to Lyon and vice-versa. The angle (a) represents the speed of trains (the duration of the travel in fact). Oblique lines redrawn in black correspond to the fastest trains – the structure of the graphics makes it so that it is simply straightforward to uncover a pattern: these trains depart at the same time.


Note that this graphics helps spotting at a glance for instance which of all trains is the slowest (circle "1" above the top horizontal line), or lets you compare the stopover time for each train, in both direction, in all railway stations.

The 'FlightSchedule' proof of concept visualisation - investigating the way travel data can be displayed visually.


Three key choices: stylized cartography, ordinal time model, "details on demand"



Step 1: The cartographic background. Origindestination vectors intersecting a circle



Step 2: Redistributing destinations along a second, exterior circle so as to avoid overlapping.



regular flight (every Monday over the period)

destination available on other days of the week

seasonal or occasional flight

destination available on Mondays

Step 3: Introducing the ordinal time layer (Monday flights) - each coloured dot corresponds to one flight from Nice to a destination airport. "Piles" of coloured dots correspond to destinations for which several flights are available on Mondays, sorted by chronological order (details available on user demand).

Note the varying proportion of non-regular flights between those heading north-west and others. User-side interaction triggers the displaying of textual and visual information about cities, airport codes, place types, departure and arrival times, operating periods etc.


The FlightSchedule Profiler

An attempt to synthetise visually an airport's flight offer in time and space.

Jean-Yves Blaise, Iwona Dudek


The challenge: providing users with a clear-cut visual overview of an airport's flight offer. Our objective: Not replacing but complementing reservation systems in upstream tasks.

The Issue - limitations of flight reservation systems



Are there alternatives? Inspiring designs from the golden age*

* A tribute to M. Friendly's "The Golden Age of Statistical Graphics"




An extract of the 1933 Czech Airlines map and schedule (redrawn from E.R Tufte, Envisioning information, relative sizes of circles preserved from the original). Each circle corresponds to relative locations in space; departure and arrival times are shown inside the circles, lines with flight codes connect airports (the presence of an arrow differentiates inbound from outbound flights). Brown circles (top left) correspond to the "real" location of cities on a geographic map.

This design combines in one unique visualisation parameters *space* (position of cities) and *time* - departure / arrival times.


There are here readability concerns that could be pointed at – the orientation of departure / arrival times inside circles for instance – but it shows there definitely is room for graphic creativity in the context of travel data.

The 'FlightSchedule' proof of concept visualisation - investigating the way travel data can be displayed visually.

Extending the experimentation with discrete time



Focus view on a Tuesday, one flight highlighted: the green arc show the duration, the red arrow positions the flights in the day (24 hours, discrete time) while the white arrow positions the flight in a clock-like representation of a 12-hours slot.



- The discrete time layer (Monday flights): concentric circles correspond to hours of a day (time runs outwards). Each dot corresponds to a given flight, with the same colour codes as in the ordinal time layer.
 - The visualisation is an attempt at assessing temporal densities throughout the day.






The FlightSchedule Profiler

An attempt to synthetise visually an airport's flight offer in time and space.

Jean-Yves Blaise, Iwona Dudek

The challenge: providing users with a clear-cut visual overview of an airport's flight offer. Our objective: Not replacing but complementing reservation systems in upstream tasks.

The Issue - limitations of flight reservation systems



10:05

13:40

10:05

13:40

Air France 6207

should I privilege

afternoon flights?

overviews first, details

on demand is missing

morning or

here

