

Using a Sentence Repetition Task in French Sign Language: a new approach to assess LSF abilities

Caroline Bogliotti, Céline Fortuna, Aliyah Morgenstern

▶ To cite this version:

Caroline Bogliotti, Céline Fortuna, Aliyah Morgenstern. Using a Sentence Repetition Task in French Sign Language: a new approach to assess LSF abilities. FEAST17, Jun 2017, Reykjavick, Iceland. 2017. halshs-01547067

HAL Id: halshs-01547067 https://shs.hal.science/halshs-01547067v1

Submitted on 26 Jun 2017

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Using a Sentence Repetition Task in French Sign Language : a new approach to assess LSF abilities

Caroline Bogliotti (1), Céline Fortuna (1) & Aliyah Morgenstern⁽²⁾ (1) Paris Nanterre University & MODYCO Lab CNRS-UMR 7114 ; ⁽²⁾ Sorbonne Nouvelle University

caroline.bogliotti@parisnanterre.fr - celine.fortuna@gmail.com - aliyah.morgenstern@univ-paris3.fr



I. The Sign MET Project

Our aim was to develop new methodologies and tools in several sign languages (LIS, LSF, DSGS, LSC) in order to evaluate SL comprehension and production skills in deaf children (4-11 y.o.)

- Linguistic goal : to define methodologies to study sign language acquisition and master processes in deaf signing children.
- Clinical and rehabilitive goal : to diagnose language disorders in sign language.
- Educational goal : to assess linguistic skills and strengthen these skills.

IV. The current study : to elaborate a tool in order to assess repetition abilities in LSF

Participants

- 33 Deaf signing Children of Deaf signing Parents, aged from 4;02 to 10;8, all deaf native signers.
- 7 children of 4-5 y.o , 9 children of 6-7 y.o , 9 children of 8-9 y.o , 8 children of 10 y.o.

http://signmet.eu & http://www.prosigne.fr/SignMET/index.php

II. The assessment of LSF skills : a short review

There is no existing specific test operational enough that assesses linguistic abilities in LSF.

Two tests have been developed previously: lack of several methodological features for the first one (too long for caretakers to administer, need to have a strong linguistic knowledge, etc.; TELSF, 2001) and failure to adapt the second one (LSF Receptive Skills test adapted from BSL Receptive Skills test, 2010).

As a result, caretakers, teachers and others transpose vocal tests to SL tests without taking into account the linguistic specificities of SL.

Courtin et al., 2010; Niederberger et al, 2001; http://www.signlang-assessment.info/

III. Assessment of repetition skills in sign languages

In vocal languages, the repetition ability is a strong marker of general linguistic abilities (Marshall et al., 2014).

It is a reliable marker of language development and language processing. It requires robust linguistic representations, accurate phonological skills. Gestural skills and short-term memory are not sufficient to recall a longer and /or syntactically complex sentence correctly.

Procedure


Coding

Participants were asked to recall in the exact same way 20 sentences that varied in complexity.

Complexity is defined according to length of the sentence, morphosyntactic structures (classifiers, inflection, role shift). Sentences are presented from the easiest to the hardest ones.








Sentence Repetition Tasks already existed in ASL , BSL and have been used in several psycholinguistic studies with native and late signers.

4 SRT were created for LSF, LIS, DSGS, LSC


		(india)	(hine of on (planar)	()	(
			No holding of CL NDH (reference is not maintained)		
			wrong location CL NDH & maintained structure		
			wrong location CL NDH & unmaintained structure		
		laterality	dominant hand / non dominant hand rapport		
		facial expression	lexical semantic		
			grammatical + CL		
		gaze	Regard		
		labial mouvements	mouthing		
			mouth gestures		
		Chest	lexical semantic		
			grammatical		

BSL Marshall & al., 2014 ; ASL Hauser, 2008 ; Emmorey, 2002






Main effect of group on sign repetition F(3,29)=10,79; p=,0001*** Main effect of group on incorrect repetition F(3,29)=9,34;p=,0001***





Main effect of error type F(1,3)=143,14; p=,000*** Main effect of group F(3,29)=8,60; p=,001*** No interaction age x type of error



Main effect of lexical structures F(1,3)=34,86; p= .000*** interaction structures x group near to the significance level no effect of group

Bonferroni correction : FS vs CL DH t(32)=5,5 ; FS vs CL NDH t(32)=3,34; CL DH vs. CH NDH t(32)=-2,80 all p<.01






Pearson correlation $r(33) = -,504^{**}$

averaged percent : phonological error for each parameter according to age

	handshape	mouvement mean (sd)	orientation	place
4-5 y.o	11 (4)	15 (4)	5(2)	3(1)
6-7 y.o	10 (5)	23 (9)	5(3)	8 (5)
8-9 y.o	9(5)	15 (5)	9(6)	14 (18)
10 y.o	11 (6)	24 (13)	9(11)	7 (5)



Main effect of parameter F(3,87)=18,994 p=.0001** Main effect of group F(3,29)=3,07 p=.04* No interaction parameter x group Bonferroni correction : movement vs. handshape t(8) = -4,64; movement vs. orientation t(8) = 6,33; movement vs. place t(8)=6,49; all p<.008

Results can be discussed in terms of

- Phonological development and mastery. Phonological skills are mastered early, even by young toodlers.
- Movement seems to cause more difficulties to all children.
- Classifiers are less failed than frozen signs : are • their articulatory structures more reliable ? Are children better trained to produce classifiers ? Is a classifier occurrence that shares the structure while the referent is different, more frequent ?

VI. Conclusion and perspectives

Conclusion

The first test to assess repetition skills in LSF, and to assess some overall abilities of deaf signing people.

First data on sign language development.

Perspectives

Coding of the late signing children is in progress. Are difficulties detected in the SRT observed in the narrative production task, and in natural (spontaneous) sign ?

How could non manual parameters be better assessed ?

We need to evaluate the potential to use this tool to diagnose language disorder.