

Caring for vineyards: Transforming farmer-vine relations and practices in viticulture French farms

Alarcon Margaux, Pascal Marty, Anne-Caroline Prévot

▶ To cite this version:

Alarcon Margaux, Pascal Marty, Anne-Caroline Prévot. Caring for vineyards: Transforming farmer-vine relations and practices in viticulture French farms. Journal of Rural Studies, 2020, 10.1016/j.jrurstud.2020.08.029. halshs-02986591

HAL Id: halshs-02986591 https://shs.hal.science/halshs-02986591v1

Submitted on 20 Nov 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Title: Caring for vineyards: transforming farmer-vine relations and practices in viticulture French farms

Authors:

M. Alarcon^{a*}, P. Marty^b, A.-C. Prévot^{a,c}

- ^a Centre d'écologie et des sciences de la conservation (CESCO UMR 7204), Muséum national d'Histoire naturelle, Centre National de la Recherche Scientifique, Sorbonne-Université, 43 rue Cuvier, 75005 Paris. France.
- ^b Laboratory of Social dynamics and spatial reconstruction (LADYSS UMR 7573) reconstruction, University Paris 1 Panthéon-Sorbonne. Institute of Geography, 191 rue Saint-Jacques, 75005 Paris. France.
- ^c Laboratoire parisien de psychologie sociale (LAPPS EA 4386). Université Paris-Ouest. Département : psychologie. 200 avenue de la république, 92000 Nanterre. France.

Adress for corresponding author: margaux.alarcon@gmail.com

Declaration of interest

None.

Acknowledgments

We thank the members of the Conservatory of Natural Areas of Languedoc-Roussillon who helped us in this work by sharing ideas and offering us the possibility of being in contact with viticulturists in Hérault.

Caring for vineyards: transforming farmer-vine relations and practices in viticulture French farms

Highlights:

- Winegrowers care for vines but relate with other nonhumans within vineyards
- Relations with nonhumans transform with time through evolving farming practices
- The ways farmers take care of nonhumans evolve towards more attentive modes of care
 - Those transformations involve specific care spatialities (plots and edges)
 - Environmental programs based on observations of nonhumans contribute to those transformations

Abstract:

In the context of ecological crisis, agricultural issues become increasingly present in public debates and call for a better understanding of the relations between farmers and nonhumans. Based on the care theory and through an ethnographic study conducted in *Hérault* (France) among 20 winegrowers, this article answers 3 questions: 1) How do farmers relate and care for nonhumans and the environment?; 2) Do those relationships evolve?; 3) How farmer networks locally affect these relationships? The analysis shows: (1) that vine is the principle care-receiver within vineyards, but that vine-growers also form relationships with a diversity of other non-human entities; (2) that all those relationships can be transformed with increased attentiveness and experimental practices at plot and edge scale of vineyards; (3) that an increase in the observation and contemplation of nonhumans can develop through farmers' participation in different environmental programs. In conclusion, the article indicates the relevance of both the use of care theory in order to study the complexity of farmers' relations to nonhumans, and the key-role of bottom-up collective initiatives among farmers regarding biodiversity conservation.

Key words: care, France, farming, viticulture, farmer networks, biodiversity conservation

1. Introduction

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

The relationship between people and nature has attracted a rising interest among scientists (Ives et al., 2017)., first based on the evidence of health and well-being benefits (Keniger et al., 2013); and secondly, on the need to address sustainability challenges, including biodiversity conservation or fundamental society changes (e.g., Krasny et al., 2013). In this context, values attributed to nature are of growing importance (Díaz et al., 2015). Besides human interest (instrumental values) and interest for nature itself (intrinsic values), Chan et al. (2016) recently highlighted that people also consider "what is right" according to how they personally relate with nature and with others toward nature. They called this interest "relational values", which include a diversity of components, such as preferences, principles, and virtues, which also concern interactions with nature. Indeed, for the authors, some components of individual identities are rooted in long-term care with nature and stewardship (this is particular true for rural farmers). Relational values are prominent within different philosophies, including care ethics. Care ethics are a growing school of ethics, arising out of feminist theoretical thought and further developed in philosophy as a part of a non-theoretical movement in applied ethics, concerning utility of moral principles in order to solve real life problems (Gilligan, 1993). From this perspective, care ethics start from concrete moral issues and observe how humans solve them. Care ethics highlight the value of specific and particular situations. Fundamental are to care ethics the fact that human beings are primarily relational, and the wish to refocus moral thought on relations between human entities instead of on moral action itself (Held, 2006). Thus, several concepts are central to visions of care, such as vulnerability, interdependence and attentiveness (Tronto, 1993; Wood, 1994). Attentiveness is especially described in care studies as an ethical commitment and a concrete practice (Krzywoszynska, 2019). The vast majority of work in care theory has focused on relations among humans and on the influence of societal structures on those relations. However, Fisher and Tronto (1990) enlarged the concept and included "everything we do to maintain and repair our 'world' in order to live in it as well as possible. That world includes our bodies, ourselves, and our environment" (40). Tronto (1993) further extended care to relationships between humans and nonhumans (i.e. plants and animals), and explicitly defined care as both a disposal (care about) and a practice (take care of). Based on these thoughts, care theory highlights (i) interdependence and

existing relations between humans, animals, plants and the environment; and (ii) the fact that human vulnerability is shared with other ecosystem elements, including nonhumans. Finally, since it draws the attention from wilderness to ordinary nature (i.e. areas where humans and nonhumans interact), care theory contributes to transforming the study of environmental concerns (Laugier, 2012). Based on these ethics, co-living and building a common world is a crucial issue in different contexts nowadays; this is the case for landscapes that are dominated by industrial agriculture.

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

50

51

52

53

54

55

Industrial agriculture has become widespread in Western countries in the second part of the XX century, with the specific aim to increase food production. In this modern paradigm, farming practices became increasingly intensive, by promoting progressive control and management of nonhumans (Stuart, 2008) with mechanization and use of agrochemicals (especially inorganic fertilizer and pesticides) (Woodhouse, 2010). In that perspective, farmers are often presented as making choices only for economic reasons and in order to optimize and raise quantities of food production (Burton, 2004; Burton and Wilson, 2006). Yet, agricultural intensification has been recognized as one of the main driving forces of the global environmental crisis, especially biodiversity loss (Newbold et al., 2015). Combined with food security issues, environmental issues recently became increasingly present in the public debates about agriculture, moving from farmers' discretion to that of public policy and market choices (Meijboom and Stafleu, 2016). In this context, individual farmers are faced with an apparently contradictory injunction: food production and protecting biodiversity (Barbier and Goulet, 2013; McGuire et al., 2013). In this paper, we explore how farmers deal with this contradiction in French farming landscapes that have been transformed with agricultural modernization. We focus on the relationships farmers build with plants (both cultivated and spontaneous) and animals (both wild and domesticated) that are present in their farms, and explore whether, even in areas that seem structured by modern agriculture, some practices and relations towards those nonhumans can refer to caring attitudes and practices (Tronto, 1993). We use the term 'nonhumans', more general that "nature" when it comes to qualify all types of plants and animals farmers interact with in their farms, as the term is also used in several care studies (e.g., Krzywoszynska, 2016; Pitt, 2017). Based on the care theory, we make the hypothesis that farmers are not only driven by

economic choices (De Rooij et al., 2010 and Driessen, 2012), and may be driven by attention towards nonhumans vulnerability too. We also hypothesize that attention towards nonhumans is being developed during formally observation sessions that are conducted in farmer groups (Deschamps and Demeleneare, 2013). Such collective field observations may contribute to build relationships between farmers and nonhumans that go beyond production and economic issues. We focus on viticulture, for the two following reasons: first, ecological issues are particularly complex in this agricultural sector where plant-growing practices changed during the second half of the XX century, following mechanization and increased use of pesticides (Clingeleffer, 2013; Pertot et al., 2016). Secondly, global environmental issues such as climate change or water scarcity impact vine production (Van Leeuwen and Darriet, 2016; Costa et al., 2016). More particularly, we focus on winegrowers involved in local professional networks in the South of France (Languedoc region, Hérault department, see Fig. 1). We answer the three following questions: How do farmers relate and care for nonhumans and the environment? Can those relationships and the ways of taking care of nonhumans change in time? How do farmer networks contribute to develop farmers' attention towards nonhumans and environmental issues? This paper is organized as follows: The section 2 introduces relevant literature on care for nature in farming context and explores how care theory may contribute to broader conceptualizations of sustainable practices in agriculture. Care theory appears as a pertinent tool in order to study how farmers relate to nonhumans, beyond humans' (instrumental values, i.e. production) or nonhumans' (intrinsic values, i.e. protection) sakes. The sections 3 describes the ethnographic study we conducted in Hérault (France) among 20 winegrowers who mostly took part in two local programs of nonhumans' observations on farms (SVG and Biodiv'eau). The main findings of the study are presented in section 4: first, we highlight the complex relations that winegrowers have with a diversity of nonhumans on their farms, including caring for vine and production issues; second, we describe that farmers develop new ways of taking care of vine and biodiversity with field observations, at plots' and edges' scale; finally, we analyze how two programs contribute to foster different ways to take care of nonhumans (vine protection or biodiversity conservation). In section 5, we discuss the broader possibility of new types of farmers and nonhumans communities based on attention and care, and the idea that different types of humans and nonhumans communities may exist

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

and be developed, depending on the types of care for nonhumans collective actions may foster. We conclude by highlighting the need for more studies about the role of farmer networks for biodiversity conservation (section 6).

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

104

105

106

2. Care for nature in farming context: a synthesis

Intensive farming systems aim to increase productivity at plot scale (Wilson 2001; Burton, 2004), without any concern on biodiversity conservation. In order to address both objectives of farm productivity and biodiversity conservation, much research in ecology and agronomy has focused on farming practices, first within plots, and secondly, in natural areas around the plots (Franin et al., 2016). Much studies focused on two sets of farming practices: 1) economically-driven technological developments and closed loops of energy, organic matter and minerals, aiming at increasing efficiency of input use and decreasing both production costs and environmental impacts (Horlings and Marsden, 2011); 2) intensification of ecological interactions between the components of each specific farm, in order to promote fertility, productivity, and resilience to external perturbations (Horlings and Marsden, 2011; Kremen, 2015), including increasing semi-natural areas around plots (Franin et al., 2016). Concrete transformations in farmers' practices are sometimes driven by an increased attention to environmental issues (Lamine, 2017). This process combines individual trajectories and collective actions, which provide the necessary resources, including ecological knowledge and social bonds (see Hill and MacRae, 1996). Thus, in the context of environmental crises, new co-operations between farmers and non-farmers develop, together with a greater inclusion of environmental issues in farming practices (Hillis et al., 2018). Many studies highlight the key role of farmer networks for agroecological transition (Compagnone and Hellec, 2015; Šūmane et al., 2018). In France, those bottom-up and place-based farmer networks develop alongside historical professional structures, i.e. the farming federations and the Chambers of Agriculture (Cordellier and Le Guen, 2008). Research following these initiatives mainly focus on agronomic techniques and solutions, and not on how farmers relate to plants or animals, notably trough increased attention; neither on how these relations may change with transforming farming practices. Yet, linking attitudes towards nonhumans

and farming practices is possible by applying care theory to agriculture. Indeed, care studies are mostly based on narratives and descriptions of individuals' practices (ethnographies), that highlight what people are experiencing, and what matters for them (Beau, 2017). Recent studies have explored care in agricultural contexts (Curry, 2002; Herman, 2015; Bellacasa, 2017) especially breeding (Mol et al., 2010; Linn, 2019 Donati, 2019), as well as specific forms of agriculture such as urban agriculture and agriculture in the global south (Pitt, 2017; Guétat-Bernard, 2017). In these studies, care states that practical engagements can only be delivered by situated and experiential understanding of situations by practitioners (Mol, 2008; Krzywoszynska, 2016). Focusing on the relationships of vine farmers to plants, Krzywoszynska (2016) showed how numerous interacting cares inherent to grape growing are enacted during vine pruning. More precisely, the author described how winegrowers focus on vine and winery needs, and act in order to satisfy these needs. She named these cares "local cares" and defined them as a caring patterning of actions "practiced with its typical flexible adaptation and an acceptance of uncertainty" (303). She calls for recognition of farmer expertise as a way to adapt and be attentive to the direct environment, through observations. Her study shows that care theory can contribute to explore relations between farmers and plants based on attention, that lead to adopt more flexible farming practices, depending of the existing needs at different scales of a farm (plots, or the entire farm management). Other care studies started to explore farmers' relations to nonhumans within industrial agriculture paradigm and its transformations. Bellacasa (2017) highlighted that, in modern agriculture, soils are viewed primarily as ingredients for yield productivity, i.e. ultimately as objects. Soil care exists, but as an utilitarian care vision (i.e., putting back to work worn out soils and increasing the soil's efficiency to produce). But other kinds of soil conceptualizations and human-soil relationships are possible, in relation to more attention-based farming production. In that matter, soils can be a matter of concern and care "not just for what they provide for humans but for ensuring the subsistence for soil communities more broadly" (Bellacasa 2017: 190). In this new conception of soils, humans are a part of the soil community, where they care for and are cared for. Bellacasa calls it "immersed ecological care". Thus, the development of affective involvement with soils ("haptic engagements in care", for example

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

sensorial engagements, Bellacasa 2017: 197) is tied to the modification of existing relations of caretaking and especially immersed ecological care. Even if the author does not describe precisely the processes of learning how to be more attentive to soils, her work shows that care theory may contribute to consider different modes of farming production (e.g. utilitarian vs. attention-based), and further new types of communities where farmers work and cooperate with nonhumans, on the basis of the key concept of attention. So, care theory provides a conceptualization of sustainable practices in agriculture. Farmers' narratives show how they become attentive to nonhumans and transform their practices accordingly. It contributes to a better understanding of how these changes in farmers' attitudes and practices operate at different scales (farm, plots, edges). Care theory may be accurate to imagine new farming communities of humans and nonhumans based on care and attention (Latour 1995), beyond farmers' (instrumental values, i.e. utilitarian production) or nonhumans' (intrinsic values, i.e. protection) sakes (Chan et al., 2016). Given the existing contributions of care theory to the understanding of how farmers take into account environment and biodiversity in their attitudes and practices, we designed a study with the following goals: to analyze how farmers develop their affecting involvement with soils or other non-human entities; to study the potential of collective action and initiatives in transforming the relations between humans and nonhumans; to explore potential links between local cares (i.e., interactions with specific and direct non-human entities) and global cares (broader environmental issues).

177

178

179

176

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

3. Materials and methods

3.1. Study site




Fig. 1. Map of *Hérault* vineyard (France) including the two research areas: *Pic Saint Loup* and *Côtes de Thongue*.

This qualitative research was conducted in Languedocian vineyard in south of France, particularly in the *Hérault* area (Fig. 1). Languedocian vineyard, historically dominated by co-operatives since the beginning of the XX century has changed since the second half of XX century (Touzard, 2011). First, the vine area strongly decreased in size since 1980 due to several uprooting campaigns, supported by European Economic Community grants (Clement et al., 2013) in order to fight overproduction and decreasing prices by locally increasing the quality of the vine and of the local labels. Moreover, since 1985, co-operatives are less numerous and tend to amalgamate in order to be more competitive in wine market (Touzard, 2011). In *Hérault*, most of the vine production is still dependent on co-operation (Département *Hérault*, 2010). However, a new generation of independent wine producers has recently appeared (Johnson and Robinson, 2013). The *Hérault* area is the second French department with the largest vine surface area (Département *Hérault*, 2010). That department is one of the top three areas in France with the highest use intensity of insecticide spray (Mailly et al., 2017). However, an increasing part of the production comes from organic and biodynamic farming (Interbio Occitanie, 2019; Preston, 2008; Foyer, 2018).

In Hérault, we focused our study on two different areas and wine designations: Pic Saint Loup (north of the area) and Côtes the Tongue (southwest of the area). The Protected Designation of Origin Pic Saint Loup relates to 17 towns and the majority of the production is made by independent wineries. Johnson and Robinson (2013) present it as one of the most distinctive terroirs in Languedoc wines. On the other hand, the Protected Geographical Indication Côtes de Thongue relies in a stronger co-operative tradition; it suffered an overproduction crisis in the 1970s, which made that co-operatives and winegrowers establish quality processes in order to increase vine and wine qualities. At that time, a part of the winegrowers transformed their winery to become independent from co-operatives. In these two areas, diverse environmental and agroecological programs were implemented in different periods (Fig. 2). In this study, we focused on two local programs: (1) The program "Sustainable viticulture groups" (SVG) gathers voluntary groups of winegrowers. It was initiated in the early 1990's due to the pre-existence of informal groups made of local winegrowers. In Hérault the 25 currently active official SVG groups include between 8 and 25 winegrowers each and are animated by an expert from the Chamber of Agriculture. They meet every two weeks for four-hour sessions of collective surveys of different pre-defined acarian species and diseases in references plots. Sessions also include collective discussions about potential treatments or preventions against vine diseases. The main objective of this program is to decrease the use of chemicals and to potentially test alternatives to chemicals. The collective diagnoses are associated with a Chamber of Agriculture meteorological software called Performance Vigne. (2) The program Biodiv'eau was created between 2010 and 2012, following a demand from local winegrowers to know more about the biodiversity present in their vineyards. This voluntary program now gathers many local structures (Chamber of Agriculture, water supply agency, Hérault department for financial support), and is animated by the local environmental NGO named Conservatory of natural areas of Languedoc-Roussillon (CNALR). Biodiv'eau consists of a flora inventory made by winegrowers directly on the edges of their vineyards. Ecologists of CNALR worked closely with winegrowers to build

the inventory grid. Each session of the program includes several steps (Fig. 3).

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

We carried out ethnographic qualitative work, including participant observations and semi structured interviews (Beaud and Weber, 1997). In April 2018, author #1 spent two days conducting participant observations: one with a Biodiv'eau training with 15 winegrowers, and one with a sustainable viticulture group with 15 winegrowers.





Fig. 2. Main collective environmental initiatives in study area for viticulture.



^{*:} CNALR helps winegrowers during this step.

Note: Winegrowers can decide at each step if they want to continue the program.

Fig. 3. The five steps of Biodiv'eau program.

3.2. Semi-structured interviews

20 semi-structured interviews with winegrowers were conducted by author #1 from November 2017 to May 2018 (Table 2). Winegrowers were found and contacted by the snowball technique, starting from contacts of participants to Biodiv'eau. All these interviews were individual, completed by phone (7) or face to face (13). The mean duration of the interviews was 1 hour (from 35 minutes to 4 hours). During four of them, the interview included a visit of the vineyard with the winegrower. All the interviews were recorded, transcribed, and anonymized. Notes were also taken during the interviews.

241 3.3. Qualitative data analysis

Following the principles of thematic coding, we coded the interviews (Paillé and Mucchielli, 2012).

Through several cycles of coding, we filtered, focused, and highlighted the salient features in the data, focusing first on caring disposals and practices and second on the part of farmer networks and environmental programs in learning and developing environmental preoccupations and new farming

practices. All authors thoroughly discussed results throughout the process to reach consensus and ensure reliable assessment validity.

Table 2
Interviewed winegrowers.

Respondent	Sex	Type of farming	Type of	Local initiatives	Type of
number			winery		interview
1	Male	Conventional	Independent	BE, SVG, TV	Face to face
2	Male	Conventional	Co-operative	BE, SVG	Phone
3	Female	Conventional	Independent	CA, TV, BE	Face to face
4	Male	Organic	Independent	BE	Face to face
5	Male	Conventional	Independent	CA, BE	Phone
6	Female	Organic	Independent	BE	Phone
7	Male	Conventional	Co-operative	BE	Phone
8	Male	Conversion to	Co-operative	BE	Face to fac
		organic			
9	Female	Biodynamic	Independent	BE	Face to fac
10	Male	Conventional	Co-operative	BE	Face to fac
11	Male	Conventional	Co-operative	BE, SVG, TV	Phone
12	Male	Organic	Independent	BE	Face to fac
13	Male	Biodynamic	Independent	BE	Face to fac
14	Male	Conversion to	Independent	BE, TV, HEV	Face to fac
		organic			
15	Male	Conventional	Co-operative	BE	Face to fac
16	Male	Conventional	Co-operative	BE, SVG, DEPHY	Face to fac
17	Male	Organic	Independent	/	Face to fac
18	Male	Conventional	Independent	BE	Phone

19	Male	Organic	Independent	/	Face to face
20	Male	Conventional	Independent	BE, HEV, TV	Phone

4. RESULTS

4.1. Winegrowers care primarily about vines

Winegrowers primarily care for their vine, since they have to produce grapes. However, if vine is the main care-receiver within vineyards, winegrowers also form relationships with a diversity of other nonhumans and they care for environmental issues too.

4.1.1. Vine as the main worry

Winegrowers mainly relate to vine as their main concern, especially on vine health and on its vulnerability. Almost all the winegrowers mentioned one or several existing vine diseases as a serious concern, because they threaten vine production. Words such as "diseases", "vulnerability", "sensitive', "risk", or "pressure" were consistently used relating to vine, and were mostly associated with stress and anxiety. Besides diseases, climate events were also qualified as a threat for vine:

My nephew [associate] is very scared of leafhopper and *flavescence dorée* that we can't perfectly control with ecological products, and it devastates the vine. (Respondent 7)

We are not enough here, and it's been two years that there has been hail, then there was drought, so we lost 75% of our crop over two years. (Respondent 9)

According to winegrowers, pests or animals such as wild boars threaten crops. But only a few winegrowers mention wild boars as a problem for vine crops and enclose their farm or hunt them. We detected different types of relations with animals that interact with the vines: some animals, especially the ones that are considered as a threat for the crop, are less accepted than birds or animals considered as harmless and thus much more appreciated:

The only hunted animals in my farm are wild boars, because they come here, they are everywhere. It is hard to enclose the farm. Wild boars attack crops. Moreover, they attack young partridges, rabbits, and hares. So, we have to eliminate them. This year they ate 10% of the crop.

(Respondent 19)

For me, seeing a young Bonelli's eagle in my vineyard is amazing; and the vine is full of young partridges, we see them running after their moms and dads, it is wonderful. (Respondent 3)

The worry for vine is translated into concrete manners to take care of it: 1) Protection of the vine, which is the priority for the majority of the winegrowers. The protection aims at avoiding or decreasing the risk of diseases, pests or weather events (such as drought or frost) that could decrease vine or wood health. It comes before the current diseases, pest or weather event; 2) Cure of the vine, after diseases, pests, or extreme weather events aims at healing vine or woods; 3) Reinforcement of the vine, in order to get it stronger in front of possible diseases or extreme weather events. Reinforcement differs from protecting, it consists of a more general improvement of vine health. This approach is characteristic of biodynamy:

When you do biodynamic farming, you are asking yourself: why are my vines sick? What should I do to make that they are less sick? And if they are sick anyway, I'll try not to treat only with natural chemicals but with plants and specific preparations too. What we aim is to revive microbial life of soils. We work with this microbial life in order to make plant able to digest the organic stuff that are in the soil, oligo-elements and so on. (...) All the vegetation becomes stronger: leaves are thicker, woods are thicker and much stronger. Plant grows better. Then it resists much more to cryptogamic diseases that are related to humidity. So, the most the leaves are thick, the most it resists. Then, there are consequences on grapes quality. (Respondent 9)

The majority of the people we met used synthesis chemicals to prevent or cure diseases. However, some preferred to use organic certified products, and a minority (only 2) used preparations recommended in biodynamic farming.

4.1.2. Broader environmental preoccupations: the case of biodiversity

Besides production issues and care for vine, winegrowers are concerned for non-production issues too. More specifically, they mentioned quite often such environmental issues, such as biodiversity conservation, soil composition, or water quality. Those concerns were relevant for them and important to care, but were not considered as an immediate threat (compared with vine diseases). Most of the time, when they mentioned biodiversity, winegrowers never explicitly defined it. However, after using this term, they mostly talk about i) birds, ii) plants, and iii) useful biodiversity for the vine. Only a few winegrowers, the ones engaged in organic agriculture especially, referred to biodiversity loss as a real problem:

Three weeks ago, we knew that a study showed we lost 30% of birds in ten years. This is catastrophic. This is a disaster. There are no bird anymore. We see it today, you raise your eyes and there are no swallows, no swifts, and no goldfinches. (Respondent 19)

So, winegrowers are not only focused on production and economic issues. They feel concerned by biodiversity loss too. However, they regret the few support they get in order to address such issue. Indeed, a few winegrowers asked for support in order to understand and accurately address environmental issues, because they assumed not having enough time to deal with them alone or because they did not know how to.

4.2. Winegrowers change how they take care of their vineyard

The ways farmers relate to nonhumans can be transformed with increased attentiveness and experimental practices. Indeed, at plot scale, winegrowers mainly transform their farming practices by

adapting their interventions with the practice of plots observation; those changes are most of the time progressive and come with experimentations. At edges' scale, winegrowers let vegetation coming back more naturally, and implement agroecological infrastructures in order to improve biodiversity.

4.2.1. Winegrowers change their ways to take care of vines through transforming farming practices
First, all interviewed winegrowers mentioned adaptations of their practices to specific contexts and singular situations. For instance, they described how they adapted their farming actions to vine diseases or weeds through adapting quantities and types of products to the contexts of uses (weather, grape variety and plot location). Observing their plots was described as a key-issue for them, in order to adapt the quantities and the type of interventions on vines. Instead of doing systematic treatments every two weeks, as they used to do, conventional winegrowers declared spending time now on their plots and adjusting their interventions to the threat they see, making limits between conventional and organic farming not as clear as one may imagine:

My philosophy is closed to organic farming. Chemistry is of course as powerful and amazing as a medicine. It is quick. However, if we overdo it, we decay everything. Here, if we can work only with natural products, we do it. It happened that we only worked with organic products during a full year. In 2017, we did not have that much water in the soil but air was wet, so we did not have that many weeds. We only used a few herbicides. But in June we got mildew and using copper was not enough, so we used chemicals. (Respondent 15)

Most conventional winegrowers declared that they tend to reduce quantities of chemical use:

I am using an optimal method. It means that instead of putting a full dose of chemicals, I use 40% of it. If there are very difficult conditions, I put 60% of it. (Respondent 16)

Some of them also declared that they tend to suppress specific categories of chemicals while staying into conventional farming:

In this area, I am supposed to do three treatments against *flavescence dorée*. Do not repeat it, but I do none of them. I don't want to use insecticides. (Respondent 10)

However, some of the interviewed farmers proceeded to more radical and systemic change than chemical reduction at plot scale, and these transformations affected the whole production and distribution system of the farm. This is the case of change from a conventional system to an organic or biodynamic one for example. A few winegrowers chose to transform a former conventional vineyard into an organic one as self-fulfillment, sometimes while changing their way of life and becoming a winegrowers after having first worked in a completely different sector:

I didn't find myself anymore in what I was doing. I was 45 years old and it took me 5 years more to know, to be sure in myself about what I wanted to do. Therefore, for me, to grow vines is meaningful. My brother-in-law was a co-operator, so he did not make the wine himself. He had taken the family vineyard over in the 1990's, and he was in a receding spiral. He was almost never working, the farm had very bad results. So, in 2011, when I felt ready, I told myself 'this is what I want to do'. So, I proposed him to be his associate, to work hard together and to save what could be saved. (Respondent 6)

Another motivation for such a radical change from conventional intensive to an alternative system is the project to diversify the production and to re-localize the distribution, which are both politically and socially grounded. For instance, one independent winegrower explained that he rents a part of the land in his farm to a bread-maker to cultivate cereals, and that he built a local production shop on the farm. At the same time, he aims for energy autonomy:

I bought a small combine harvester that goes between grape lines and it will be the only motorized tool in the vineyard. Since it is a diesel motor, it will work with grape or sunflower oil.

383 Actually, I am looking for autonomy, not for autarky. I am open to other people, but I want to be 384 self-sufficient. It is more than ecological issues... it is political and social. (Respondent 17) 385 386 4.2.2. New ways to take care of vines come with experimentation in time and in different areas 387 Based on the interviewed winegrowers, the adjustments and transformations of farming practices come 388 with plot experimentation. They mentioned curiosity or desire to experiment new practices. Most of 389 them mentioned some mistakes they did in their practices, and the changes they made in the way to 390 plant and grow vines, use chemicals, and remove weeds. Most of the time, a new practice leads to other 391 new practices, in a long time process: 392 393 Our practices changed, and they will change again. They changed gradually with knowledge and 394 techniques. (...) We started here to evolve on re-planting vines, around 1986. We started by tillage, 395 we stopped using herbicides. We stopped all the herbicides. Gradually we replaced our vineyard. 396 We put cultivation for animals such as lucerne. (Respondent 2) 397 398 Note that the processes of change were not all linear. One winegrower for instance declared having 399 decided to stop a new practice after a while: 400 401 I stopped doing biodynamic farming. I did it for three years, but it was too esoteric, too crazy. I 402 prefer peasant common sense. (Respondent 17) 403 404 405 406

The winegrowers we met generally took many years to experiment and adjust their farming practices. No change was hasty. On the contrary, interviewed conventional winegrowers mostly started by reducing quantities of chemicals first on one plot and then on the whole vineyards progressively in a few 407 years process. Thus, experimentations were commonly conducted progressively within the farm: 408

409 When we had the proof that changing practices could lead to a better water quality, we said 'ok 410 let's do it'. And then we started to use less herbicides, then we completely stopped using them on 411 our plots affected by this catchment area, and then we stopped using it on our entire vineyard. 412 (Respondent 3) 413 414 4.2.3. Winegrowers develop ways of taking care of biodiversity with more natural vegetation within 415 edges 416 Interviewed winegrowers used to change first farming practices at plot scale, and then brought their 417 attention to the areas around plots and changed the way they treat edges. Even the farmers who 418 started directly with organic farming took time to improve and evolve (towards biodynamy for example) 419 and to focus on edges. The concerned winegrowers changed the way they treat vineyard edges by (i) 420 letting vegetation coming back more naturally, and (ii) implementing agroecological infrastructures such 421 as hedges or ponds to improve biodiversity outside of the plots: 422 423 We realized with CNALR that we should mostly do nothing. It has been six or seven years I 424 changed. Before and for a long time I tried to manage just a few, but nature comes back very 425 quickly. Last year I used shredders in order to focus on bushes, stuff that might cause problems. 426 Therefore, we need to open environments in order for biodiversity to appear. But generally, we 427 take just a few actions; we try to keep what grows naturally. (Respondent 4) 428 429 Each year we try to improve what we do. We first planted hedges, and then trees for auxiliary 430 insects. After this, we created a pound, and we put hedges in again. This year we opened some 431 landscapes. (Respondent 14) 432 433 Thus, the interest on biodiversity issues comes progressively for the majority of the farmers we met. 434

4.3. Farmer networks contribute to transform farmers' relation to vine and broader biodiversity

The changes of farming practices described above are often linked with collective initiatives. These initiatives lead to different types of knowledge and of observations of plots or edges, that transform the way winegrowers care for nonhumans. Thanks to the observations conducted in SVG, winegrowers learn to protect and cure the vine with less systematic control of pests and diseases. Biodiv'eau program contributes to interest winegrowers into biodiversity in order to conserve it both for itself and for the vine; moreover, the program helps winegrowers to take care of biodiversity properly, while improving the agroecological infrastructures of their vineyards.

4.3.1. Farmer networks are part of the farming practices' transformation process

Most winegrowers we met were part of several networks and initiatives (see Table 2). A small part of our sample (one biodynamic and one organic) belongs to farmer networks located in other French vine regions, or in a virtual network.

All interviewed winegrowers mentioned the relevance of social and technical interactions with other winegrowers in the process of transforming their farming practices. Sharing ideas and experiments allows them to discuss possibilities of innovations and to know how others deal with the issues they share. The need to talk with other farmers was considered as crucial for those who were conducting self-questioned processes about their own farming practices and their willingness to conduct radical agricultural changes:

Lots of my colleagues don't convert to organic farming but they are almost free from herbicides.

They use them just once a year, as late as possible. (...) We talk about what we do with friends, with colleagues, so sometimes one of them say he got something and asked if we had the same.

(...) I am thinking about changing glyphosate for tillage and covering with grass, and then cutting it.

We have one colleague who is on the cutting-edge of these kinds of practices. (Respondent 10)

These social professional networks contribute to building different farming and environmental programs. This is the case for SVG and Biodiv'eau. Most of the winegrowers we interviewed took part in one or two of those programs. For conventional farmers, it was quite common to start with SVG and then take part

in Biodiv'eau program. However, we observed two different kinds of relationships between participants in the programs. In SVG, during the observed group sessions, the main questions asked to the participants were related to the presence of mildew in plots. The decision to treat against mildew came partly from collective discussions during observation sessions. Because the sessions were animated by an extension officer from the Chamber of Agriculture, and because meteorological and technical information on diseases are regularly provided to winegrowers by the Chamber of Agriculture, the final decision of winegrowers regarding treatments is probably influenced by the social norms coming from this institution. However, some interviewed winegrowers that belong to SVGs declared that they do not always respect the collective decisions or the weekly advice delivered by the Chamber of Agriculture. In Biodiv'eau, the process is less hierarchical. During the first collective training day, when winegrowers discover the program and learn collectively how to use the inventory grid, ecologist and farmers share knowledge about biodiversity loss, farming responsibility on it, and possibilities for farmers to improve it. This day is the occasion for the group to ask questions to the ecologist who runs the program. During our participatory observation, winegrowers asked many questions about the existence of protected species or the ecological validity of some green infrastructures they already established. Thus, social relations differ between two programs: even though SVG encourages winegrowers to communicate and take decision together, the program still promotes hierarchical relations between farmers and extension officers that possess the knowledge; on the contrary, Biodiv'eau promotes participatory and co-construction of the ecological knowledge between farmers and ecologists.

482

463

464

465

466

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

483

484

485

486

487

488

489

4.3.2. Winegrowers are likely to transform their farming practices with SVG

Participation in sustainable viticulture groups (SVG) contributes to transforming farming practices on plot scale, especially for conventional farmers who compose the majority of those groups. Indeed, SVGs mainly focus on vine diseases and chemical use, they deal with the following main issues: when winegrowers should treat the vine, and against what type of problems; what type of chemicals they should use and how they can reduce the quantities of chemicals used. The focus of these groups is, as a

result, more technical than properly environmental, even if chemical alternatives are presented and discussed.

Because it asks for regular and collective observation practices, SVG trains winegrowers to develop a habit of going on their plots and observe. This way, winegrowers progressively learn to judge and decide by themselves what kind of actions they want to implement on their plots, notably regarding treatments against pests. They progressively can stop applying theoretical recommendations. Thus, they learn to adapt the use of chemicals to contextual and located problems, which is linked to a decrease and local adaptation of chemical use:

Those groups were for us the possibility to meet up with other winegrowers, to speak, and see that it was possible to change our farming system (...) With those groups, we were not alone, and we had technical help. When you want to reason acarian problems, you must recognize them first. You have the harmful ones, the neutral and the useful. You need to train if you want to recognize them. We realized that those useful acarian were disappearing because we did not have good techniques concerning chemical use, and we badly maintained soils and edges. All this causes us to ask ourselves new questions and we ask 'what should I do for this to work better?'. (...) After that, we could have entire years without putting mildew chemicals because the mushrooms didn't develop, whereas traditionally people here protect against mildew even if there is no mildew. (Respondent 1)

SVG sessions also provide opportunities to learn more about alternative vine caring. For instance, during the group session we studied by participant observation, a winegrower presented a plot that he recently converted to biodynamic farming. Before we came to his plot, some conventional winegrowers were joking and laughing at him. However, when we observed his biodynamic plot, all the winegrowers were asking questions about his practices, such as the type of treatments he was using on his vine to protect it. The owner of the plot answered all the questions, talking about the specific biodynamic preparations and presenting the aims of his conversion.

So, while getting the habit of observing their plots with SVG, winegrowers learn progressively to take care of their vines differently as they used to do it without observations. They still aim at protecting the vine and at curing it against diseases or nonhumans considered as threats (acarians, pests for example), but they learn to do it less systematically as they used to.

4.3.3. Winegrowers broaden their conceptions of biodiversity with Biodiv'eau

Biodiv'eau program contributes to transform how winegrowers relate to biodiversity. The program is
specifically dedicated to non-productive areas in the vineyards, the edges. Many interviewed
winegrowers who had taken part in the program referred to the role of edges' observation practice in
changing their way to look at natural areas at the farm scale. Both the self-made inventory of
biodiversity, and the final ecological diagnosis proposed by the CNALR, encourage farmers to consider
edges as biodiversity areas. Biodiv'eau program offers farmers the possibility to look at vineyards
differently than in a strict economic way. It gives them the possibility to interact with plants and other
wild species on a contemplative perspective and not on economic perspective only:

I became aware of edges and I evolved towards letting more things develop by themselves.

Before, I was looking at some areas as wasteland, now I look at them as wildlife habitat.

(Respondent 20)

Yes, my way to look at edges changed. Now, I know the endemic species from our area, which I totally ignored before. My dad never taught me, maybe someone had taught it to him... There was much more knowledge before, and now I re-appropriate a knowledge. With Biodiv'eau program, I discovered knowledge about nature. Before, I was not able to go into ecstasies in front of a pistachio tree. Now I do. My look is changing. Even for a tree. You understand it, you respect it. (Respondent 4)

Moreover, the program contributes to the development of participants' ecological knowledge about biodiversity loss and how farmers can contribute to biodiversity conservation on their farms, in close relation with the benefits in their vines. Thus, the program invites winegrowers to conserve biodiversity in order to cooperate with it.

Finally, Biodiv'eau contributes to transform how winegrowers concretely take care of biodiversity at edges' scale, on their farms. Indeed, Biodiv'eau participants receive technical support, with CNALR advises on how to improve biodiversity on edges, especially by implanting agro-ecological infrastructures. They receive also financial support, with departmental funding for semi-natural infrastructure implementation. This way, Biodiv'eau program gives the possibility to match environmental sensitivity to actions. Some winegrowers that belong to this program declared that after their participation to the program, they knew more how to contribute to biodiversity conservation at their vineyard scale and became aware of the benefits for their vine to do it:

We could see the interest of having hedges or low walls to get birdhouses for insects, and what this could give us to get insects and birds. We learned those things, and we saw all this differently.

(...) We could see how we could conserve better. (Respondent 11)

5. Discussion

5.1. Complexity of environmental care

We showed that winegrowers have diverse relations with nonhumans entities, and that care for vines is only one of them (see also Meijboom, 2009; Krzywoszynska, 2016). Besides vines, winegrowers have various environmental preoccupations (water, soils, broader biodiversity) and diverse manners to care about them (e.g., seriously worrying about vine diseases, being interested in environmental issues). Those preoccupations are associated with specific practices, in order to protect, cure or reinforce their vines, in a continuum of practices from conventional, organic to biodynamic ones. In a theoretical

perspective, these findings are consistent with care literature that analyzes both preoccupations (care about) and actions (take care of) (Tronto 1993). The farming care diversity we found is also consistent with the key concepts of adaptation to singular situations and concrete experience in care theory (Laugier, 2012), as part of experiential knowledge (Krzywoszynska, 2016). Moreover, our results add several highlights for ecological care literature: first, we found spatial logics in farming care. Indeed, different areas in the vineyard deserve different environmental attentions: for instance, plots are important for vine, while edges are particularly important for biodiversity (as confirmed by scientific ecological surveys, see Franin and Barić, 2016 and Froidevaux et al., 2017). Secondly, our work highlights the complexity of the specific biodiversity care for farmers, in a context of increasing double injunction of producing food for human consumption and protecting biodiversity. As we showed, biodiversity is generally not at the core of farming priorities. Still, it is present despite other environmental types of preoccupations, and might be something positive for vine (see Biodiv'eau). We therefore propose here biodiversity conservation to be of interest for winegrowers, for the two following reasons: because useful biodiversity may help the vine production, but also because winegrowers feel concerned about biodiversity loss. As such, we confirmed, as proposed more widely by Chan et al. (2016), that the relationship of farmers with nonhumans is not only binary (intrinsic vs. instrumental value). We also propose to rely these results to the notion of "interest" defined by the philosopher E. Hache (2011). For this author, interest is not strictly utilitarianism but refers to a relation established both for oneself (utilitarianism, instrumental value) and for others (altruism, intrinsic value). Being interested in nonhumans highlights existing complex relations between humans and nonhumans. We therefore propose here biodiversity conservation to be of interest for winegrowers, because useful biodiversity may help their vine production, and because winegrowers feel also concerned about biodiversity loss. As such, we also confirmed, as proposed by Chan et al. (2016), that the relationship of farmers with nonhumans is not only binary (intrinsic vs. instrumental value). More studies are needed to explore more thoroughly the specificities of relational values in people working with nature and biodiversity. More studies are needed to explore more thoroughly the specificities of relational values and interests in people working with nature and biodiversity.

570

571

572

573

574

575

576

577

578

579

580

581

582

583

584

585

586

587

588

589

590

591

592

593

594

595

Finally, our work insists on the choices that farmers make regarding care. Winegrowers give priority to certain types of preoccupations, and their vines are clearly their first priority. Moreover, the relations they have with nonhumans are not all attentive modes of care relations established in order to keep them alive; farmers choose what and how to care for, or not. This is close to the results of Pitt (2017) who found different types of human to non-human relationships in urban gardens: some were cooperation or care, whereas some nonhumans are considered enemies or strangers (Pitt, 2017). Within this perspective, despite responsibility (Jonas, 1979) towards nonhumans and environmental issues, our findings suggest that different types of communities (sensu Latour, 1995) may exist in farms. In this theoretical framework, so-called 'ecological communities' are characterized by cooperative relationships with nonhumans and responsibility facing environmental issues, while separation between humans and nonhumans or selection within nonhumans characterize so-called 'modern communities' (Hache, 2011; Latour, 1995). Our work confirmed the existence of a continuum of human-non human communities in farming systems, and that people might transform their relationships to nonhumans and biodiversity issues, and thus the community they build with non-humans, with time. Cooperation with nonhumans and responsibility facing environmental issues characterize ecological communities, while separation between humans and nonhumans or selection within nonhumans characterize modern communities (Hache, 2011; Latour, 1995).

614

597

598

599

600

601

602

603

604

605

606

607

608

609

610

611

612

613

5.2. Caring for vine and for the environment is being transformed with time

616

617

618

619

620

621

622

615

We showed that winegrowers can change the way they care for their vines with time, generally after getting used to observing their plots. This changing care comes generally through a decreasing systematic control of pests and diseases, making the winegrowers free of practice standardization that is at the core of the modern agriculture paradigm. In other words, farmers are used to caring for their vines (by trying to protect it), but they can transform how they care for them, especially with less systematic control (Stuart, 2008).

More specifically, we showed that farmers can change their relations with nonhumans. First, observing and experimenting new practices make farmers developing new knowledge, made of attentiveness, responsiveness and adaptation, which characterizes good care (Tronto, 1993; Mol, 2008). Attentiveness is key to expanding ethical relations with nonhumans (Krzywoszynska 2019). It is learned with the training of self-judgment capacities (see also Deschamps and Demeulenaere, 2015). This new type of care, i.e. attentive mode of care, confirms that new types of care come with situated and experiential expertise (Enticott, 2012; Krzywoszynska, 2016). Secondly, and consequently, winegrowers can develop new relations to animals and plants that extend from the vineyard, based on observation and contemplation, and not only on economic perspectives. In such dynamics, the number of natural entities that winegrowers care for -in an attentive mode of care- progressively increases and the relations between farmers and nonhumans increase thus in complexity. These results confirm that more attentive ways to take care of environment are tied to sensorial involvements with it (Bellacasa, 2017). Here, the consequence of increased complexity within farmers and nonhumans relations is that farmers do not focus on plots only, but focus on edges too. Thus, care is spread from plots to entire vineyard. This allows us to complete our result regarding care spatial logics. We propose the idea of specific and transforming care spatialities, linked to this increase of attentive mode of care. We define care spatialities as the places where farmers take care of nonhumans. The farming transformations that we highlighted are gradually situated between the modern agriculture frame and the ecologization of practices, i.e. processes of farming transformation toward more and more environmental consideration (see Lamine, 2017). On one hand, some winegrowers still struggle and control weed and pests with a main focus on useful biodiversity; as a practice change, they mainly reduce or stop use of a part of the chemicals they use (Goulet and Vinck, 2012 define it as "removal innovations"), but they keep conventional farming systems (see also the weak ecologization of agriculture, Horling and Marsden, 2011). On the other hand, some winegrowers develop local economies and social links and choose to prevent and care with natural preparations or to co-operate with nonhumans within the socio-ecosystems (see also the strong ecologization of agriculture, Horling and Marsden, 2011).

623

624

625

626

627

628

629

630

631

632

633

634

635

636

637

638

639

640

641

642

643

644

645

646

647

648

5.3. Caring for nonhumans and for the global environment as part of a collective experience

The fact that being affiliated to several networks shape preoccupations and farming practices was our last main result (see also McGuire et al., 2013; Compagnone and Hellec, 2015; Hillis et al., 2018). Diverse networks and programs carry out diverse visions of farming and of humans and nonhumans interactions. They tend to develop different affective involvements with nonhumans (as proposed by Bellacasa, 2017). In our research, we highlighted two specific trends in these socially shared visions: fear and protection against some nonhumans qualified as pests (see SVG), or interest for and cooperation with other nonhumans (see Biodiv'eau). We also highlighted two different kinds of relationships between people: hierarchical relations between farmers and so-called experts (technicians or agronomists) that possess the knowledge (SVG); participatory and co-construction of the ecological knowledge between farmers and ecologists (Biodiv'eau).

Thus, collective actions may foster different types of ecological care: care for a selection of non-human entities or environmental issues with agronomic and technical solutions mostly, where agronomists or institutions decide, versus care for broader communities composed of humans and nonhumans facing complex environmental issues with combination of practices not only at the plot scale, where farmers are involved in the choices.

6. Conclusion and perspectives

In the context of the ecological crisis, the public debate about agriculture often present farmers' choices as dominated by economic and production-centered dimensions (Burton, 2004; Burton and Wilson, 2006). By studying the transformations in winegrowers' practices and the ways in which their care for nonhumans develops, we shaded the idea that farmers are only driven by economic choices (see also De Rooij et al., 2010 and Driessen, 2012). We found that farmers can be preoccupied both by production (vine) and environmental issues (biodiversity conservation). The ways farmers relate to nonhumans go

676 beyond the theoretical opposition between intrinsic and instrumental values towards nature (Chan et al., 677 2016). Farmers can simultaneously produce food and be attentive to nonhumans. (Bellacasa, 2017). 678 On the other hand, our study highlights the role of networks for biodiversity conservation. Indeed, 679 farming transformations ask for necessary resources. When it comes to knowledge, social resources are 680 crucial. This is why farmer networks, among other elements, are decisive for agroecological transitions. 681 since they contribute to developing farmers' means in order to transform their farming systems. Still, we 682 found that farmer networks (and related environmental programs) promote different visions of farming 683 ecologization (Horling and Marsden, 2011). More research is needed regarding the role of such 684 networks for agroecology transitions at different scales, with a focus on the types of relationships with 685 nonhumans they promote, the type of knowledge they foster and how they contribute to biodiversity

687

688

686

References

conservation.

- Barbier, J.-M., Goulet, F., 2013. Moins de technique, plus de nature: pour une heuristique des
- pratiques d'écologisation de l'agriculture. EDP Sci. « Nat. Sci. Sociétés 22, 200–210.
- 691 https://doi.org/10.1051/nss/2013094
- Beau, R., 2017. Ethique de la nature ordinaire: Recherches philosophiques dans les champs, les
- 693 *friches et les jardins*. 1^{re} éd. Paris: Editions de la Sorbonne.
- Beaud, S., Weber, F., 1997. Guide de l'enquête de terrain, La Découverte.
- Bellacasa, M.P. de la, 2017. Matters of Care: Speculative Ethics in More than Human Worlds.
- 696 University of Minnesota Press.
- Burton, J.J.F., 2004. Seeing Through the 'Good Farmer's' Eyes: Towards Developing an
- Understanding of the Social Symbolic Value of 'Productivist' Behaviour. Sociol. Rural. 44, 195–215.
- Burton, R.J.F., Wilson, G.A., 2006. Injecting social psychology theory into conceptualisations of agricultural agency: Towards a post-productivist farmer self-identity? J. Rural Stud. 22, 95–115.
- 702 https://doi.org/10.1016/j.jrurstud.2005.07.004
- Chan, K.M.A., Balvanera, P., Benessaiah, K., Chapman, M., Díaz, S., Gómez-Baggethun, E.,
- Gould, R., Hannahs, N., Jax, K., Klain, S., Luck, G.W., Martín-López, B., Muraca, B., Norton,
- B., Ott, K., Pascual, U., Satterfield, T., Tadaki, M., Taggart, J., Turner, N., 2016. Opinion: Why
- protect nature? Rethinking values and the environment. Proc. Natl. Acad. Sci. 113, 1462–1465.
- 707 https://doi.org/10.1073/pnas.1525002113
- Clement, A., Laurens, L., Soulard, C., 2013. Les mutations paysagères engendrées par
- 1'arrachage viticole, un vecteur de mobilisation des acteurs territoriaux dans l'*Hérault*.
- 710 Méditerranée 120, 49–58. https://doi.org/10.4000/mediterranee.6673
- 711 Clingeleffer, P.R., 2013. Mechanization in australian vineyards, in: Acta Horticulturae.
- International Society for Horticultural Science (ISHS), Leuven, Belgium, pp. 169–177.
- 713 https://doi.org/10.17660/ActaHortic.2013.978.17
- Compagnone, C., Hellec, F., 2015. Farmers' Professional Dialogue Networks and Dynamics of
- 715 Change: The Case of ICP and No-Tillage Adoption in Burgundy (France). Rural Sociol. 80,

- 716 248–273. https://doi.org/10.1111/ruso.12058
- Cordellier, S., Le Guen, R., 2008. Organisations professionnelles agricoles: histoire et pouvoirs.
- 718 Pour 196–197, 64. https://doi.org/10.3917/pour.196.0064
- Costa, J.M., Vaz, M., Escalona, J., Egipto, R., Lopes, C., Medrano, H., Chaves, M.M., 2016.
- Modern viticulture in southern Europe: Vulnerabilities and strategies for adaptation to water
- 721 scarcity. Agric. Water Manag. 164, 5–18. https://doi.org/10.1016/j.agwat.2015.08.021
- Curry, J.M., 2002. Care Theory and "caring" systems of agriculture. Agric. Hum. Values 19,
- 723 119–131. <u>https://doi.org/10.1023/A:1016074832696</u>
- 724
- Département *Hérault*, 2010. La Viticulture et le vin en *Hérault*.
- Deschamps, S., Demeulenaere, É., 2015. L'observatoire agricole de la biodiversité. Etudes Rural. N° 195, 109–126.
- Díaz, S., Demissew, S., Carabias, J., Joly, C., Lonsdale, M., Ash, N., Larigauderie, A., Adhikari,
- J.R., Arico, S., Báldi, A., Bartuska, A., Baste, I.A., Bilgin, A., Brondizio, E., Chan, K.M.,
- Figueroa, V.E., Duraiappah, A., Fischer, M., Hill, R., Koetz, T., Leadley, P., Lyver, P., Mace,
- G.M., Martin-Lopez, B., Okumura, M., Pacheco, D., Pascual, U., Pérez, E.S., Reyers, B., Roth,
- E., Saito, O., Scholes, R.J., Sharma, N., Tallis, H., Thaman, R., Watson, R., Yahara, T., Hamid,
- 733 Z.A., Akosim, C., Al-Hafedh, Y., Allahverdiyev, R., Amankwah, E., Asah, S.T., Asfaw, Z.,
- Bartus, G., Brooks, L.A., Caillaux, J., Dalle, G., Darnaedi, D., Driver, A., Erpul, G., Escobar-
- Eyzaguirre, P., Failler, P., Fouda, A.M.M., Fu, B., Gundimeda, H., Hashimoto, S., Homer, F.,
- Lavorel, S., Lichtenstein, G., Mala, W.A., Mandivenyi, W., Matczak, P., Mbizvo, C., Mehrdadi,
- M., Metzger, J.P., Mikissa, J.B., Moller, H., Mooney, H.A., Mumby, P., Nagendra, H.,
- Nesshover, C., Oteng-Yeboah, A.A., Pataki, G., Roué, M., Rubis, J., Schultz, M., Smith, P.,
- Sumaila, R., Takeuchi, K., Thomas, S., Verma, M., Yeo-Chang, Y., Zlatanova, D., 2015. The
- 740 IPBES Conceptual Framework connecting nature and people. Curr. Opin. Environ. Sustain.,
- 741 Open Issue 14, 1–16. https://doi.org/10.1016/j.cosust.2014.11.002

- Donati, K. 2019. « 'Herding Is His Favourite Thing in the World': Convivial World-Making on a
- Multispecies Farm ». *Journal of Rural Studies* 66 (février): 119-29.
- 745 <u>https://doi.org/10.1016/j.jrurstud.2018.12.008</u>.
- Driessen, C., 2012. Farmers Engaged in Deliberative Practices; An Ethnographic Exploration of
- the Mosaic of Concerns in Livestock Agriculture. J. Agric. Environ. Ethics 25, 163–179.
- 748 https://doi.org/10.1007/s10806-010-9293-z

- Enticott, G., 2012. The local universality of veterinary expertise and the geography of animal
- disease: The local universality of veterinary expertise. Trans. Inst. Br. Geogr. 37, 75–88.
- 752 <u>https://doi.org/10.1111/j.1475-5661.2011.00452.x</u>
- Foyer, J., 2018. Syncrétisme des savoirs dans la viticulture biodynamique. Rev. Anthropol.
- 754 Connaiss. Vol. 12, N°2, 289–321.
- Franin, K., Barić, B., Kuštera, G., 2016. The role of ecological infrastructure on beneficial
- 756 arthropods in vineyards. Span. J. Agric. Res. 14, 0303. https://doi.org/10.5424/sjar/2016141-
- 757 <u>7371</u>
- Froidevaux, J.S.P., Louboutin, B., Jones, G., 2017. Does organic farming enhance biodiversity in
- Mediterranean vineyards? A case study with bats and arachnids. Agric. Ecosyst. Environ. 249,
- 760 112–122. https://doi.org/10.1016/j.agee.2017.08.012
- Geniaux, G., Latruffe, L., Lepoutre, J., Mzoughi, N., Napoleone, C., Nauges, C., Sainte-Beuve,
- J., Sautereau, N., 2010. Les déterminants de la conversion à l'agriculture biologique: une revue
- de la littérature économique. (Research Report). Auto-saisine.
- Gilligan, C., 1992. In a Different Voice: Psychological Theory and Women's Development.
- 765 Harvard University Press.
- Goulet, F., Vinck, D., 2012. L'innovation par retrait. Contribution à une sociologie du
- 767 détachement. Rev. Française Sociol. Vol. 53, 195–224.

- Guétat-Bernard, H., 2017. Genre et savoirs: Pratiques et innovations rurales au Sud. IRD
- 769 Éditions.
- Hache, E., 2011. Ce à quoi nous tenons, Empêcheurs de penser en rond.
- Held, V., 2006. The ethics of care: personal, political, and global. Oxford University Press,
- Oxford; New York.
- Herman, A. 2015. « Enchanting Resilience: Relations of Care and People–Place Connections in
- 774 Agriculture ». *Journal of Rural Studies* 42 (décembre): 102-11.
- 775 <u>https://doi.org/10.1016/j.jrurstud.2015.10.003</u>.
- Hill, S.B., MacRae, R.J., 1996. Conceptual Framework for the Transition from Conventional to
- Sustainable Agriculture. J. Sustain. Agric. https://doi.org/10.1300/J064v07n01_07
- Hillis, V., Lubell, M., Hoffman, M., 2018. Sustainability partnerships and viticulture
- management in California. J. Environ. Manage. 217, 214–225.
- 780 <u>https://doi.org/10.1016/j.jenvman.2018.03.033</u>
- Horlings, L.G., Marsden, T.K., 2011. Towards the real green revolution? Exploring the
- conceptual dimensions of a new ecological modernisation of agriculture that could 'feed the
- world.' Glob. Environ. Change 21, 441–452. https://doi.org/10.1016/j.gloenvcha.2011.01.004
- Interbio Occitanie, 2019. Bilan des dynamiques d'engagements et arrêts de notification bio en 2018.
- Ives, C.D., Giusti, M., Fischer, J., Abson, D.J., Klaniecki, K., Dorninger, C., Laudan, J., Barthel,
- S., Abernethy, P., Martín-López, B., Raymond, C.M., Kendal, D., von Wehrden, H., 2017.
- Human–nature connection: a multidisciplinary review. Curr. Opin. Environ. Sustain. 26–27,
- 789 106–113. https://doi.org/10.1016/j.cosust.2017.05.005
- Johnson, H., Robinson, J., 2013. The World Atlas of Wine, 7th edition.
- Jonas, H., 1979. Le Principe responsabilité: une éthique pour la civilisation technologique,
- 792 Traduit de l'allemand et présenté par Sabine Cornille et Philippe Ivernel, Paris, Rivages, coll.
- 793 "Rivages poche, Petite bibliothèque."
- Keniger, L.E., Gaston, K.J., Irvine, K.N., Fuller, R.A., 2013. What are the benefits of interacting
- with nature? Int. J. Environ. Res. Public. Health 10, 913–935.
- 796 https://doi.org/10.3390/ijerph10030913
- Krasny, M., Russ, A., Tidball, K., Elmqvist, T., 2013. Civic ecology practices: Participatory
- approaches to generating and measuring ecosystem services in cities. Ecosystem Services. 7.
- 799 10.1016/j.ecoser.2013.11.002.
- Kremen, C., 2015. Reframing the land-sparing / land-sharing debate for biodiversity
- 801 conservation 1355, 52–76. https://doi.org/10.1111/nyas.12845
- Krzywoszynska, A., 2019. Caring for soil life in the Anthropocene: The role of attentiveness in
- more-than-human ethics. Trans. Inst. Br. Geogr.
- Krzywoszynska, A., 2016. What Farmers Know: Experiential Knowledge and Care in Vine
- Growing: Experiential knowledge and care in vine growing. Sociol. Rural. 56, 289–310.
- 806 https://doi.org/10.1111/soru.12084
- Lamine, C., 2017. La fabrique sociale de l'écologisation de l'agriculture. Les Editions La
- B08 Discussion.
- Latour, B., 1995. Moderniser ou écologiser. A la recherche de la Septième Cité. Ecol. Polit. 13,
- 810 5–27.

- Laugier, S., 2012. Tous vulnérables?: l'éthique du care, les animaux et l'environnement, Payot.
- Laurent, F., Vieira Medeiros, R., 2010. Des réseaux d'agriculteurs en faveur de l'environnement
- en France. Cybergeo Eur. J. Geogr. https://doi.org/10.4000/cybergeo.23152
- Linn, A. 2019. « Making Milk with Conscious Care: Raw Milk Ontologies and the Practices of
- Bath Milk' Producers in Victoria, Australia ». *Journal of Rural Studies* 65 (janvier): 135-42.
- 817 https://doi.org/10.1016/j.jrurstud.2018.10.010.
- Mailly, F., Hossard, L., Barbier, J.-M., Thiollet-Scholtus, M., Gary, C., 2017. Quantifying the
- impact of crop protection practices on pesticide use in wine-growing systems. Eur. J. Agron. 84,

- 820 23–34. https://doi.org/10.1016/j.eja.2016.12.005
- 821 McGuire, J., Morton, L.W., Cast, A.D., 2013. Reconstructing the good farmer identity: shifts in
- 822 farmer identities and farm management practices to improve water quality. Agric. Hum. Values
- 823 30, 57–69. https://doi.org/10.1007/s10460-012-9381-y
- 824 Meijboom, F., 2009. Care and Responsibility as key concepts of agricultural ethics. Ethical Futur.
- 825 Biosci. Food Horiz., Wageningen: Wageningen Academic Press. 237–240.
- 826 Meijboom, F.L.B., Stafleu, F.R., 2016. Farming ethics in practice: from freedom to professional
- 827 moral autonomy for farmers. Agric. Hum. Values 33, 403–414. https://doi.org/10.1007/s10460-
- 828 015-9641-8

848

849

850

855 856

857 858

- 829 Mol, A., 2008. The Logic of Care: Health and the Problem of Patient Choice, London: Routledge.
- Newbold, T., Hudson, L.N., Hill, S.L.L., Contu, S., Lysenko, I., Senior, R.A., Börger, L., 830
- 831 Bennett, D.J., Choimes, A., Collen, B., Day, J., De Palma, A., Díaz, S., Echeverria-Londoño, S.,
- 832 Edgar, M.J., Feldman, A., Garon, M., Harrison, M.L.K., Alhusseini, T., Ingram, D.J., Itescu, Y.,
- Kattge, J., Kemp, V., Kirkpatrick, L., Klever, M., Correia, D.L.P., Martin, C.D., Meiri, S., 833
- 834 Novosolov, M., Pan, Y., Phillips, H.R.P., Purves, D.W., Robinson, A., Simpson, J., Tuck, S.L.,
- 835 Weiher, E., White, H.J., Ewers, R.M., Mace, G.M., Scharlemann, J.P.W., Purvis, A., 2015.
- 836 Global effects of land use on local terrestrial biodiversity. Nature 520, 45–50.
- 837 https://doi.org/10.1038/nature14324
- 838 Paillé, P., Mucchielli, A., 2012. L'analyse qualitative en sciences humaines et sociales. Armand
- 839 Colin. https://doi.org/10.3917/arco.paill.2012.01
- Pertot, I., Caffi, T., Rossi, V., Mugnai, L., Hoffmann, C., Grando, M.S., Gary, C., Lafond, D., 841
- Duso, C., Thiery, D., Mazzoni, V., Anfora, G., 2016. A critical review of plant protection tools 842
- 843 for reducing pesticide use on grapevine and new perspectives for the implementation of IPM in 844 viticulture. Crop Prot. 97. https://doi.org/10.1016/j.cropro.2016.11.025
- 845 Pitt, H., 2017. Questioning care cultivated through connecting with more-than-human
- 846 communities. Soc. Cult. Geogr. 9365, 1–22. https://doi.org/10.1080/14649365.2016.1275753 847

Preston, D., 2008. Viticulture and Winemaking in Contemporary Rural Change: Experience from Southern France and Eastern Australia. J. Wine Res. 19, 159–173.

https://doi.org/10.1080/09571260902891043

Rooij, S.J.G. de, Lauwere, C.C. de, Ploeg, J.D. van der, 2010. Entrapped in Group Solidarity? Animal Welfare, the Ethical Positions of Farmers and the Difficult Search for Alternatives. J. Environ. Policy Plan. 12, 341–361. https://doi.org/10.1080/1523908X.2010.528882

859 Stuart, D., 2008. The illusion of control: industrialized agriculture, nature, and food safety. Agric.

Hum. Values 25, 177–181. https://doi.org/10.1007/s10460-008-9130-4 860 861

- Šūmane, S., Kunda I., Knickel K., Strauss A., Tisenkopfs T., Rios I., Rivera M., Chebach C., et
- 862 Ashkenazy A. 2018. « Local and Farmers' Knowledge Matters! How Integrating Informal and
- Formal Knowledge Enhances Sustainable and Resilient Agriculture ». Journal of Rural Studies 863
- 864 59 (avril): 232-41. https://doi.org/10.1016/j.jrurstud.2017.01.020.
- Touzard, J.-M., 2011. Les caves coopératives dans la transformation du vignoble languedocien. 865
- 866 Etudes Héraultaises 101–111.

867 Tronto, J.C., 1993. Moral Boundaries: A Political Argument for an Ethic of Care. Psychology

- 868 Press.
- Tronto, J.C., Fisher, B., 1990. Toward a Feminist Theory of Caring. Circ. Care 36–54. 869
- 870 Van Leeuwen, C., Darriet, P., 2016. The Impact of Climate Change on Viticulture and Wine
- 871 Quality. J. Wine Econ. 11, 150–167. https://doi.org/10.1017/jwe.2015.21

- Wilson, Geoff A. 2001. « From Productivism to Post-Productivism... and Back again? Exploring the (Un)changed Natural and Mental Landscapes of European Agriculture ». *Transactions of the Institute of British Geographers* 26 (1): 77-102.

 Wood, P.J.T., 1994. Who Cares? Women, Care, and Culture, 1st edition. ed. Southern Illinois
- University Press, Carbondale.
 Woodhouse, P., 2010. Beyond Industrial Agriculture? Some Questions about Farm Size,
- Productivity and Sustainability: Questions about Farm Size, Productivity and Sustainability. J.
- Agrar. Change 10, 437–453. https://doi.org/10.1111/j.1471-0366.2010.00278.x

Author statement :

Margaux Alarcon : conceptualization, methodology, investigation, formal analysis, writing (original draft).

Anne-Caroline Prévot and Pascal Marty: conceptualization and supervision.

All authors contributed substantially to writing (review and editing).