

# Public perceptions of the association between drug effectiveness and drug novelty in France during the COVID-19 pandemic

Émilien Schultz, Léo Mignot, Jeremy K Ward, Daniela Boaventura Silva Bomfim, Christian Chabannon, Julien Mancini

## ► To cite this version:

Émilien Schultz, Léo Mignot, Jeremy K Ward, Daniela Boaventura Silva Bomfim, Christian Chabannon, et al.. Public perceptions of the association between drug effectiveness and drug novelty in France during the COVID-19 pandemic. 2021. halshs-03448961v1

# HAL Id: halshs-03448961 https://shs.hal.science/halshs-03448961v1

Preprint submitted on 25 Nov 2021 (v1), last revised 1 Mar 2022 (v2)

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

#### 1 Public perceptions of the association between drug effectiveness and drug novelty in

#### 2 France during the COVID-19 pandemic

- 3 É.Schultz<sup>1,2</sup>, L. Mignot<sup>3,4</sup>, J. Ward<sup>5,6</sup>, D. Boaventura<sup>3,7</sup>, C., Chabannon<sup>8</sup>, J. Mancini<sup>2,9</sup>
- 4

Preprint - article submitted to PLOS One the 24/11/2021

#### 5 Affiliations

- 6 <sup>1</sup> CEPED (UMR 196), Université de Paris, IRD, 75006 Paris, France
- 7 <sup>2</sup> SESSTIM, Sciences Economiques & Sociales de la Santé & Traitement de l'Information
- 8 Médicale, CANBIOS Team (Équipe Labellisée LIGUE 2019), Aix-Marseille University,
- 9 INSERM, IRD, 13009 Marseille, France
- 10 <sup>3</sup> Univ. Bordeaux, CNRS, CED, UMR 5116, F-33600 Pessac, France
- 11 <sup>4</sup> Sciences Po Bordeaux, CNRS, CED, UMR 5116, F-33600 Pessac, France
- 12 <sup>5</sup> CERMES3, INSERM, CNRS, EHESS, Université de Paris, 94801 Villejuif, France
- <sup>6</sup> VITROME, Aix-Marseille University, IRD, AP-HM, SSA, 13005 Marseille, France
- <sup>7</sup> SIRIC BRIO, CHU de Bordeaux, Institut Bergonié, Université de Bordeaux, INSERM,
- 15 CNRS, 33000 Bordeaux, France.
- 16 <sup>8</sup> Module Biothérapies du Centre d'Investigations Cliniques en Biothérapies, Inserm CBT-
- 17 1409, Aix-Marseille Université, Institut Paoli-Calmettes Comprehensive Cancer Center,
- 18 Marseille, France
- <sup>9</sup> BioSTIC, APHM, Timone, 13005 Marseille, France

### 20 Abstract

- 21 During the COVID-19 pandemic, public debates overtly addressed the promises of new
- 22 innovative treatments. Many of these debates pitted those who advocated for the
- 23 development of new treatments by pharmaceutical companies against those who favored
- 24 the repositioning of existing drugs. Our study explored perceptions of the association

25 between drug novelty and effectiveness as well as perceptions of the role of the 26 pharmaceutical industry in drug development. Data were collected in January 2021 from a 27 quota sample of the French population aged 18-75 years (N = 1,000) during the second 28 round of the "Health Literacy Survey 2019" (HLS<sub>19</sub>). We tested the hypothesis that 29 individuals with a high level of familiarity with the health care system and those with a high 30 level of trust in institutions are more likely to agree that new drugs are more effective than 31 old ones and that drug development should be driven by the pharmaceutical industry. A 32 quarter (25%) of respondents agreed that new drugs are always more effective than old 33 ones. Agreement with this statement was stronger among respondents with a high level of 34 familiarity with the health care system (as measured by the Navigational Health Literacy 35 score, OR 3.34 [2.13-5.24]) and among those with a high level of trust in pharmaceutical 36 companies or politicians. A high level of trust in pharmaceutical companies was reported by 37 42% of respondents, and 43% agreed that drug development should be driven by the 38 pharmaceutical industry. Respondents who agreed that new drugs are always more effective 39 than old ones were almost four times more likely to agree that drug development should be 40 driven by the pharmaceutical industry (OR 3.85 [2.76-5.39]). A better understanding of public 41 attitudes towards new treatments is needed to elucidate individual preferences in health care 42 and their consequences on health behavior.

#### 43 Introduction

During the COVID-19 pandemic, the development of new treatments, including vaccines, became a global priority(1,2). Innovative treatments were designed, manufactured, and tested at an accelerated pace. They were also overtly discussed in the media as they became available, sometimes even before their efficacy was robustly validated in clinical trials. Some of the innovations that garnered media attention include mRNA vaccines and the monoclonal antibodies administered to former president Donald Trump for his COVID-19 disease. Public debates on how to find a suitable cure pitted two camps against each 51 other(2–4). On the one side were those who advocated for the development of new 52 treatments (such as remdesivir(5)) by pharmaceutical companies. On the other were those 53 who favored the repositioning of existing drugs on the grounds that they are massively 54 available at low cost and that their safety has already been demonstrated. In the particular 55 context of France, the controversy over the effectiveness of hydroxychloroquine against 56 COVID-19 increased the demand for the drug, which carried the risk of adverse 57 effects(6,7) and led to drug shortages for other indications(8). The following question was 58 thus brought to the forefront of public debates: Are new drugs more effective than old ones 59 for the treatment of COVID-19? Insofar as public perceptions of the association between 60 drug novelty and drug effectiveness affect health behavior and drive medical innovation - as 61 illustrated by the issue of vaccine hesitancy(9,10) – it is important that we better understand 62 these perceptions.

63 The success of modern medicine has largely hinged on the development of medical 64 technologies and on their diffusion in the general population. As a result, medical innovation 65 has become central to how modern medicine is perceived and discussed in the 66 media(11,12). Expectations for better and more effective treatments, which underpin health 67 and innovation policies(13), are based on trust in scientific and technological 68 progress(14,15). To fulfill those expectations, most modern democracies have adopted what 69 can be described as the standard model of innovation in medicine. According to this model, 70 academic and clinical researchers and actors of the pharmaceutical industry must 71 collaborate to achieve new effective therapeutic solutions under the regulation of state 72 agencies(16-19).

The standard model of innovation, however, is increasingly being criticized, both within the medical profession and in the public space. Studies have demonstrated that novelty does not equal better effectiveness, with only 25% of tested drugs showing increased therapeutic effect(20). Both the "me-too" marketing model (i.e. the commercialization of a drug that is similar to a pre-existing drug) and economic incentives to market new products appear to 78 have affected the relationship between drug effectiveness and drug novelty(21). The 79 acceleration of drug approval by regulatory agencies, in particular through mechanisms like 80 the Orphan Drug Designation and PRIME programs put in place by the European Medicines 81 Agency, have weakened the requirement for proof of effectiveness(22). In this context, 82 physicians have begun publicizing the fact that new drugs are not necessarily better than old 83 ones and that their higher prices are not always justified(23). Biomedical research, especially 84 when it is clearly driven by the pharmaceutical industry(24), is regularly criticized in the 85 public space, with some pointing out the unknown adverse effects of new drugs or 86 vaccines(25) and others highlighting potential conflicts of interest(26,27). In particular, the 87 rising cost of innovative oncological treatments has been criticized as unjustified in view of 88 gains in effectiveness that could be considered as marginal or minor(28–30). Unfortunately, 89 while public criticisms can contribute to a better regulation of the pharmaceutical

90 industry(31), they can also reinforce science-related populism(32).

91 The publicity given to medical controversies is not without consequences, as was made 92 clear during the COVID-19 pandemic. The violent debate over hydroxychloroquine had a 93 marked impact on health behaviors and attitudes(33,34) and on the production of scientific 94 knowledge. Traditional strategies for conducting clinical research were called into question, 95 slowing down enrollment in clinical trials such as Discovery (NCT04315948) and Recovery (NCT04381936). The debate also had lasting consequences on public health policy in 96 97 countries such as Brazil, precluding the adoption of much-needed prevention strategies(35). 98 As such, it raised broader questions regarding the role of science and research in 99 society(36).

Although medical innovation is central to promises of progress in health, few public health or
social sciences studies have explored public perceptions of the association between drug
novelty and drug effectiveness. The few available data on the topic appear contradictory.
Some studies have shown that branded drugs are perceived more favorably than generic
ones(37), with a specific effect of labelling a treatment as 'new'(21). Others have found that

105 older drugs tend to be perceived as safer and more effective than new ones, except in the 106 case of some innovative oncological treatments(38). On a different note, a study on patient 107 preferences has suggested that perceptions of novelty are associated with specific 108 psychological characteristics (39). Studies focusing on the food industry have shown that 109 trust in institutions has a positive impact on perceptions of new food products(40). However, 110 given the specificities of the health sector, public perceptions of innovation in other domains 111 can hardly be extrapolated to it(41). Most social science studies examining public 112 perceptions of innovation have focused on attitudes towards science in general and not 113 towards the medical sector. Nevertheless, these studies do provide context for perceptions 114 of medical innovation, with some stressing the effect of overall trust in institutions and others 115 highlighting the pervasiveness of suspicion of corporate influence in medicine(26,42). Again, 116 vaccine hesitancy again provides a perfect illustration of these issues(43).

117 Our study aimed to explore perceptions of the association between drug novelty and 118 effectiveness from a social science perspective. Data were collected from a representative 119 sample of the French population via an online survey in January 2021. More specifically, we 120 tested the hypothesis that positive perceptions of medical innovation correlate with greater 121 acceptance of the standard model of innovation underlying medical institutions (H1). 122 Following our main hypothesis H1, individuals with a high level of familiarity with the health 123 care system and those with a high level of trust in institutions (doctors, scientists, politicians, 124 and/or pharmaceutical companies) are more likely to agree that new drugs are more 125 effective than old ones and that drug development should be driven by the pharmaceutical 126 industry. Two subsidiary hypotheses were tested, namely that individuals with a more direct 127 and practical experience of the health care system due to illness or ageing (H2a) and those 128 with low socio-economic status (H2b) are less likely to believe that drug novelty and drug 129 effectiveness are associated. Given the ongoing pandemic and massive media exposure of 130 biomedical research(3), we also tested the hypothesis that COVID-19 has had a specific 131 effect on perceptions of the association between drug effectiveness and drug novelty (H3).

#### 132 Methodology

#### 133 Design and sample

134 Data were collected the first week of January 2021 from a sample of the French population 135 aged 18-75 years (N = 1000) as part of the second round of the cross-sectional online 136 "Health Literacy Survey 2019" (HLS<sub>19</sub> - International Health Literacy Population Survey 2019-137 2021 from M-POHL). The questionnaire administered during the second round of the survey 138 contained questions - on household income and on perceptions of the role of the 139 pharmaceutical industry in drug development (see infra) - that were not in the questionnaire 140 administered during the first round (in June 2020). We made sure that there were no 141 significant differences in responses to the questions that were common to both

142 questionnaires.

143 Participants were selected from a nationally representative French household research 144 panel developed by the survey research firm IPSOS (Paris, France). A total of 23,813 145 individuals were initially invited by email to fill out the questionnaire. Quota sampling was 146 used to match the French general population with regards to gender, age, area of residence 147 (rural vs. urban) and population density in the region of residence (as per official census 148 data). The largest difference between theoretical quotas and our sample was -1.3% for rural 149 area of residence (21.1% of the effective sample compared to 22.4% of the theoretical 150 sample). Collected data were weighed according to participants' demographic profile to 151 match the French general population - which explains why the number of respondents is 152 sometimes written with decimals. The study was approved by the Ethics Committee of the 153 French national biomedical research Institute INSERM (CEEI, IRB 00003888, 2020/04/04).

154 Data collection

Participants responded to the online self-administered questionnaire after providing informed
consent. The questionnaire focused on five main topics: (1) demographic characteristics

(gender, age, level of education, region of residence, household income, financial difficulties, occupation, current health condition); (2) health literacy, health information-seeking behavior, and ability to navigate the health care system; (3) perception of and familiarity with clinical research; (4) trust in institutions (doctors, scientists, politicians, and/or pharmaceutical companies); and (5) knowledge and concerns about the COVID-19 epidemic. The first two topics were shared with HLS<sub>19</sub> European survey when the last three were specific to the French survey.

The present study focuses specifically on responses to the following two statements: "New drugs are always more effective than old ones" and "Drug development should be driven by the pharmaceutical industry." Response options were "Completely agree," "Somewhat agree," "Somewhat disagree," and "Completely disagree."

#### 168 <u>Statistical Analysis</u>

Several variables were recoded to ensure comparability and interpretability: "Educational level" was recoded into three groups and "age" was recoded into four groups. Four-point scales were dichotomized into "yes" *vs.* "no" for the following variables: "trust in doctors," "trust in politicians," "trust in scientists," "trust in pharmaceutical companies," and "fear of COVID-19."

To measure familiarity with the health care system, we used the pre-existing Navigational
Health Literacy (Navigational HL, or NHL in this article) index proposed by Griese et al.(44).
This self-assessed measure draws on the 12-item version of the European Health Literacy
Scale (HLS-EU). In our study, each item of the NHL index was dichotomized into two
responses: "easy" (value 1) and "difficult" (value 0). The final score was calculated by
summing up the values obtained for each item. Participants were divided into quartiles

ranging from Q1 (low navigating skills) to Q4 (high navigating skills). The consistency of our
results was checked using the Health Literacy scale(45).

The association between variables was measured using Pearson's correlation coefficient for numeric variables and the chi-square test for categorical variables. Estimated proportions were interpreted based on the margins of error provided by IPSOS, which ranged from 1.4 to 3.1 points.

186 Two binomial logistic regression analyses were performed to identify the (adjusted) factors 187 that influenced perceptions of the association between drug novelty and drug effectiveness 188 and perceptions of the role of the pharmaceutical industry in drug development. The 189 analyses were carried out using a main effect model with purposeful selection of 190 variables(46). First, we selected variables showing univariate association with a p=0.20 and 191 entered them in the binomial regression model. Second, we removed non-significant 192 variables from the model (threshold value of p=0.05). Lastly, we re-entered each removed 193 variable in the model and tested it for significance. Statistical analyses were performed using 194 Python (Pandas 1.3.4 – Scipy 1.7.2 – Statsmodel 0.13.1).

#### 195 Results

#### 196 <u>Perceptions of the association between drug novelty and drug effectiveness</u>

A quarter (25%) of respondents agreed that new drugs are always more effective than oldones, with only 3% agreeing completely.

Perceptions of the association between drug novelty and drug effectiveness were correlated with familiarity with the health care system (**Table 1**). Indeed, 45% of respondents with a high NHL score agreed that new drugs are always more effective than old ones, compared to 16% of those with a low NHL score. Agreement was stronger among younger
respondents (33%) and among respondents situated at the two ends of the income scale
(34% for low household income and 37% for high household income). It was also stronger
among respondents with a high level of trust in politicians or pharmaceutical companies
(45% and 34%).

By contrast, respondents with poor health condition were less likely to agree that new drugs are always more effective than old ones. A correlation was also found between perception of risk and perception of the association between drug novelty and drug effectiveness. Thus, 16% of respondents who did not fear COVID-19 agreed that new drugs are always more effective than old ones compared to 35% of those who did fear the disease.

The binary logistic regression analysis (**Table 2**, R<sup>2</sup>=0.11) found a significant effect of familiarity with the health care system on perceptions of the association between drug novelty and drug effectiveness. Indeed, respondents with a high NHL score were more likely to agree that new drugs are always more effective than old ones (OR 3.34 [2.13-5.24]) compared to respondents with a low NHL score. Perception of risk also appeared to have a strong effect, as respondents who did not fear COVID-19 were more than two times less likely to agree with this statement than those who did (OR 0.38 [0.18-0.82]).

Trust in doctors and scientists had a non-significant effect on perceptions of the association between drug novelty and drug effectiveness. Respondents with a low level of trust in pharmaceutical companies or politicians were two times less likely to agree that new drugs are always more effective than old ones compared to those with a high level of trust in these institutions (OR 0.63 [0.42-0.95] and OR 0.68 [0.49-0.94], respectively). Finally, older respondents were two times less likely than younger ones to agree with this statement (OR 0.57 [0.31-1.03]). Neither gender nor health information-seeking behavior had a statistically significant effect in the final model.

#### 227 Perceptions of the role of the pharmaceutical industry in drug development

Respondents had a high level of trust in doctors (92%) and scientists (87%) but a low level
of trust in politicians (only 15%). They were much more split concerning pharmaceutical
companies (42% trusted them).

Most respondents (86%) agreed that doctors need to collaborate with the pharmaceutical industry to develop new treatments. Less than half (43%) agreed that drug development should be driven by the pharmaceutical industry.

234 Different factors were associated with perceptions of the role of the pharmaceutical industry 235 in drug development. Thus, 71% of respondents who agreed that new drugs are always 236 more effective than old ones also agreed that drug development should be driven by the 237 pharmaceutical industry. Likewise, 67% of respondents with a high NHL score agreed with 238 the latter statement, compared to only 31% of respondents with a low NHL score. Low 239 educational level (51%), high household income (60%), low health information-seeking 240 behavior (54%), trust in pharmaceutical companies (66%) or politicians (60%), and good 241 health condition (48%) were all associated with the belief that drug development should be 242 driven by the pharmaceutical industry.

However, this belief did not exclude positive attitudes towards public intervention. Almost all respondents felt that the state should be directly involved in drug development when the disease is serious (86%). Even those who agreed that the pharmaceutical industry should drive drug development considered that direct state action was sometimes necessary (41%), with only 2% of respondents stating that drugs should be developed by the pharmaceuticalindustry alone.

249 The logistic regression analysis (**Table 3**,  $R^2=0.15$ ) showed that perceptions of the 250 association between drug novelty and drug effectiveness had an important effect on 251 perceptions of the role of the pharmaceutical industry in drug development. Respondents 252 who agreed that new drugs are always more effective than old ones were almost four times 253 more likely to agree that drug development should be driven by the pharmaceutical industry 254 (OR 3.85 [2.76-5.39] compared to respondents who disagreed). The NHL score had an 255 independent effect, as respondents with a high NHL score were more than twice as likely to 256 agree that drug development should be driven by the pharmaceutical industry (OR 2.62 257 [1.73-3.97] compared to respondents with a low NHL score). By contrast, respondents with a 258 low level of trust in pharmaceutical industry were less likely to agree with that statement (OR 259 0.38 [0.28-0.50] compared to respondents with a high level of trust). Likewise, respondents 260 with poor health condition were less likely to agree that drug development should be driven 261 by the pharmaceutical industry (OR 0.60 [0.44-0.82] for respondents with average health 262 condition compared to those with good health condition; low statistical significance for the difference between respondents with poor health condition and those with good health 263 264 condition, p=0.35).

#### 265 Discussion

The notion of techno-scientific progress has been intertwined with biomedical advances(47) and the organization of modern medicine(48) at least since the eighteenth century. Health innovations are now ubiquitous and range from targeted drugs in genomic medicine(49) to imaging technologies based on Artificial Intelligence(50). Innovations are introduced in medical practices at such a high pace that some of them remain on the market for short periods of time, before they are replaced with the next wave. With the COVID-19 272 pandemic, medical debates surrounding innovative treatments have come to the attention of 273 the general public as never before(3,4). The main opposition is observed between those 274 who advocate for the development of new drugs to treat COVID-19 and those who favor the 275 repositioning of old drugs with proven efficacy. Indeed, despite being a major achievement, 276 new vaccines are being criticized due to their purported uncertainty(43). Research on 277 treatments for COVID-19 is ongoing and continues to impact both health behavior and public 278 perceptions of the disease.

279 The paternalistic approach that prevailed in medicine up to the end of the twentieth century 280 left little room for patients and their families to intervene in medical decisions. While the 281 therapeutic decision is still up to doctors, shared decision-making is gaining ground, with 282 patients and patients' advocates increasingly demanding that patients be actively involved in 283 medical decisions and evaluations(51). The advent of patient participation in their own care 284 was an important change, but it also created a space for the pharmaceutical industry to exert 285 direct influence on consumers and end-users (in particular through patients' associations). 286 Patients can now pressure their doctors to develop or prescribe treatments that they believe 287 to be "useful." Moreover, the greater emphasis on individual responsibility for health 288 decisions has led many patients to engage in what some refer to as "doctor shopping" or 289 "medical tourism." Indeed, some people may now choose to refuse a novel treatment (e.g., a 290 new vaccine), while others may favor a specific medical center or may decide to travel 291 abroad to receive innovative treatment(52). However, in the context of clinical trial 292 recruitment, the narrative that stresses the value of drug novelty can be misleading given the 293 uncertain benefits of the tested treatments(53). Instances of unproven therapies and 294 unfulfilled promises have led some people to criticize the pharmaceutical lobby, with frequent 295 denunciations of its economic power, influence on health policy, and nefarious effect on 296 citizen health. In view of this, a better understanding of public attitudes towards new 297 treatments, and more generally towards medical innovation, is needed to elucidate individual 298 preferences in health care.

299 Our findings support our hypothesis that respondents with a high level of trust in institutions 300 and those with a high level of familiarity with the health care system are more likely to 301 believe that new drugs are more effective than old ones (H1). Familiarity with the health care 302 system was measured using the NHL index. This indicator was developed to evaluate 303 people's difficulties in accessing, understanding, appraising, and applying information for 304 navigating the health care system(44). Compared to standard health literacy indexes, which 305 focus more broadly on health and illness, the NHL index measures respondents' familiarity 306 with their own national health care system. From a sociological perspective, it captures 307 familiarity with specific health practices and health contexts. Such familiarity is often 308 described as a specific form of what sociologists, following Pierre Bourdieu, have referred to 309 as cultural capital (54). In the context of health care, the possession of cultural capital has 310 been shown to affect health choices and the way that people navigate the health care 311 system (55). The strong effect of the NHL index observed in our study indicates that it is also 312 correlated with attitudes towards medical innovation.

313 In addition, the strong effect of the NHL index reflects the value attributed to innovation in 314 French medical culture. Indeed, the value of medical innovation is not only promoted by 315 professionals and health policies in France, but is also embodied by individuals with a high 316 level of familiarity with the health care system and by the beneficiaries of new treatments. As 317 such, our finding is consistent with earlier studies on public understandings of science, which 318 found institutional proximity to affect attitudes towards science and technology(56). 319 Moreover, our study supports the claim that attitudes towards new treatments reflect broader 320 attitudes towards the health care system and towards institutions in general. Positive 321 perceptions of medical innovation were also found to correlate with greater acceptance of 322 the standard model of innovation, as the belief that new drugs are more effective than old 323 ones was associated with a high level of trust in politicians, and/or pharmaceutical 324 companies.

325 While pandemics have historically prompted the intervention of public actors in biomedical 326 research(57), pharmaceutical companies remain the main actors of medical innovation 327 today. However, public perceptions of the role of the pharmaceutical industry are 328 increasingly polarized, with criticisms generally focusing on the industry's excessive role in 329 the medical innovation process and on potential conflicts of interest(27). This is a major 330 concern, as the association between public research and the pharmaceutical industry has 331 consequences for the legitimacy of science(24). As several studies have shown, overall trust 332 in pharmaceutical companies is especially low in France(42,58). There is currently little 333 explanation for this mistrust, though a series of public scandals, including the Mediator 334 case(59), may have contributed to this. Interestingly, in our study, respondents who believed 335 that new drugs are more effective than old ones were more likely to consider that drug 336 development should be driven by the pharmaceutical industry. Likewise, respondents with a 337 high level of familiarity with the health care system had a high level of trust in pharmaceutical 338 companies. In a context where industrial R&D is both central to the innovation process and 339 negatively depicted in the news, a better understanding of the factors associated with trust in 340 the pharmaceutical industry is needed to reduce polarization and, consequently, to ensure 341 adequate public vigilance of biomedical research.

342 Our findings appear also to support our hypothesis of a specific effect of health condition and 343 age on perceptions of the association between drug novelty and drug effectiveness (H2a). 344 This effect, however, was statistically significant in bivariate analysis only. The lack of 345 statistical significance in multivariate analysis may be explained by the limited statistical 346 power of our survey, but also by the fact that statistical models do not account for individual 347 trajectories and experiences. Some studies have shown that the experience of chronic 348 disease leads to specific navigating skills and favors specific attitudes towards medical 349 innovation(52). One could suppose that people with chronic diseases, who tend to have a 350 high level of familiarity with the health care system, are more likely to develop a critical view

351 of this system. This is especially likely if the disease is deadly or debilitating, with little hope 352 for improvement or recovery. By contrast, our findings did not support our hypothesis of a 353 specific effect of socio-economic status (H2b). Beyond the limited statistical power of the 354 survey, this absence of effect may be explained by the fact that the NHL index already 355 accounts for health condition or socio-economic status. In other words, familiarity with the 356 health care system as measured by the NHL index likely acts as a mediating factor between 357 socio-economic status and perceptions of the association between drug novelty and 358 effectiveness. By contrast, our hypothesis H3 was supported by our findings, as fear of 359 COVID-19 appeared to correlate with the belief that new drugs are more effective than old 360 ones. This finding suggests that in an epidemic context, people who are more anxious about 361 the disease are more likely to support medical innovation. More generally, one could argue 362 that perceptions of the association between drug novelty and drug effectiveness are 363 influenced by health policy, the availability of existing treatments, the actual and perceived 364 severity of the disease, and the global or restricted nature of the health threat.

365 This study extends the analysis initiated in June 2020 with the first round of HLS<sub>19</sub>(42). Our 366 findings indicate that trust in institutions and perceptions of clinical research in France have 367 remained stable during the COVID-19 pandemic (Table 1). They also go beyond the original 368 findings by showing that the role of the pharmaceutical industry in drug development is 369 perceived as normal, even necessary, with almost half of respondents agreeing that drug 370 development should be driven by this industry. This finding is especially interesting given 371 that the pharmaceutical lobby is regularly criticized, both in France and beyond, in terms of 372 regulation failures and potential conflicts of interests(60). Our findings also suggest that 373 perceptions of the association between drug novelty and drug effectiveness vary depending 374 on the terms used in public debates to refer to pharmaceutical actors. Thus, the 375 questionnaire used in the first round of HLS<sub>19</sub> measured respondents' level of trust in 376 "l'industrie pharmaceutique" (the pharmaceutical industry), while that used in the second 377 round measured respondents' level of trust in "les laboratoires pharmaceutiques"

(pharmaceutical companies). Interestingly, the level of trust rose from 25% in the first round to 42% in the second one, which may be explained by the fact that the term "laboratory" evokes the scientific field while that of "industry" is associated with the economic domain. It should be noted, however, that the high level of trust reported in the second round may also reflect the increased presence of pharmaceutical actors in the media during the COVID-19 pandemic – and especially the success of the new vaccines.

384 Today, public acceptance of the standard model of innovation in medicine is a major political 385 issue. The economic influence exerted by the pharmaceutical industry on the orientation and 386 supervision of biomedical research, and especially on the conduct of clinical trials(61), has 387 been well documented (16,17). In France, public funding of biomedical research by 388 international private companies has been regularly criticized. For instance, a major 389 controversy erupted over the important public funds allocated to the pharmaceutical company Sanofi (via the Crédit d'Impôt Recherche), which laid off many workers and failed 390 391 to develop a "French" vaccine. Moreover, the economic domination of the pharmaceutical 392 industry was loudly denounced when Pfizer decided to raise the cost of vaccines. In a recent 393 book, Fierlbeck et al. argued that "there is plenty of controversy surrounding 394 pharmaceuticals, but it cannot be denied that the pharmaceutical industry is both socially 395 beneficial and profitable." However, they also recognized that "the fact that citizens believe 396 medicines are reasonably safe and that the medications work is based more on trust than on 397 the scientific evidence (p.4)"(31). Because the innovation process is an important component 398 of health care, the way it is framed in public debates can have a lasting impact on trust in the 399 medical system, in regulatory agencies, and even in science in general.

#### 400 Limitations

401 This study has several limitations. First, our study was an exploratory analysis of an

402 understudied topic that aimed to test a series of hypotheses. Our findings are therefore

403 tentative and will need to be confirmed in future studies. Second, only two questions 404 concerning the topic of interest were analyzed, which precluded the development of an 405 explanatory model. Political orientation, knowledge of specific aspects of the health care 406 system, and perceptions of the cost of innovations will also need to be investigated in the 407 future. Third, our sample was not probabilistic. However, it was representative of the French 408 population since we used quota sampling. Lastly, our questionnaire could not fully capture 409 the diversity of attitudes towards medical innovation, suggesting a need for qualitative 410 studies on the topic. Such studies could determine the extent to which the COVID-19 411 pandemic changed people's perceptions of the association between drug novelty and drug 412 effectiveness.

#### 413 Conclusion

414 Today, medical research and innovation are framed both as a solution and as a problem in 415 public debates. While drugs and vaccines with proven efficacy allow for sound health policy, 416 pharmaceutical regulation failures and the overwhelming role of the pharmaceutical industry 417 in drug development have created legitimate suspicion in the general public. Because the 418 positive value assigned to medical innovation is directly linked to the belief in scientific 419 progress that underpins medical institutions, public criticism of medical research has an 420 impact on the process of drug development and, consequently, on the level of trust in 421 experts and scientists. In fact, public attitudes towards medical innovation can be 422 ambivalent, as novelty increases both the perceived value of a given product and the 423 perceived risk associated with it(40). This ambivalence is not limited to drugs and can be 424 extended to other innovations – for instance, the contact tracing apps developed during the 425 COVID-19 pandemic(62,63). In a global context where trust in institutions, and especially in 426 science, has a major impact on health behavior and democratic life, there is a growing need 427 for a better understanding of public perceptions of medical innovation.

## 428 Acknowledgments

## 429 We are grateful to Arianne Dorval for her editorial assistance.

### 430 **Bibliography**

431

432 433 434	1.	McCreary EK, Meyer NJ. Covid-19 controversies: the tocilizumab chapter. BMJ [Internet]. 2021 Jan 27;372:n244. Available from: http://www.ncbi.nlm.nih.gov/pubmed/33472855
435 436 437	2.	Sourimant J, Aggarwal M, Plemper RK. Progress and pitfalls of a year of drug repurposing screens against COVID-19. Curr Opin Virol [Internet]. 2021 Jun; Available from: https://doi.org/10.1016/j.coviro.2021.06.004
438 439 440 441	3.	Schultz É, Ward JK. Science under Covid-19's magnifying glass: Lessons from the first months of the chloroquine debate in the French press. J Sociol [Internet]. 2021 Mar 10;144078332199945. Available from: http://journals.sagepub.com/doi/10.1177/1440783321999453
442 443	4.	Berlivet L, Löwy I. Hydroxychloroquine Controversies: Clinical Trials, Epistemology, and the Democratization of Science. Med Anthropol Q. 2020;3:1–17.
444 445 446	5.	Moynihan R, MacDonald H, Bero L, Godlee F. Commercial influence and covid-19: Greater independence from commercial interests is more important than ever. BMJ. 2020;369:10–1.
447 448 449	6.	Romain Lutaud, Ward J, Gentile G, Verger P. Between an Ethics of Care and Scientific Uncertainty: Dilemmas of General Practitioners in Marseille. In: The COVID- 19 Crisis: Social Perspectives. 2021. p. 144–55.
450 451 452 453	7.	Lutaud R, Scronias D, Ward J, Verger P. The hydroxychloroquine debate: a therapeutic dilemma for general practitioners. Eur J Public Health [Internet]. 2021 Apr 24;31(2):283–5. Available from: https://academic.oup.com/eurpub/article/31/2/283/6135355
454 455 456 457	8.	Tuccori M, Convertino I, Ferraro S, Cappello E, Valdiserra G, Focosi D, et al. The Impact of the COVID-19 "Infodemic" on Drug-Utilization Behaviors: Implications for Pharmacovigilance. Drug Saf [Internet]. 2020;43(8):699–709. Available from: https://doi.org/10.1007/s40264-020-00965-w
458 459	9.	Goldenberg MJ. Vaccine Hesitancy: Public Trust, Expertise, and the War on Science. University of Pittsburgh Press; 2021.

- Ward JK, Alleaume C, Peretti-Watel P, Seror V, Cortaredona S, Launay O, et al. The French public's attitudes to a future COVID-19 vaccine: The politicization of a public health issue. Soc Sci Med. 2020;265:2016–21.
  Briggs C, Hallin D. Making health public. London: Routledge; 2016.
- 464 12. Marchetti D. Quand la santé devient médiatique. Les logiques de production de
  465 l'information dans la presse. Grenoble: Presses universitaires de Grenoble; 2010. 191
  466 p.
- 467 13. Stiller I, van Witteloostuijn A, Cambré B. Determinants of radical drug innovation: a
  468 systematic literature review [Internet]. Management Review Quarterly. Springer
  469 International Publishing; 2021. Available from: https://doi.org/10.1007/s11301-021470 00218-9
- 471 14. Neresini F, Crabu S, Di Buccio E. Tracking biomedicalization in the media: Public
  472 discourses on health and medicine in the UK and Italy, 1984–2017. Soc Sci Med
  473 [Internet]. 2019;243(October):112621. Available from:
- 474 https://doi.org/10.1016/j.socscimed.2019.112621
- 475 15. Borup M, Brown N, Konrad K, Van Lente H. The sociology of expectations in science
  476 and technology. Technol Anal Strateg Manag [Internet]. 2006;18(September):285–98.
  477 Available from: http://dx.doi.org/10.1080/09537320600777002
- 478 16. Sismondo S, others. Ghost-managed medicine: Big pharma's invisible hands.479 Mattering Press; 2018.
- 480 17. Davis C, Abraham J. Unhealthy Pharmaceutical Regulation [Internet]. Unhealthy
  481 Pharmaceutical Regulation. London: Palgrave Macmillan UK; 2013. Available from:
  482 http://link.springer.com/10.1057/9781137349477
- 483 18. Keating P, Cambrosio A. Cancer on Trial. Oncology as a New Style of Practice.
  484 Chicago: Chicago Press; 2011. 476 p.
- 485 19. Dalgalarrondo S. Quelle place pour les associations de malades dans le processus
  486 d'innovation médicamenteuse ? Rev Fr Aff Soc [Internet]. 2007;3–4(3):171–91.
  487 Available from: http://www.cairn.info/article.php?ID\_ARTICLE=RFAS\_073\_0171
- Wieseler B, McGauran N, Kaiser T. New drugs: Where did we go wrong and what can
  we do better? BMJ [Internet]. 2019;366(July):1–8. Available from:
  http://dx.doi.org/doi:10.1136/bmj.I4340
- 491 21. Harrison M, Marra CA, Bansback N. Preferences for 'New' Treatments Diminish in the
  492 Face of Ambiguity. Heal Econ (United Kingdom). 2017;26(6):743–52.
- 493 22. Mahase E. FDA allows drugs without proven clinical benefit to languish for years on
  494 accelerated pathway. BMJ [Internet]. 2021 Jul 29;(July):n1898. Available from:
  495 https://www.bmj.com/lookup/doi/10.1136/bmj.n1898
- 496 23. Theodorou M, Tsiantou V, Pavlakis A, Maniadakis N, Fragoulakis V, Pavi E, et al.
  497 Factors influencing prescribing behaviour of physicians in Greece and Cyprus:
  498 Results from a questionnaire based survey. BMC Health Serv Res. 2009;9:1–9.

- Besley JC, McCright AM, Zahry NR, Elliott KC, Kaminski NE, Martin JD. Perceived
  conflict of interest in health science Partnerships. PLoS One. 2017;12(4):1–20.
- 501 25. Dubé È, Ward JK, Verger P, Macdonald NE. Vaccine Hesitancy, Acceptance, and
  502 Anti-Vaccination: Trends and Future Prospects for Public Health. Annu Rev Public
  503 Health. 2020;42:175–91.
- 504 26. Eyal G. The Crisis of Expertise. Cambridge: Polity Press; 2019.
- 505 27. Hauray B, Boullier H, Gaudillère J, Michel H. Conflict of interest and medicine.
  506 Routledge, editor. 2021.
- 507 28. Davis C. Drugs , cancer and end-of-life care : A case study of pharmaceuticalization ?
  508 Soc Sci Med [Internet]. 2015;131:207–14. Available from:
  509 http://dx.doi.org/10.1016/j.socscimed.2014.12.007
- Salas-Vega S, Shearer E, Mossialos E. Relationship between costs and clinical
  benefits of new cancer medicines in Australia, France, the UK, and the US. Soc Sci
  Med [Internet]. 2020;258(April):113042. Available from:
  https://doi.org/10.1016/j.socscimed.2020.113042
- 514 30. Chabannon C. Thérapies cellulaires et géniques : la guérison à l'horizon ? Cancer(s)
  515 et psy(s). 2020;n°5(1):122.
- 516 31. Fierlbeck K, Graham J, Herder M. Transparency, Power, and Influence in the
  517 Pharmaceutical Industry: Policy Gain Or Confidence Game? University of Toronto
  518 Press; 2021.
- 519 32. Mede NG, Schäfer MS. Science-related populism: Conceptualizing populist demands 520 toward science. Public Underst Sci. 2020;29(5):473–91.
- 521 33. Gould S, Norris SL. Contested effects and chaotic policies: the 2020 story of
  522 (hydroxy) chloroquine for treating COVID-19. Vol. 3, The Cochrane database of
  523 systematic reviews. 2021.
- 34. Perez J, Roustit M, Lepelley M, Revol B, Cracowski J-L, Khouri C. Reported Adverse
  Drug Reactions Associated With the Use of Hydroxychloroquine and Chloroquine
  During the COVID-19 Pandemic. Ann Intern Med [Internet]. 2021 Jun;174(6):878–80.
  Available from: https://www.acpjournals.org/doi/10.7326/M20-7918
- 35. Boschiero MN, Capasso Palamim CV, Ortega MM, Mauch RM, Lima Marson FA. One
  year of coronavirus disease 2019 (Covid-19) in brazil: A political and social overview.
  Ann Glob Heal. 2021;87(1):1–27.
- 531 36. Hilgartner S, Hurlbut JB, Jasanoff S. Was "science" on the ballot? Science (80-)
  532 [Internet]. 2021 Feb 26;371(6532):893–4. Available from: https://www.sciencemag.org/lookup/doi/10.1126/science.abf8762
- 534 37. Colgan S, Faasse K, Martin LR, Stephens MH, Grey A, Petrie KJ. Perceptions of
  535 generic medication in the general population, doctors and pharmacists: A systematic
  536 review. BMJ Open. 2015;5(12).

- 53738.Jie Y. Older is better: Consumers prefer older drugs. Psychol Mark [Internet]. 2020538Nov 13;37(11):1498–510. Available from:
- 539 https://onlinelibrary.wiley.com/doi/10.1002/mar.21395
- 39. Russo S, Jongerius C, Faccio F, Pizzoli SFM, Pinto CA, Veldwijk J, et al.
  541 Understanding Patients' Preferences: A Systematic Review of Psychological
  542 Instruments Used in Patients' Preference and Decision Studies. Value Heal [Internet].
  543 2019;22(4):491–501. Available from: https://doi.org/10.1016/j.jval.2018.12.007
- Albertsen L, Wiedmann KP, Schmidt S. The impact of innovation-related perception
  on consumer acceptance of food innovations Development of an integrated
  framework of the consumer acceptance process. Food Qual Prefer [Internet].
  2020;84(April):103958. Available from: https://doi.org/10.1016/j.foodqual.2020.103958
- 548 41. Connor M, Siegrist M. Factors Influencing People's Acceptance of Gene Technology:
  549 The Role of Knowledge, Health Expectations, Naturalness, and Social Trust. Sci
  550 Commun. 2010;32(4):514–38.
- Schultz É, Ward JK, Holmes S, Atlani-Duault L, Mancini J. French Public Attitudes
  toward Clinical Research during the COVID-19 Pandemic. Int J Environ Res Public
  Health. 2021;
- 43. Ward JK, Alleaume C, Peretti-Watel P, Peretti-Watel P, Seror V, Cortaredona S, et al.
  The French public's attitudes to a future COVID-19 vaccine: The politicization of a
  public health issue. Soc Sci Med [Internet]. 2020 Nov;265:113414. Available from:
  https://linkinghub.elsevier.com/retrieve/pii/S027795362030633X
- Griese L, Berens EM, Nowak P, Pelikan JM, Schaeffer D. Challenges in navigating
  the health care system: Development of an instrument measuring navigation health
  literacy. Int J Environ Res Public Health. 2020;17(16):1–17.
- 45. Rouquette A, Nadot T, Labitrie P, Van den Broucke S, Mancini J, Rigal L, et al.
  Validity and measurement invariance across sex, age, and education level of the
  French short versions of the European Health Literacy Survey Questionnaire. PLoS
  One. 2018;13(12):1–15.
- 46. Hosmer D, Lemeshow S, Sturdivant R. Applied Logistic Regression Analysis. ThirdEdition. 2013.
- 567 47. Gaudillière J-P, Hess V. Ways of Regulating Drugs in the 19th and 20th Centuries
  568 [Internet]. Gaudillière J-P, Hess V, editors. London: Palgrave Macmillan UK; 2013.
  569 Available from: http://link.springer.com/10.1057/9781137291523
- 570 48. Pickstone J. Ways of Knowing : Towards a Historical Sociology of Science ,
  571 Technology and Medicine. Br J Hist Sci. 1993;26(4):433–58.
- 49. Au L. Recent Scientific/Intellectual Movements in Biomedicine. Soc Sci Med [Internet].
  2021;278(April):113950. Available from:
- 574 https://doi.org/10.1016/j.socscimed.2021.113950
- 575 50. Topol E. Deep medicine: how artificial intelligence can make healthcare human again.
  576 New York: Hachette; 2019.

- 577 51. Elwyn G, Frosch D, Thomson R, Joseph-Williams N, Lloyd A, Kinnersley P, et al.
  578 Shared decision making: A model for clinical practice. J Gen Intern Med.
  579 2012;27(10):1361–7.
- 580 52. Besle S, Sarradon-Eck A. Choisir le risque : l'autonomie du malade en situation
  581 d'échec thérapeutique. Anthropol Santé [Internet]. 2019 Nov 3;(19). Available from:
  582 http://journals.openedition.org/anthropologiesante/4817
- 583 53. Mancini J. The impact of patient education on consideration of enrollment in clinical
  584 trials. J Community Support Oncol [Internet]. 2018 Mar 1;16(2):e81–8. Available from:
  585 https://www.mdedge.com/jcso/article/164500/patient-survivor-care/impact-patient586 education-consideration-enrollment-clinical

- 587 54. Willis K, Collyer F, Lewis S, Gabe J, Flaherty I, Calnan M. Knowledge matters:
  588 producing and using knowledge to navigate healthcare systems. Heal Sociol Rev.
  589 2016;25(2):202–16.
- 590 55. Paccoud I, Nazroo J, Leist A. A Bourdieusian approach to class-related inequalities:
  591 the role of capitals and capital structure in the utilisation of healthcare services in later
  592 life. Sociol Heal IIIn. 2020;42(3):510–25.
- 593 56. Sturgis P, Allum N. Science in Society: Re-Evaluating the Deficit Model of Public
  594 Attitudes. Public Underst Sci [Internet]. 2004;13(1):55–74. Available from:
  595 http://journals.sagepub.com/doi/10.1177/0963662504042690
- 596 57. Beall RF, Hollis A. Global clinical trial mobilization for COVID-19: higher, faster,
  597 stronger. Drug Discov Today [Internet]. 2020;25(10):1801–6. Available from:
  598 https://doi.org/10.1016/j.drudis.2020.08.001
- 599 58. LEEM. Observatoire sociétal du médicament. 2019.
- 600 59. Gaudillière J-P. « Mediator n'est pas une exception, mais le révélateur de problèmes
  601 structurels dans le monde du médicament ». Mouvements. 2019;n°98(2):67.
- 602 60. Maraninchi D. Actuality of conflicts of interests in medicine. From financial interests to 603 the run for scientific publication. Bull Cancer. 2021;108(7–8):677–85.
- 604 61. Jureidini J, McHenry LB. The Illusion of Evidence-Based Medicine: Exposing the crisis 605 of credibility in clinical research. Wakefield Press; 2020.
- 606 62. Williams SN, Armitage CJ, Tampe T, Dienes K. Public attitudes towards COVID-19
  607 contact tracing apps: A UK-based focus group study. Heal Expect. 2021;(November 2020):377–85.
- 609 63. Touzani R, Schultz E, Holmes SM, Vandentorren S, Arwidson P, Guillemin F, et al.
- 610 Early acceptability of a mobile app for contact tracing in the COVID-19 pandemic: French
- 611 national online survey. (Preprint). JMIR mHealth uHealth. 2021;9:1–13.