

## **Bargaining through Approval**

Matias Nunez, Jean-François Laslier

### **To cite this version:**

Matias Nunez, Jean-François Laslier. Bargaining through Approval. Journal of Mathematical Economics, 2015, 60, pp.63-73. 10.1016/j.jmateco.2015.06.015 . halshs-01310223

## **HAL Id: halshs-01310223 <https://shs.hal.science/halshs-01310223>**

Submitted on 13 Aug 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



# Thema Working Paper n°2014-06 Université de Cergy Pontoise, France

"Bargaining through Approval"

 Mat ias Nunez Jean-François Laslier





April, 2014

## BARGAINING THROUGH APPROVAL<sup>\*</sup>

Matías Núñez<sup>†</sup>and Iean-Francois Laslier<sup>‡</sup>

April 2014

#### Abstract

The paper considers two-person bargaining under Approval Voting. It first proves the existence of pure strategy equilibria. Then it shows that this bargaining method ensures that both players obtain at least their average and median utility level in equilibrium. Finally it proves that, provided that the players are partially honest, the mechanism triggers sincerity and ensures that no alternative Pareto dominates the outcome of the game.

JEL Codes: C78; D7.

Keywords: Bargaining, Approval Voting, Efficiency, Partial Honesty.

### 1 Introduction

We study a very simple and intuitive mechanism for two players which is shown to exhibit appealing properties. This mechanism, the Approval Mechanism, is a one-step procedure in which each player announces a subset of the alternatives as their "approved" ones, and the most approved alternatives are declared winners, ties being broken with a uniform lottery. The Approval Mechanism is simply the Approval Voting rule with two players.

<sup>∗</sup>The authors would like to thank Gorkem Celik, Sebastien Courtin, Eric Danan, Arnaud Dellis, ´ Ani Guerdjikova, Allison Koriyama, Yukio Koriyama, Antonin Mace and Massimo Morelli for useful ´ comments and suggestions.

<sup>†</sup>CNRS-University of Cergy-Pontoise (THEMA, UMR 8184).

<sup>‡</sup>CNRS-Paris School of Economics (PjSE, UMR 8545).

Voting rules are usually conceived for many players, $<sup>1</sup>$  but the two-person case</sup> also has practical interest for resolving two-person disputes. Potential applications may also include jury selection in the US or agenda-setting situations in the political arena when there are only two dominant parties. To our knowledge, ours is the first work to explore the properties of Approval Voting as a two-player bargaining device.

In contrast with the classical bargaining theory (initiated by Nash [1950] and reviewed by Osborne and Rubinstein [1990]), the current work is concerned with the following setting:

- (*i*) there is a finite set of pure alternatives,
- (*ii*) two individuals have von Neumann–Morgenstern preferences over pure alternatives,
- (*iii*) the game outcomes are the uniform lotteries over subsets of alternatives.

Our framework is hence different from the standard one in bargaining theory in which it is usually assumed that the game outcome can be any possible lottery over the alternatives.<sup>2</sup> Moreover, we assume that the players are strategic, and we use pure strategy equilibria as a predictive device<sup>3</sup>. We will show that, despite the two players moving simultaneously in that game, a pure strategy equilibrium exists for any preference profile. The proof is constructive and proceeds as follows: it first builds a sequence of iterated best responses and then proves that this sequence leads to an equilibrium. Moreover, the equilibrium obtained by this construction is sincere.

 $1$  For recent theoretical work on Approval Voting in elections with a large number of voters, see Myerson [2002], Laslier [2009], Núñez [2010, 2013], Goertz and Maniquet [2011], Bouton and Castanheira  $[2012]$ , Courtin and Núñez  $[2013]$  and Ahn and Oliveros  $[2011]$  among others.

 $<sup>2</sup>$  The literature in bargaining theory is vast, and we do not attempt here to give a full review.</sup> Several works have studied bargaining over a finite set of alternatives. Most of them take an ordinal approach and leave preference intensities out of the setting. Among those, sequential procedures (in particular the "fallback" bargaining method) have attracted a considerable interest (Sprumont [1993], Hurwicz and Sertel [1999], Brams and Kilgour [2001], Anbarci [2006],Kıbrıs and Sertel [2007] and De Clippel and Eliaz [2012]). A related literature considers problems with a finite number of alternatives and focuses on cardinal rules, as we do. The Nash and the Kalai-Smorodinsky solutions have been characterized in this setting (Mariotti [1998]; Nagahisa and Tanaka [2002]).

 $3$ Note that our mechanism seems particularly well designed for multidimensional bargaining settings. The literature suggests that, during a debate over a single issue, preferences become singlepeaked (see Spector [2000] and List et al. [2012]) whereas this need not be the case when it occurs across issues. If bargaining occurs with respect to a single issue, other methods might be better suited.

We then prove that this rule satisfies three normative properties: *Random Lower Bound* (*RLB*), *Sincerity* (*S*) and *Pure Pareto Efficiency* (*P P E*).

The first property, *RLB*, is the natural adaptation of the classical axiom of Equal-Division Lower Bound in fair allocation settings (see for instance Kolm [1973], Pazner [1977] and Thomson [2010] for a review of the literature). It simply states that a mechanism should always assign to a player at least the expected level of utility she would obtain if the selected alternative was chosen at random, uniformly among all available alternatives. In other words, in any equilibrium, the expected utility for each player is at least equal to the mean one, which would be achieved using the uniform lottery over the whole set of alternatives.

Under our mechanism, voting for all the alternatives whose utility exceeds the average (hence a pure strategy of the mechanism) ensures the player a utility larger than or equal to the average one, independently of the opponent's response. To the best of our knowledge, the use of *RLB* in bargaining settings is novel. It can be simply understood by saying that the random lottery over the alternatives is the (endogenous) disagreement point of the mechanism (typically this point is exogenous). As will be shown, no deterministic mechanism that assigns to every utility profile a single alternative can satisfy this property (see the discussion in Section 2). Moreover, in our setting, in which the outcomes coincide with the uniform lotteries, the mean expected utility coincides with the median one. This precludes the discussion of whether it is fairer to require that a mechanism deliver the mean vs. the median expected utility.<sup>4</sup>

As far as sincerity is concerned, we focus on the classical definition under Approval Voting. A ballot is sincere if given the lowest-ranked alternative that a player approves of, she also approves of all alternatives ranked higher. We first recall that a strategic player may vote non-sincerely in a Nash equilibrium. Yet, this sincerity violation is shown to be quite mild in the following sense of "partial honesty".

The idea of partial honesty is simple (see Matsushima [2008], Dutta and Sen [2012], and Kartik and Tercieux [2012] for applications in Nash implementation). A partially honest player is one who votes sincerely when voting sincerely maximizes his utility. Suppose, for instance, that a player hesitates between voting for

<sup>&</sup>lt;sup>4</sup>De Clippel et al. [2013] design sequential mechanisms that satisfy a related property (the "minimal satisfaction" condition): these mechanisms deliver at least the median pure utility level to both players. Similarly, Conley and Wilkie [2012] define the ordinal egalitarian solution with finite choice sets. This solution suggests the middle ranked alternative (or a lottery over the two middle ranked alternatives) of the Pareto set as an outcome.

his preferred alternative or approving of just his first and third preferred ones (a non-sincere ballot). Suppose that both ballots deliver the same outcome, so that a strategic player would be indifferent. In this case, a partially honest player will not cast the non-sincere ballot. The player whose preferences have been described above has a very limited preference for honesty. He has a strict preference for telling the truth only when truth-telling leads to an outcome which is not worse than the outcome which occurs when he lies. We will show that, in our setting, the behavioral assumption of partial honesty removes insincerity in equilibrium. That is, if both players are partially honest, they are sincere in every equilibrium.

Finally, we address the question of Pareto efficiency. The first remark is that, with just three alternatives, this mechanism is Lottery Pareto efficient in the sense that no lottery Pareto dominates, in the usual sense, an equilibrium of the game. Yet, this result does not extend to more than three alternatives. More generally, we prove that there does not exist a random social choice function that satisfies Random Lower-Bound, Lottery Pareto Efficiency while being implementable in pure strategies. However, the Approval Mechanism satisfies the weaker notion of Pure Pareto Efficiency. Indeed, we prove that no equilibrium of the game can be Pareto dominated by a (pure) alternative as long as the players are partially honest. Hence, the current mechanism is as Paretian as any deterministic mechanism that associates a unique alternative to any preference profile. One can see how the mechanism takes into account the usual equity-efficiency tradeoff. It first considers an equity principle (each player being rewarded with some minimal expected utility) and then, if possible, efficiency concerns are incorporated.

A final discussion on whether our results extend to mixed strategies is included. Whereas *RLB* still holds, the sincerity of players' best responses is not anymore valid. This is shown by an example which proves that mixed strategies might trigger counterintuitive probability distributions over the different pivotal outcomes. This hints at the following conclusion: equilibria in pure strategies are the most adequate framework to study the current mechanism.

The rest of this work is structured as follows. After discussing an example on the potential applications of the mechanism in Section 2, Section 3 presents the setting, and the proof of existence of pure strategy equilibria is included in Section 4. Section 5 shows that the Approval Mechanism satisfies the *RLB* property, and Section 6 deals with the concept of partial honesty. Finally, Section 7 presents the results related to Pareto efficiency, Section 8 comments on the non-uniqueness of the equilibria, Section 9 describes the behavior in mixed strategies, and Section 10 gives concluding comments.

### 2 An example

The object of the following example is to show the usefulness of the Approval mechanism: it correctly aggregates the bargainers' intensities of preferences while satisfying a minimal degree of utility to both of them.

There are two parties, say *B*lue and *R*ed, who have to choose which topic they would include on today's agenda. There are three possible topics : education, health and taxation, respectively denoted *e*, *h* and *t*. Only one topic can be included in the agenda. The parties have perfectly opposed preferences with *B* preferring *e* to *h* and *h* to *t* and *R* having the inverse preferences. To represent these preferences, we endow each party with a utility vector that represents his cardinal utilities over each of the different items, as follows:

$$
u_B = (100, x, 0) \text{ and } u_R = (0, y, 100),
$$

with  $0 < x, y < 100$ .

Given this conflict situation, we are concerned with two basic questions:

- (a) Is there an outcome more desirable for both bargainers than a random draw?
- (b) Can we achieve this outcome in the equilibrium of a mechanism?

#### The Approval procedure

We answer both questions in the affirmative.

As far as the question (*a*) is concerned, note that both bargainers' preferences seem irreconcilable. Thus, the uniform draw (picking one of the options at random) seems to be particularly interesting. This outcome implies that each party gets, in expected utility, his average outcome. Furthermore, this average outcome coincides with the median outcome, because we focus on uniform lotteries;<sup>5</sup> the median outcome *W* being the one such that the number of outcomes that deliver the player higher and lower expected utility than *W* is equal. Therefore, the random draw

<sup>&</sup>lt;sup>5</sup>This general feature will be proved in the paper.

ensures each bargainer a minimal amount of utility and seems to be a good benchmark<sup>6</sup>.

Yet, depending on the bargainers' intensities of preferences, *both bargainers* might strictly prefer some other lottery. For instance, it might be the case that both bargainers prefer their middle rank option *h* to the random draw *eht* (when *x,y >* 50). In this case, using the random draw seems less well-grounded. As depicted by the next table, for each specification of the preference intensities (*x* and *y*), there is a unique lottery that delivers each bargainer at least his average expected utility while not being Pareto dominated.



Regarding question (*b*), the answer is also affirmative: for all parameter values, the Approval Mechanism has, in this example, a unique equilibrium, whose outcome coincides with the lottery described by the table.

To get the intuition, consider the case in which *x,y >* 50. Let us recall that each player selects a subset of the alternatives. Since both players prefer *h* to the lottery *eht*, it follows that independently of the undominated strategy of the opponent, they always select their most preferred alternative and their middle-ranked one (i.e. *h*). This proves that in equilibrium, the unique outcome is a consensus over *h*. A similar claim applies to the rest of specifications of preference intensities, proving the claim.

In general, that is for any number of alternatives, we prove that the mechanism satisfies the following properties which underline its interest for both theoretical and practical work. The outcome is at least as good, for both bargainers, as a random draw, and is not Pareto dominated by a pure alternative. Moreover, under the mild assumption of partial honesty, a bargainer is sincere in equilibrium in the usual sense: if he includes an alternative on his ballot, he also includes all the options he prefers over it.

#### Alternative Procedures

Up to now, we have not justified our focus on the Approval Mechanism. Can

<sup>6</sup>See Eliaz and Rubinstein [2013] for experimental work on the fairness of random procedures.

other bargaining procedures lead to the same equilibria outcomes? As we now discuss, this seems hard to achieve at least with simple procedures.

First, one should observe that no deterministic mechanism can achieve the desiderata of being Pareto efficient and ensuring a minimal amount of utility to both voters, since in the example, the unique possible outcome may require in some cases to use a lottery.

Second, observe that our idea consists of using a voting device in a bargaining environment. What prevents us from letting the players bargain by using other voting rules?

Take the most studied voting rules: the positional or scoring rules. Under such rules in a three-alternative context, a player chooses a vector  $(1, s, 0)$ ,  $s \in [0, 1]$ , and assigns 1 point to one alternative, *s* points to some other alternative and 0 to the remaining one. The scores are summed, and the alternative with the most votes is elected. For instance, Plurality Voting corresponds to  $s = 0$ , the Borda rule to  $s = 1/2$ , and Negative Voting to *s* = 1.

In the agenda-setting situation, we prove that for some specification of the players' intensities, no equilibrium under these rules satisfies our desiderata. In other words, no scoring rule can achieve the same outcome as the one obtained through the Approval Mechanism. It should be noted that the equilibria we find under these rules follow closely the equilibrium behavior described by Myerson [2002] in Poisson games.

Take first the Plurality rule with vector (1*,*0*,*0). Each player is always betteroff by voting for his most preferred alternative (he is pivotal independently of the other player's strategy); the unique equilibrium outcome is the lottery *et*, which is inefficient if for instance  $x, y > 50$ . A similar argument holds for any  $s \in [0, 1/2)$ , proving that none of these rules can be optimal in the previously described sense.

Take now the Negative Voting method with vector (1*,*1*,*0). Simple computations prove that the unique equilibrium is that both voters vote for their two better alternatives, which leads to the victory of *h*. This outcome is inefficient unless *x,y >* 50. A similar argument remains true as long as  $s \in (1/2,1]$ , proving that every equilibrium leads to the victory of *h* implying that these rules are inefficient.

Finally, we need to address the bargaining under the Borda rule in which *s* = 1*/*2. Note first that there is no equilibrium with this rule in which the outcome equals *et*. Indeed, if the outcome is *et*, the players have voted (1*,*0*,*1*/*2) and (1*/*2*,*0*,*1). Hence, each player can attain the victory of his preferred alternative by deviating to his sincere strategy. However, as previous discussed, if *x,y <* 50, *et* is the efficient outcome, proving that this rule is also inefficient.

### 3 The Game

There are two players  $i = 1, 2$  and a finite set  $X = \{x, y, \ldots\}$  of at least two alternatives. Both players vote simultaneously. A player can approve as many alternatives as she wishes by choosing a vector  $B_i$  from the set of pure strategy vectors  $B_i = 2^X$ . For instance, with three alternatives, we have:

$$
B_i \in \{(1,0,0), (0,1,0), (0,0,1), (1,1,0), (1,0,1), (0,1,1), (0,0,0), (1,1,1)\}.
$$

Note that each ballot can also be represented as a subset of the set of alternatives, so that we often use the notation  $B_i \subseteq X$ .

A strategy profile  $B = (B_1, B_2)$  belongs to  $B = B_1 \times B_2$ . Let  $s_x(B)$  be the number of votes (the score) for alternative *x* if the strategy profile is *B*, and let  $s_x(B_{-i})$  be the score for alternative *x* when the vote of *i* is excluded. The vector  $s(B) = (s_x(B))_{x \in X}$ stands for the total score vector. Note that for each  $x \in X$ ,  $s_x(B) \in \{0, 1, 2\}$  since there are just two players. The winning set of alternatives, that is, the outcome corresponding to *B*, is denoted by  $W(B)$  and consists of those alternatives that get the maximum total score:

$$
W(B) = \{ x \in X \mid s_x(B) = \max_{y \in X} s_y(B) \}.
$$

Each player  $i \in N$  is endowed with a strict ordering over the set of alternatives *X*. We assume that preferences can be represented by a von Neumann–Morgenstern utility function  $u_i: X \to \mathbb{R}$  over lotteries on the set of alternatives. Each  $u_i$  belongs to  $\mathcal{U}_i$ , the set of utilities for a player. Given that ties are broken by a fair lottery, the expected utility of a player *i* is a function of the strategy profile *B* given by:

$$
U_i(B) = \frac{1}{\# W(B)} \sum_{x \in W(B)} u_i(x).
$$

Slightly abusing notation, we write  $U_i(W)$  to denote the expected utility of a player  $i$ corresponding to the winning set  $W \subseteq X$ . Letting  $u = (u_1, u_2) \in \mathcal{U}_1 \times \mathcal{U}_2$ , the strategic form voting game  $\Gamma$  is then defined by  $\Gamma = (u, \mathcal{B})$ .

We impose the following condition to ensure that each player has a well-defined strict preference order over the different winning sets:  $\forall i, B, B'$  with

$$
W(B) \neq W(B') \Longrightarrow U_i(W(B)) \neq U_i(W(B')). \tag{1}
$$

This condition implies that no player is indifferent between any pair of alternatives, and moreover no player is indifferent between any pair of winning sets. The condition is generically satisfied with respect to the values of the utilities. For instance it is satisfied with probability 1 if one picks  $(u_1, u_2)$  from a probability distribution continuous with respect to the Lebesgue measure in  $\mathbb{R}^{2 \# X}$ . We thus refer to this assumption as a *genericity* assumption.

A *unanimous* society *u* is a utility vector with for some  $y \in X$ ,  $u_i(y) > u_i(x)$   $\forall x \in Y$  $X \setminus \{v\}$ , and a *non-unanimous* society is a utility vector which is not unanimous.

We mainly focus on pure strategy equilibria. An equilibrium is, as usual, a strategy profile  $B = (B_1, B_2)$  such that each player *i* is playing a best response to player *j'*s strategy:  $B_i$  is a best response to  $B_j$  for any  $i, j = 1, 2$ .

### 4 Equilibrium Existence

As previously defined, the focus of the paper is on pure strategy equilibria. Therefore, the total score of an alternative varies between 0 and 2 since there are just two players. We start with a preliminary obvious observation.

Lemma 1. *There is no equilibrium with no approved alternatives.*

Proof. Assume, by contradiction, that there is an equilibrium *B* with no approved alternatives. Then every alternative gets chosen with 0 votes. Because we have assumed that there are at least two different alternatives, a player strictly prefers to vote for his preferred alternative, proving that *B* is not an equilibrium. Q.E.D.

We distinguish the equilibria according to the maximal score of the alternatives in equilibrium which equals 1 or 2, given Lemma 1.

Equilibria Types. We say that an equilibrium is *consensual* when the maximal score of the alternatives equals 2. In these equilibria, at least one alternative is approved of by both players. An equilibrium is *non-consensual* if the maximal score equals one. In this case, both players do not agree on the outcome since they have voted for disjoint sets of alternatives. Proposition 2 in the Appendix provides a simple characterization of these equilibria:  $(B_1, B_2)$  is a non-consensual equilibrium iff *B*<sub>1</sub> ∩ *B*<sub>2</sub>  $\neq$  *Ø* and for *i* = 1, 2, *B*<sub>*i*</sub> = {*x* ∈ *X* : *u*<sub>*i*</sub>(*x*) > *u*<sub>*i*</sub>(*B*<sub>1</sub> ∪ *B*<sub>2</sub>)}.

Winning Sets. Since both players vote for disjoint sets of alternatives in a nonconsensual equilibrium, each of these approved alternatives is in the winning set, which thus contains at least two alternatives. On the contrary, the winning set of a consensual equilibrium is a singleton. To see why, assume that there are several alternatives approved by both players, Then player *i* is then strictly better off voting only for his preferred alternative among those, making it the sole winner. (A formal proof is provided in the proof of the next theorem.) Such a situation thus cannot be an equilibrium.

While traditional existence results ensure the existence of a mixed strategy equilibrium, our focus is on pure strategies. The next result proves that these equilibria exist. The proof is original and constructive. It builds a sequence of iterated best responses and proves that at some step, both players must be playing a best response against each other. As an important by-product of the proof, we prove that there is at least one sincere equilibrium in pure strategies, i.e. an equilibrium in which both players cast sincere ballots. Indeed, in the equilibrium built in the proof, if a player approves of a candidate, he approves of all candidates preferred over this candidate (see Section 6 for a discussion of sincerity).

#### Theorem 1. *There exists a pure strategy equilibrium in which both players are sincere.*

Proof. In the first part of the proof, we describe precisely the players' best responses. In the second part, we select a best response function for each player and define a sequence of iterated best responses. Finally, we show that this sequence at some point provides a pure strategy equilibrium. Within the proof, the preferences of players 1 and 2 are such that

$$
u_1(a_1) > u_1(a_2) > ... > u_1(a_k)
$$
, and  $u_2(b_1) > u_2(b_2) > ... > u_2(b_k)$ .

In other words,  $a_i$  and  $b_j$  respectively stand for the  $i^{th}$  and  $j^{th}$  preferred alternative for players 1 and 2. The notation  $[x,+]_i$  stands for the upper-contour set of alternative *x* for player *i* so that

$$
[x,+]_i = \{ y \in X \mid u_i(y) \ge u_i(x) \}.
$$

Also, in order to avoid multiple notation for utilities, we denote by *U<sup>i</sup>* (*Y ,Z*) the utility achieved by player *i* when player 1 plays *Y* and player 2 plays *Z*. Observe that if *Y* ∩ *Z*  $\neq$  Ø, the outcome is the uniform lottery on *Y* ∩ *Z* so that, with our notation,  $U_i(Y, Z) = U_i(Y \cap Z)$  in that case. If  $Y \cap Z = \emptyset$  then it equals  $U_i(Y \cup Z)$ , or  $U_i(X)$  in the special case where  $Y = Z = \emptyset$ .

#### Part 1: Best Responses:

Let *Z* ⊆ *X* denote the vote of player 2. Let *Y* ⊆ *X* be a best response for player 1 to *Z*. There are two cases: either  $Y \cap Z \neq \emptyset$  or  $Y \cap Z = \emptyset$ .

#### Case 1:  $Y$  ∩  $Z \neq \emptyset$

In this case, the winning set  $W(Y, Z)$  equals  $Y \cap Z$ , and we will now see that  $Y \cap Z$ must be a singleton. Indeed, assume that there is more than one alternative in *Y* ∩*Z*, and let *y*<sub>0</sub> ∈ *Y* ∩ *Z* be such that *u*<sub>1</sub>(*y*<sub>0</sub>) = max<sub>*z*∈*Z*</sub> *u*<sub>1</sub>(*z*). Then *U*<sub>1</sub>(*Y*, *Z*) = *U*<sub>1</sub>(*Y* ∩ *Z*) =  $\frac{1}{\#Y \cap Z}$  ∑<sub>z∈</sub>*Y*∩*Z*  $u_1(z)$ . However, since  $y_0$  satisfies  $u_1(y_0) > u_1(z)$  for any  $z \in Y \cap Z \setminus \{y_0\}$ , it follows that  $U_1(y_0, Z) = u_1(y_0) > U_1(Y, Z)$ , proving that *Y* is not a best response.

It follows that *Y* is of the form  $Y = \{y_0\} \cup Y'$  for any  $Y' \subset X \setminus Z$ . In particular, notice that one can choose

 $Y = [y_0, +]_1.$ 

The expected utility of player 1 equals  $U_1(Y,Z) = u_1(y_0)$  in that case.

Case 2:  $Y \cap Z = \emptyset$ 

First note that  $Y = Z = \emptyset$  is impossible, because the best response to  $Z = \emptyset$  is *Y* =  $\{a_1\}$ . Therefore, in case 2, the winning set *W*(*Y*,*Z*) is equal to *Y* ∪ *Z*.

Still denote  $y_0 \in Z$  the alternative such that  $u_1(y_0) = \max_{z \in Z} u_1(z)$ . It must be the case that  $U_1(Y, Z) = U_1(Y \cup Z) > u_1(y_0)$ . Indeed,  $U_1(y_0, Z) = u_1(y_0)$  and, since *Y* is a best response to *Z*,  $U_1(Y, Z) > U_1(y_0, Z) = u_1(y_0)$ .<sup>7</sup> Hence, for any  $z \in Z$ , we can write *U*<sub>1</sub>(*Y* ∪ *Z*) > *u*<sub>1</sub>(*y*<sub>0</sub>) ≥ *u*<sub>1</sub>(*z*).

Moreover, for any  $y \in Y$ ,  $u_1(y) > U_1(Y \cup Z)$ . Indeed, since Y is a best response to *Z*, it is a better response than *Y* \  $\{v\}$ , thus

*U*<sub>1</sub>(*Y*, *Z*) ≥ *U*<sub>1</sub>(*Y* \ {*y*},*Z*) = *U*<sub>1</sub>(*Y* ∪ *Z* \ {*y*}).

<sup>&</sup>lt;sup>7</sup>Note that different winning sets must lead to different payoffs due to the genericity condition.

Thanks to the genericity condition, the inequality is strict, and one can write:

$$
\frac{1}{\#(Y \cup Z)} \sum_{z \in Y \cup Z} u_1(z) > \frac{1}{[\#(Y \cup Z) - 1]} \sum_{z \in Y \cup Z \setminus \{y\}} u_1(z),
$$
  

$$
\iff [\#(Y \cup Z) - 1]u_1(y) > \sum_{z \in Y \cup Z \setminus \{y\}} u_1(z),
$$
  

$$
\iff u_1(y) > \frac{1}{[\#(Y \cup Z)]} \sum_{z \in Y \cup Z} u_1(z) = U_1(Y \cup Z),
$$

as wanted.

Similar reasoning shows conversely that, if  $z \in X$  satisfies  $u_1(z) > U_1(Y \cup Z)$ , then *z* ∈ *Y* .

In other words, *Y* is uniquely defined such that:

$$
Y = \{x \in X : u_1(x) > u_1(Y \cup Z)\} = [z_0, +]_1
$$

for some  $z_0 \in X$ . In this case,  $u_1(Y, Z) = U_1([z_0, +]_1 \cup Z)$ . Since *Y* is unique,  $z_0$  is well-defined.

#### Conclusion of Part 1

For any  $Z \subseteq X$ , we have found the best responses *Y* to *Z* for player 1. In case 1  $(Y \cap Z \neq \emptyset)$ , there is a set of best responses to which  $[y_0, +]_1$  belongs. In the second case, there is a unique best response; it equals  $[z_0,+]_1$ .

Building on this analysis, Part 2 defines a sequence of best responses.

#### Part 2: Best Response Selection and Iterated Best Responses

For any  $Z \subseteq X$  played by player 2, we specify a unique best response of player 1, denoted  $Y = \mathcal{R}_1(Z)$ , as follows:

- 1. If the best responses to *Z* lead to some *Y* with *Y* ∩ *Z* ≠ Ø, then  $\mathcal{R}_1(Z) = [y, +]_1$ with *y* such that  $u_1(y) = \max_{z \in Z} u_1(z)$ . In this case,  $W(Y, Z) = \{y\}$ .
- 2. If, on the contrary, the best response to *Z* leads to some *Y* with  $Y \cap Z = \emptyset$ , then  $\mathcal{R}_1(Z) = \{x \in X : u_1(x) > u_1(Y \cup Z)\} = [z, +]_1$  for  $z \in X \setminus Z$  defined in the text.

The same definition applies to yield a best response function  $\mathcal{R}_2$  of player 2. Hence, for each player, we have selected from the best response correspondence a best response function that yields a unique response to any possible ballot of the other player.

Let  $Y_0 = \{a_1\}$  (where  $a_1$  is the preferred alternative for player 1) and, for any integer *t* ≥ 0, define

$$
\begin{cases} Y_{2t+1} = \mathcal{R}_2(Y_{2t}), \\ Y_{2t+2} = \mathcal{R}_1(Y_{2t+1}). \end{cases}
$$

This definition generates a sequence of strategy profiles  $(Y_0, Y_1)$ ,  $(Y_2, Y_1)$ ,  $(Y_2, Y_3)$ ,.... Note that *Y<sup>t</sup>* stands for the strategy of player 1 if *t* is even and for the one of player 2 when *t* is odd. Part 3 proves that this sequence contains an equilibrium.

#### Part 3: Reaching an equilibrium

We will first prove, by induction, that non-consensual best responses are increasing:

**Lemma 2.** Let  $t \geq 3$ . If  $Y_1, Y_2, \ldots, Y_t$  are t subsets of X such that  $Y_1 = \{a_1\}$  and, for any *τ* ∈ {2*,..., t*}*, Y<sup>τ</sup> is the non-consensual best response to Yτ*−<sup>1</sup> *for player* 1 *when τ is odd and for player* 2 *when*  $\tau$  *is even, then*  $Y_{t-2} \subseteq Y_t$ *.* 

Proof. For *t* = 3 the result is true because non-consensual best responses are sincere, which implies that  $Y_3$  contains  $a_1$ . For  $t \geq 3$ , suppose that the claim holds for *t* and let  $Y_1 = \{a_1\}$ ,  $Y_2$ , ...  $Y_{t+1}$  be iterated non-consensual best responses. We have to prove that *Y*<sub>*t*−1</sub> ⊆ *Y*<sub>*t*+1</sub>. From the induction hypothesis,  $Y_{t-2}$  ⊆  $Y_t$ . If  $Y_{t-2} = Y_t$  then  $Y_{t-1} = Y_{t+1}$ because non-consensual best responses are unique, so suppose that

$$
Y_{t-2}\subsetneq Y_t,
$$

and suppose also, for a contradiction, that

$$
Y_{t+1} \subsetneq Y_{t-1}.
$$

Without loss of generality, take *t* even. Figure 1 represents this situation; alternatives corresponds to points in the utility space.

[Insert Figure 1 about here]

Because *Y<sup>t</sup>* is the non-consensual response to *Yt*−<sup>1</sup> , we know that

$$
Y_{t-1} \cap Y_t = \emptyset.
$$

For player 1,  $Y_{t-1}$  is the non-consensual best response to  $Y_{t-2}$ , thus the points in *Y*<sup>*t*</sup>  $\setminus$  *Y*<sup>*t*−2</sup> are such that:

$$
\forall y \in Y_t \setminus Y_{t-2}, u_1(y) < U_1(Y_{t-1} \cup Y_{t-2}).
$$

Adding these points strictly decreases the payoff to player 1 so that:

$$
U_1(Y_{t-1} \cup Y_t) < U_1(Y_{t-1} \cup Y_{t-2}).\tag{a}
$$

Moreover, if, as we have assumed,  $Y_{t+1}$  is a strict subset of  $Y_{t-1}$ , then

$$
\forall x \in Y_{t-1} \setminus Y_{t+1}, u_1(x) > U_1(Y_{t-1} \cup Y_{t-2}),
$$

so that we obtain, combining the previous observation with (*a*):

$$
\forall x \in Y_{t-1} \setminus Y_{t+1}, u_1(x) > U_1(Y_{t-1} \cup Y_t).
$$

Removing the points *x* from  $Y_{t-1}$  can thus only decrease the average, hence:

$$
U_1(Y_{t+1} \cup Y_t) < U_1(Y_{t-1} \cup Y_t),
$$

in contradiction with the fact that  $Y_{t+1}$  is the best response to  $Y_t$ . This completes the proof of the lemma.  $\Box$ 

To complete the proof of the theorem, consider the sequence of strategy profiles  $(Y_1, Y_2)$ ,  $(Y_3, Y_2)$ ,  $(Y_3, Y_4)$ ,... defined above.

If  $Y_t \cap Y_{t+1} = \emptyset$  for all *t*, the previous lemma dictates that the sequences  $(Y_{2s})_{s \in I}$ and  $(Y_{2s+1})_{s\in\mathbb{N}}$  are increasing in *s*. Since the number of alternatives is finite, they must be stationary from some period onwards. Hence there must exist an equilibrium in pure strategies since from this period onwards both players are playing a best response to each other's strategy.

If *Y*<sup>*τ*</sup> ∩ *Y*<sup>*τ*+1</sub> ≠ Ø for at least some *τ*, take the smallest such *τ* and denote it by *t*:</sup>

$$
Y_t \cap Y_{t+1} \neq \emptyset.
$$

If  $t = 1$ , recall that  $Y_1 = \{a_1\}$ , then  $Y_{t+1} \cap Y_t \neq \emptyset$  just means that  $a_1 \in Y_2$ , which implies that the same alternative  $a_1 = b_1$  is preferred by both players. Then  $(\lbrace a_1 \rbrace, \lbrace a_1 \rbrace)$  is an equilibrium.

If *t >* 1 then

$$
Y_{t-1} \cap Y_t = \emptyset
$$

by definition of *t*. Without loss of generality, suppose that *t* is even, so that *Y<sup>t</sup>* is played by player 2 and *Yt*−<sup>1</sup> and *Yt*+1 are played by player 1. (The same claims hold if *t* is odd by exchanging the roles of the players.) Hence  $Y_{t+1}$  is a consensual best response for player 1 to *Y<sup>t</sup>* .

We represent the argument in Figure 2 in which, again, alternatives are represented by points in the utility space.

[Insert Figure 2 about here]

We know that we can write for some *i*:  $Y_{t+1} = [a_i, +]_1$ , with

$$
\{a_i\} = Y_t \cap Y_{t+1}.
$$

To prove that  $(Y_{t+1}, Y_t)$  is an equilibrium, we just have to prove that  $Y_t$  is a best response for player 2 to  $Y_{t+1}$ .

Because  $a_i \in Y_t$  and  $Y_t \cap Y_{t-1} = \emptyset$ ,  $a_i \notin Y_{t-1}$ , thus

$$
Y_{t-1}\subsetneq [a_i,+]_1.
$$

Consider *x* in  $[a_i, +]_1 \setminus Y_{t-1}$ , with  $x \neq a_i$ . Then *x* cannot belong to  $Y_t$ , for  $a_i$  is the best point in  $Y_t$  for player 1. Define  $u_2^* = U_2(Y_{t-1} \cup Y_t)$ . Since  $Y_t$  is a non-consensual best response,  $x \notin Y_t$  implies that  $u_2(x) < U_2(Y_{t-1} \cup Y_t) = u_2^*$  $_{2}^{*}$ . It follows that the payoff to player 2 decreases when adding these alternatives *x* from  $Y_{t-1}$  to  $Y_{t+1} \setminus [a_i, +]_1$  so that:

$$
U_2([a_{i-1},+]_1 \cup Y_t) \le u_2^*.
$$

Now if the best response of player 2 to  $[a_i,+]_1$  is consensual, it cannot yield more than  $u_2(a_i)$ , which is achieved by  $Y_t$ .

If the best response is non-consensual, it must yield more than  $u_2(a_i)$  and thus be of the form  $[b_j,+]_2$ , with  $u_2(b_j) > u_2(a_i)$ . However, then we have:

$$
u_2(a_i) < U_2([a_i, +]_1, [b_j, +]_2) = U_2([a_i, +]_1 \cup [b_j, +]_2) \le U_2(Y_{t-1} \cup [b_j, +]_2).
$$

(Because the alternatives in  $[a_i, +]_1 \setminus Y_{t-1}$  have a payoff of at most  $u_2(a_i)$ , player 2 prefers them to be removed.) It follows that

$$
u_2^* < u_2(a_i) \le U_2(Y_{t-1}, [b_j, +]_2),
$$

in contradiction with the fact that the best response to  $Y_{t-1}$  yields  $u_2^*$  $^*_{2}$ .

We conclude that the consensual response  $Y_t$  is optimal. It follows that  $(Y_{t+1}, Y_t)$ is an equilibrium.  $Q.E.D.$ 

### 5 Random Lower Bound

Once we have established the existence of pure strategy equilibria, we focus on the properties satisfied by the Approval Mechanism.

We start by considering the lowest expected utility a player might get in equilibrium. As will be observed below, in any equilibrium, each player gets at least his mean (and his median) expected utility.

We define the *average outcome* as the one given by the tie among all the candidates, i.e. the winning set *X*. For  $i = 1, 2$ , denoting  $k = #X$ :

$$
U_i(X) = \frac{1}{k} \sum_{x \in X} U_i(x).
$$

The following condition is the natural expected utility version of equal division lower bound and is often present in the literature in fair allocation rules.

*Random Lower Bound (RLB)* : An outcome *W* ⊆ *X* satisfies Random Lower Bound if it gives at least the mean outcome to both players.

This condition is rather mild and intuitive. Indeed, randomness is often used as a device for making a "fair" choice when discriminating between alternatives in the absence of objective reasons.

Yet, as has been shown by the discussion in Section 2, no deterministic procedure that assigns an alternative to any utility vector can satisfy it.

On the contrary, the Approval Mechanism satisfies *RLB* in any voting situation. In order to show this claim, we introduce the notion of uniform sincerity, extensively discussed in the early works on Approval Voting (see Merill [1979], Merill and Nagel [1987] and references therein). It can be defined as follows:

Uniform Sincerity: A player's choice is uniformly sincere if she votes for precisely those candidates whose utility exceeds the average. More formally, for each player *i*, the uniformly sincere ballot is

$$
S_i = \{x \in X \mid u_i(x) > U_i(X)\}.
$$

Uniform Sincerity is optimal for a player with a uniform belief on the other players' strategies (Ballester and Rey-Biel [2009]). In our setting, the purely sincere ballot plays the role of a benchmark since it ensures that the player gets at least the mean utility.

Theorem 2. *For any pure strategy of the opponent, uniform sincerity delivers a utility greater than or equal to the average utility.*

Proof. Suppose that player *j* plays some pure strategy denoted *B<sup>j</sup>* . The expected utility for player *i* when he plays the uniformly sincere ballot *S<sup>i</sup>* and player *j* plays ballot  $B_j$  equals:

$$
U_i(S_i, B_j) = \begin{cases} U_i(S_i \cap B_j) & \text{if } S_i \cap B_j \neq \emptyset, \\ U_i(S_i \cup B_j) & \text{if } S_i \cap B_j = \emptyset. \end{cases}
$$

If  $S_i \cap B_j \neq \emptyset$ , it follows that  $U_i(S_i \cap B_j) > U_i(X)$  since each  $x \in S_i$  satisfies  $u_i(x)$  $U_i(X)$ .

If, on the contrary,  $S_i \cap B_j = \emptyset$ , then we let  $X \setminus S_i = B_j \cup C_j$  with  $\#S_i = l, \#B_j = m$ and  $\#C_j = k - l - m$ . In other words,  $X = S_i \cup B_j \cup C_j$ . If  $C_j = \emptyset$ , then  $X = S_i \cup B_j$ , so that  $U_i(S_i, B_j) = U_i(X)$  as wanted. If  $C_i \neq \emptyset$ , then by definition, we can write that

$$
U_i(S_i \cup B_j) > U_i(X) \Longleftrightarrow \frac{1}{l+m} \sum_{x \in S_i \cup B_j} u_i(x) > \frac{1}{k} \sum_{x \in X} u_i(x),
$$

which is equivalent to

$$
(k-l-m)(\sum_{x\in X}u_i(x))>k\sum_{x\in C_j}u_i(x)\Longleftrightarrow \frac{1}{k}\sum_{x\in X}u_i(x)>\frac{1}{k-l-m}\sum_{x\in C_j}u_i(x).
$$

The last inequality holds since, by definition, any  $x \in C_j$  satisfies  $u_i(x) < U_i(X)$ , proving the claim.  $Q.E.D.$ 

Theorem 2 directly implies that any equilibrium must satisfy Random Lower Bound, and hence we state the following corollary without proof.

#### Corollary 1. *The Approval Mechanism satisfies Random Lower Bound.*

Notice that this very simple result does not hold for more than two players. For instance, if two players out of three agree on an alternative, this may be an equilibrium outcome even if it is very detrimental to the third player.

As usual in fair division problems, it is not obvious whether requiring the mean outcome for every player is more appealing than requiring the median one. As we now show, this problem is absent from our setting since the median outcome is equivalent to the mean one.

Formally, for any  $W \subseteq X$  and some player *i*, we let  $\mathcal{L}_i(W)$  and  $\mathcal{H}_i(W)$  respectively denote the number of outcomes (i.e. uniform lotteries) that deliver the player *i* lower and higher expected utility than *W*. Formally,  $\mathcal{L}_i(W) = #\{V \subseteq X | U_i(V) < U_i(W)\}$  and  $\mathcal{H}_i(W) = #\{V \subseteq X \mid U_i(V) > U_i(W)\}.$ 

We define the *median outcome* for player *i* as the one given by the outcome *W* with  $\mathcal{L}_i(W) = \mathcal{H}_i(W)$ . As we consider the set of outcomes are the uniform lotteries, we now prove that the median outcome coincides with the mean one.

#### Lemma 3. *The Mean outcome equals the Median one.*

Proof. By definition, the mean outcome is the tie among all candidates in *X*. Hence, its expected utility equals  $U_i(X)$  with  $U_i(X) = \frac{1}{k} \sum_{x \in X} u_i(x)$  for each player *i*. Assume that player *i* prefers the victory of some subset *W* of size  $j < k$  to the one of *X* so that

$$
\frac{1}{j} \sum_{x \in W} u_i(x) > \frac{1}{k} \sum_{x \in X} u_i(x) \Longleftrightarrow k \sum_{x \in W} u_i(x) > j \sum_{x \in X} u_i(x). \tag{2}
$$

Simple algebra proves that (2) is equivalent to  $(k - j) \sum_{x \in W} u_i(x) > j \sum_{x \in X \setminus W} u_i(x)$ . Consider now that player *i* prefers *X* over  $X \setminus W$  so that:

$$
\frac{1}{k}\sum_{x\in X}u_i(x) > \frac{1}{k-j}\sum_{x\in X\setminus W}u_i(x) > \Longleftrightarrow (k-j)\sum_{x\in X}u_i(x) > k\sum_{x\in X\setminus W}u_i(x). \tag{3}
$$

Again simple algebra proves that (3) is equivalent to  $(k-j)\sum_{x\in W}u_i(x) > j\sum_{x\in X\setminus W}u_i(x)$ . Hence, as (2) and (3) are equivalent, it follows that player *i* prefers some winning set *W* to *X* if and only if she prefers *X* to  $X \setminus W$ .

Note that this implies that  $\mathcal{L}_i(X) = \mathcal{H}_i(X)$  since whenever a player prefers some set to *X*, she also prefers *X* to its complementary (note that we have assumed a player is never indifferent between two different winning sets). In other words, the complete tie delivers the median expected utility, as wanted. Q.E.D.

### 6 Partial Honesty and Sincerity

We now evaluate whether the approval game triggers sincerity. As usual in the study of approval voting, a strategy is *sincere* if, given the lowest-ranked alternative that a player approves of, she also approves of all alternatives ranked higher (see Brams and Fishburn [1983-2007] and Laslier and Sanver [2010]). Formally,

Definition 1. *A ballot B is sincere for a player <i>i* if  $(u_i(x) > u_i(y)$  and  $y \in B) \Rightarrow x \in B$ .

The set of sincere ballots for player *i* is denoted by  $\mathcal{S}(\mathcal{B}_i)$ . Note that this sincerity notion is rather weak since a player can hesitate between several such ballots.

The next example proves that the players need not approve their most preferred alternative in equilibrium.

EXAMPLE 1: Let  $X = \{a, b, c, d, e\}$  with:

*u*<sup>1</sup> = (100*,*0*,*90*,*20*,*40)*,* and *u*<sup>2</sup> = (100*,*0*,*90*,*40*,*20)*.*

There is an equilibrium (*ce*; *cd*) in which neither of the players vote for their most preferred alternative. To see why, consider player 1's decision problem. Given that 2 votes *cd*, player 1 needs to determine the ballot  $B_1$  that maximizes his utility. Given the different ballots  $B_1 \in \mathcal{B}_1$ , he might obtain the following winning sets:

{*c, d, cd,acd,bcd, cde,abcd,acde,bcde,abcde*}*,*

which respectively deliver the expected utilities:

{90*,*20*,*110*/*2*,*210*/*3*,*110*/*3*,*150*/*3*,*210*/*4*,*250*/*4*,*150*/*4*,*250*/*5}*.*

His best response is then to pick a ballot that leads to the election of *c*; *ce* is hence a best response. Since the players have symmetric preferences (with a switch between *d* and *e*), the same argument proves the claim for player 2, showing that (*ce*; *cd*) is an equilibrium.

As will be shown, the very mild assumption of partial honesty is enough to restore sincere best responses. In order to define this behavioral assumption, we denote by  $\geq_i$  the individual's ordering over the strategy profiles ( $B_i$ ,  $B_{-i}$ ) in  $\mathcal{B}$ . Its asymmetric component is denoted by  $>_i$ .

Definition 2 (Dutta and Sen [2012]). *A player i is partially honest whenever for all*  $(B_i, B_{-i})$ ,  $(B'_i)$  $'_{i}$ ,  $B_{-i}$ )  $\in \mathcal{B}$ .

(i) *If*  $U_i(B_i, B_{-i}) \ge U_i(B'_i)$  $B'_i$ ,  $B_{-i}$ ) and  $B_i \in \mathcal{S}(\mathcal{B}_i)$ ,  $B'_i$  $\mathcal{S}'_i \notin \mathcal{S}(\mathcal{B}_i)$ , then  $(B_i, B_{-i}) \succ_i (B'_i)$  $'_{i}$ ,  $B_{-i}$ ).

(ii) *In all other cases,*  $(B_i, B_{-i}) \geq_i (B_i)$  $U_i$ ,  $B_{-i}$ ) *iff*  $U_i$ ( $B_i$ ,  $B_{-i}$ ) ≥  $U_i$ ( $B_i'$  $'_{i}$ ,  $B_{-i}$ ).

The first part of the definition represents the individual's partial preference for honesty — he strictly prefers the strategy profile  $(B_i, B_{-i})$  to  $(B_i^{\prime})$  $\mathbf{Z}_i, \mathbf{B}_{-i}$ ) when he plays sincerely in  $(B_i, B_{-i})$ , but not in  $(B_i^j, B_{-i})$  $\mathbf{B}_{i}$ ,  $\mathbf{B}_{-i}$ ) provided the outcome corresponding to  $(B_i, B_{-i})$  is at least as good as that corresponding to  $(B_i)$  $i<sub>i</sub>$ ,  $B_{-i}$ ). The second part of the definition is standard.

The preference profile  $(\geq_1, \geq_2)$  now defines a modified normal form game. We omit formal definitions for the sake of brevity. Note that Theorem 1 ensures the existence of an equilibrium of the original game in which players's strategies are sincere (by construction). Therefore the same strategy profile is also an equilibrium of the modified game, and we can state without further proof:

Theorem 3. *The game with partially honest players has a pure strategy equilibrium.*

Notice that the sincerity property is in fact true not only in the equilibrium we previously built but in any pure equilibrium of the modified game.

Theorem 4. *With partially honest players, a player's best response is sincere in equilibrium.*

Proof. It is well known that under Approval Voting, for every pure strategy of the other players, the set of pure best replies contains a sincere best response (see De Sinopoli et al. [2006] and Endriss [2013]). Hence, in any pure strategy equilibrium, every player is indifferent between casting a honest ballot or a dishonest one. Since the players are assumed to be partially honest, the result follows.  $Q.E.D.$ 

### 7 Pareto Efficiency

We now consider the Pareto properties of the approval equilibria. Compared to most of the theoretical literature, our setting is unusual in the sense that it only considers *uniform* lotteries among the different alternatives. An outcome  $W \subseteq X$ Pareto dominates an outcome  $V \subseteq X$ , if  $U_i(W) > U_i(V)$  for both  $i = 1, 2$ . Hence, the most intuitive notion of Pareto dominance is as follows:

*Lottery Pareto Efficiency (LPE)* : An outcome *W* is *Lottery Pareto Efficient* if it is not Pareto dominated by a uniform lottery.

The Approval mechanism encompasses some notion of Pareto efficiency. Indeed, as will be shown by Theorem 5, every equilibrium satisfies the strong notion of *LP E* as long as there are just three alternatives.

Theorem 5. *Let k* = 3*. With partially honest players, every equilibrium satisfies Lottery Pareto Efficiency.*

The proof is included in the Appendix. It is constructive and describes for each possible vector *u*, the set of equilibria outcomes. Yet, this positive result does not extend to any number of alternatives.

As will be shown, there is no hope of implementing in pure strategies a random social choice function that satisfies together the axioms of Random Lower Bound and Lottery Pareto Efficiency. The tension between implementability in pure strategies and (Lottery) Pareto Efficiency was emphasized earlier by Hurwicz and Schmeidler [1978] and Maskin [1999], but their results do not directly imply the described impossibility, because our mechanism applies to the specific context in which the game outcomes are uniform lotteries over the set of the alternatives. More recently, (Dutta and Sen [2012]) proved that the Pareto correspondence itself is not implementable when both players are partially honest.

Let  $\mathcal{L}(X)$  denote the set of all uniform lotteries over *X*. A randomized social choice function (RSCF) *f* is a mapping  $f : U_1 \times U_2 \to \mathcal{L}(X)$ . For each  $u = (u_1, u_2)$ ,  $f(u)$ denotes the outcome of the RSCF.

The notion of implementability closely follows the one by De Clippel et al. [2013]. A game form  $\Gamma = (S_1, S_2, \mu)$  is a map  $\mu$  from a set of strategies  $S_1 \times S_2$  into the set  $\mathcal{L}(X)$ of uniform lotteries over *X*. A pure strategy equilibrium is a pair of strategies ( $s_1, s_2$ ) such that  $U_i(s_i, s_{-i}) \ge U_i(s_i')$  $S_i, S_{-i}$ ) for every *i* and every  $S_i$  $u'_{i} \in S_{i}$ . Given  $u = (u_{1}, u_{2})$ , we

denote by (Γ*,u*) the game in which the player *i*'s utility function *u<sup>i</sup>* induces an ordering over  $\mathcal{L}(X)$  in the following manner: for all  $V, W \in \mathcal{L}(X), U_i(V) \ge U_i(W)$  iff  $u_i \cdot V \geq u_i \cdot W$ .

Definition 3. *A RSCF f is implementable if there exists a game form* Γ *such that for each u* ∈ U1×U<sup>2</sup> *, all the pure-strategy Nash equilibria of* (Γ*,u*) *have the same outcome, and this outcome is f* (*u*)*.*

Proposition 1. *There is no RSCF that is implementable and satisfies Random Lower Bound and Lottery Pareto Efficiency.*

Proof. The proof extends the one of De Clippel et al. [2013] to cardinal utilities. Let  $u = (u_1, u_2)$  be a utility profile on  $\{a, b, c, d, e\}$  with  $u_1 = (100, 53, 52, 1, 0)$  and  $u_2 =$ (0*,*1*,*52*,*53*,*100). Players 1 and 2 have opposed preferences. Moreover, if a *RSCF* satisfies *RLB* and *LPE*, it must be the case that  $f(u) = c$  since it is the unique lottery which satisfies both desiderata. Then, denoting by  $v_1 = (52, 1, 100, 0, 53)$  and  $v_2 =$ (52*,*1*,*53*,*0*,*100), Maskin Monotonicity (a necessary condition for implementation in pure strategies) implies that  $f(v) = c$  for  $v = (v_1, v_2)$ .

We now consider the profile  $w = (w_1, w_2)$  with  $w_1 = (53, 1, 100, 0, 52)$  and  $w_2 =$  $(1, 53, 0, 100, 52)$ . The conditions of *RLB* and *LPE* jointly imply that  $f(w) = e$ . Moreover, since *f* satisfies Maskin monotonicity, it must be the case that  $f(v) = e$ . But this entails a contradiction with  $f(v) = c$ , proving the claim. Q.E.D.

It should be emphasized that the negative result in Proposition 1 contrasts with the possibility result stated by Dutta and Sen [1991]. Indeed, they assume that the set of outcomes is the space of (not just uniform) lotteries over a finite set of alternatives. Since the mean outcome is a lottery among all the elements in *X*, we let  $B(u) = {V ⊆ X | U_i(V) ≥ U_i(X) \forall i ∈ N}$  and  $PO(u) = {V ⊆ X | there is no  $\hat{V} ⊆$$ *X* such that  $U_i(\hat{V}) > U_i V$ , so that  $PO(u)$  is the set of Pareto efficient lotteries in  $\mathcal{L}(X)$ . Dutta and Sen [1991] prove that the following function is implementable in pure strategies: for all  $u \in \mathcal{U}_1 \times \mathcal{U}_2$ ,

$$
f(u) = B(u) \cap PO(u).
$$

Yet, even if *LPE* does not hold, some notion of Pareto optimality is incorporated in the Approval Mechanism. As will be shown, under the assumption of partial honesty, all equilibria satisfy the next notion of Pareto efficiency: it entails that there is no alternative that Pareto dominates the winning set.

*Pure Pareto Efficiency (PPE)*: An outcome *W* is *Pure Pareto Efficient* if it is not Pareto dominated by any pure alternative.

Theorem 6. *With partially honest players, every equilibrium satisfies Pure Pareto Efficiency.*

The proof is structured in the Lemmata 4,5 and 6. In each of these Lemmata, it is assumed that both players are partially honest.

Lemma 4. *In a unanimous society, the winning set satisfies Pure Pareto Efficiency.*

Proof. Let *a* denote the unanimously preferred alternative. It follows that *a* is included in any best response of the players. Therefore, *a* wins in any equilibrium, proving the claim.  $Q.E.D.$ 

Lemma 5. *In a non-unanimous society, a non-consensual equilibrium satisfies Pure Pareto Efficiency.*

**Proof.** Let  $B = (B_1, B_2)$  be a non-consensual equilibrium. Assume that there is some *y* ∈ *X* for which *u*<sub>*i*</sub>(*y*) > *U*<sub>*i*</sub>(*B*<sub>1</sub>, *B*<sub>2</sub>) = *U<sub><i>i*</sub>(*B*<sub>1</sub>∪*B*<sub>2</sub>) for both *i* = 1, 2. Lemma 2 entails that *B*<sub>1</sub> ∩ *B*<sub>2</sub> = ∅, and for any player *i* ∈ {1, 2}, *B*<sub>*i*</sub> = { $x \in X : u_i(x) > U_i(B_1 \cup B_2)$ }. Therefore, the score of *y* equals 2, which contradicts *B* being a non-consensual equilibrium, proving the claim.

#### Q.E.D.

Lemma 6. *In a non-unanimous society, a consensual equilibrium satisfies Pure Pareto Efficiency.*

Proof. Suppose by contradiction that the winning set of a consensual equilibrium *B* is not Pure Pareto Efficient. As previously argued, this winning set is a singleton which we denote by *x*. Since *x* is not Pareto efficient, there is some  $y \in X$  such that  $u_i(y) > u_i(x)$  for both  $i = 1, 2$ . Moreover, since the score of *x* equals 2, both players vote for him.

There are three possibilities for the score of  $y$  given  $B$ , denoted  $s_y(B)$ .

Assume first that *s<sup>y</sup>* (*B*)=0. It follows that no player has voted for *y*. Hence, since  $s_x(B) = 2$ , then adding one point to *y* does not modify the winning set. Since every player is partially honest, she approves of *y*, contradicting  $s_y(B) = 0$ .

Assume now that  $s_y(B)=1$ . W.l.o.g. assume that player 1 has approved of  $y$ whereas player 2 has not. If player 2 modifies his pure strategy and ceases to vote for *x* and votes for *y*, then *y* is the unique element in the winning set. Since  $u_2(y) > u_2(x)$ , *B* is not an equilibrium, since player 2 is not playing a best response.

Finally, assume that  $s_y(B) = 2$ . In other words, there are at least two alternatives in the winning set of this consensual equilibrium. However, this is a contradiction since in any consensual equilibrium, the winning set is a singleton.

Therefore, the winning set of a consensual equilibrium must satisfy Pure Pareto Efficiency. Q.E.D.

### 8 Non-uniqueness of Equilibrium

The Approval Mechanism has been shown to exhibit many appealing properties. As will be made clear in this section, uniqueness of its equilibria is not among them. We provide three examples of bargaining situations in which there are *i*) two consensual equilibria, *ii*) two non-consensual equilibria, and *iii*) a consensual and a nonconsensual equilibrium. Note that each of these examples is generic in the sense that the same result applies for an open set of utilities to which each of the bargaining situations belongs.

EXAMPLE 2: Let  $X = \{a, b, c, d\}$  with:

$$
u_1 = (100, 90, 70, 0)
$$
 and  $u_2 = (0, 70, 90, 100)$ .

There are two consensual equilibria: (*ab*;*bcd*), which leads to the election of *b*, and (*abc*; *cd*), which triggers the selection of *c*.

EXAMPLE 3: Let  $X = \{a, b, c, d\}$  with:

$$
u_1 = (100, 40, 12, 0)
$$
 and  $u_2 = (0, 12, 40, 100)$ .

There are two non-consensual equilibria: (*a*;*d*), with outcome *ad* and expected utility 50 for both players, and (*ab*; *cd*), with outcome *abcd* and expected utility 38 for both players.

EXAMPLE 4: Let  $X = \{a, b, c\}$  with:

$$
u_1 = (100, 80, 0)
$$
 and  $u_2 = (0, 100, 20)$ .

There are two equilibria: a non-consensual one (*a*;*b*) in which the lottery *ab* is the outcome, and a consensual one (*ab*;*bc*) that implements *b* as the winner.

### 9 Mixed strategies

Up to now, we have focused on pure strategy equilibria. In this section, we analyze whether the previous properties of the Approval Mechanism are still valid when mixed strategy equilibria are also taken into account.

Random Lower Bound The property of Random Lower Bound still holds in any mixed strategy equilibrium since a player can always play his purely sincere strategy that ensures him to obtain at least the average utility (Theorem 2). No proof is provided since it is an immediate consequence of the property of uniform sincerity.

Theorem 7. *The Approval Mechanism satisfies Random Lower Bound in mixed strategies.*

Sincerity. Whereas the property of Random Lower Bound holds in mixed strategies, such is not the case with Sincerity. Indeed, as the next example proves, there might exist equilibria in which one of the players strictly prefers to play insincerely. Note that the violation of Sincerity must be in mixed strategies, since in pure strategies, the set of best responses always includes a sincere one (and hence partial honesty removes insincere equilibria in pure strategies).

Let  $X = \{a, b, c, d, e\}$  and assume that the players' utilities are as follows:

$$
u_1 = (100, 75, \frac{200}{3}, \frac{175}{3}, 0)
$$
, and  $u_2 = (65, \frac{3200}{49}, 35, 0, 100)$ .

Consider the strategy profile *σ* in mixed strategies with

$$
\sigma_1(ac) = 0.9
$$
, and  $\sigma_1(acd) = 0.1$ ,

and

$$
\sigma_2(e) = 0.15
$$
,  $\sigma_2(be) = 0.25$  and  $\sigma_2(abe) = 0.6$ .

In this profile, player 1 does not respect sincerity since the two ballots in his support are insincere in the sense that they skip candidate *b*. Moreover, player 1 votes for his preferred alternative and for *c* and *d*, the least two preferred alternatives of player 2. This creates an uncertainty for player 2 that leads him to mix among three of his sincere strategies.

As will now be shown,  $\sigma$  is an equilibrium, so that we can state the next result.

Theorem 8. *Insincerity might be a strict best response in equilibrium when players use mixed strategies.*

To understand the intuition, consider the next table, in which the pure strategies of player 1 are the rows, whereas thoses of player 2 are the columns.



In the table are represented the winning sets so that, for instance, the winning set that corresponds to the strategy pair (*ac, e*) (first column, first row) is *ace*. Since  $U_1(acd, e) > U_1(ac, e)$  and  $U_1(acd, be) < U_1(ac, be)$ , it follows that player 1 is indifferent between playing  $ac$  and  $acd$  when player 2 plays  $\sigma_2.$  Indeed, the figures are such that

$$
\sigma_2(e)\frac{(100+\frac{200}{3})}{3}+\sigma_2(be)\frac{(175+\frac{200}{3})}{4}=\sigma_2(e)\frac{(100+\frac{375}{3})}{4}+\sigma_2(be)\frac{(175+\frac{375}{3})}{5}.
$$

A symmetric argument applies to player 2 when player 1 plays  $\sigma_1$ . Note that, in equilibrium, player 2 is indifferent between his three strategies in the support: *e*, *be* and  $abe.$  Since  $abe$  leads to the victory of  $a$  given  $\sigma_1$ , this implies that

$$
U_2(\sigma_1, be) = U_2(\sigma_1,abe) = u_2(a) = 65.
$$

To see why this the case, note that

$$
U_2(\sigma_1, be) = \frac{9}{10} \frac{200}{3} + \frac{1}{10} \frac{200}{4} = 65,
$$

and

$$
U_2(\sigma_1, abc) = \frac{9}{10} \frac{200 + b^*}{4} + \frac{1}{10} \frac{200 + b^*}{5} = 65,
$$

with  $b^* = \frac{3200}{49}$ .

The rest of the proof is included in Appendix C.

Partial honesty does not remove this equilibrium. Indeed, it can be shown that  $U_1(ac, \sigma_2)$  >  $U_1(B_1, \sigma_2)$  for any sincere ballot  $B_1$ . For instance, take the pure strategy *ab*. We have that  $U_1(ab,e) > U_1(ac,e)$  and  $U_1(ab,be) > U_1(ac,be)$ . However, since  $U_1(ab,abc) < U_1(ac,abc)$ , player 2 playing  $\sigma_2$  ensures that player 1 prefers *ac* to *ab* and to any other sincere ballot.

### 10 Conclusion

We have introduced the Approval Mechanism, a two-person bargaining device, which has the virtue of being very simple to implement and exhibits three main appealing properties: First, the existence of a pure strategy equilibrium in which both players play sincere strategies. Second, the flexibility of the mechanism ensures that both players get at least their mean (and median) expected utility in every equilibrium. This is a basic requirement in dispute resolution settings like ours. Note that it cannot be satisfied by a scoring rule nor by a deterministic mechanism. Third, any equilibrium satisfies Lottery Pareto Efficiency with three alternatives and Pure Pareto Efficiency for any arbitrarily large number of alternatives. As has been shown, the tension between the existence of a pure strategy equilibrium and Lottery Pareto Efficiency is not absent from our setting, as previously emphasized by the Nash implementation literature. Hence, one cannot expect to design a simultaneous mechanism in which both properties hold.

Our device is hence particularly well-fitted to ensure a minimal degree of impartiality while taking into account the players' intensities of preferences. Ours is hence a pioneering work in applying a voting device to a bargaining environment. Note that the properties of this mechanism depend on the environment with two players, since each player has more "power" with respect to the final outcome in the current case than in a large election. For instance, the property of Random Lower Bound is a consequence of the setting with just two-players.

The counterintuitive results in mixed strategies (as far as sincerity is concerned) confirm that the pure strategy equilibria are the more natural framework to theoretically predict the players' reactions to the Approval Mechanism. Indeed, one may doubt that the probability distributions over the outcomes that might arise in a mixed strategy equilibrium accurately represent the players' beliefs when facing uncertainty over the opponent's strategy.

Finally, understanding the properties of the current mechanism under incomplete information over the players' preferences seems to be a potentially interesting venue of research.

# A Appendix: A Characterization of Non-Consensual Equilibria

**Proposition 2.** For a non-unanimous society, a strategy profile  $B = (B_1, B_2)$  is a non*consensual equilibrium if and only if*  $B_1 \cap B_2 = \emptyset$  *and for any player i*  $\in \{1, 2\}$ *,* 

$$
B_i = \{x \in X : u_i(x) > U_i(B_1 \cup B_2)\}.
$$

**Proof.** 1.  $\Longrightarrow$ ) Let  $B = (B_1, B_2)$  be a non-consensual equilibrium of the game. Then it follows that  $B_1 \cap B_2 = \emptyset$ , as otherwise some alternative would have a score of 2 contradicting the fact that *B* is a non-consensual equilibrium. Moreover, assume, by contradiction, that there is some *i* for which some  $y \in B_i$  satisfies  $u_i(y) < U_i(B_1 \cup B_2)$ . Let *j* = #{*B*<sub>1</sub> ∪ *B*<sub>2</sub>}. The previous inequality is equivalent to: *u*<sub>*i*</sub>(*y*) <  $\frac{1}{i}$  $\frac{1}{j}$   $\sum_{x \in B_1 \cup B_2} u_i(x) \Longleftrightarrow$  $(j-1)u_i(y) < \sum_{x \in B_1 \cup B_2 \setminus \{y\}} u_i(x)$ . However it is simple to see that the previous inequality is equivalent to:

$$
(j-1)\sum_{x\in B_1\cup B_2} u_i(x) < j \sum_{x\in B_1\cup B_2\setminus\{y\}} u_i(x) \Longleftrightarrow \frac{1}{j} \sum_{x\in B_1\cup B_2} < \frac{1}{j-1} \sum_{x\in B_1\cup B_2\setminus\{y\}} u_i(x).
$$

In other words,  $u_i(y) < U_i(B_1 \cup B_2)$  if and only if  $U_i(B_1 \cup B_2) < U_i(B_1 \cup B_2 \setminus \{y\}).$ However, since  $y \in B_i$ , the previous inequality proves that *i* is not playing a best response, proving that *B* is not an equilibrium.

2. (a) Let  $B = (B_1, B_2)$  be a strategy profile. Assume that  $B_1 \cap B_2 = \emptyset$  and for any player  $i \in \{1, 2\}$  and any alternative  $x \in X$ ,  $B_i = \{x \in X : u_i(x) > U_i(B_1 \cup B_2)\}\)$ . Since  $B_1 \cap B_2 = \emptyset$ , then the maximum score of an alternative equals one. Furthermore, any *x* ∈ *B*<sup>*i*</sup> satisfies *u*<sup>*i*</sup>(*x*) > *U*<sup>*i*</sup>(*B*<sub>1</sub></sub> ∪ *B*<sub>2</sub>). As previously shown, for any alternative *y* ∈ *X*, *u*<sub>*i*</sub>(*y*) < *U*<sub>*i*</sub>(*B*<sub>1</sub> ∪ *B*<sub>2</sub>) is equivalent to *U<sub><i>i*</sub>(*B*<sub>1</sub> ∪ *B*<sub>2</sub>) < *U<sub><i>i*</sub>(*B*<sub>1</sub> ∪ *B*<sub>2</sub> \ {*x*}). Hence, a player 's best response equals all the alternatives  $x \in X$  such that  $u_i(x) > U_i(B_1 \cup B_2)$ , which coincides with *B<sup>i</sup>* . Therefore, *B* is a non-consensual equilibrium, proving the claim.

### B Appendix: Proof of Theorem 5

We let  $k = 3$  so that  $X = \{a, b, c\}$ . W.l.o.g. we assume that  $u_1(a) > u_1(b) > u_1(c)$ .

It follows that this player has the following ranking over the different winning sets. If  $u_1(b) > U_1({a, c})$ , then:

$$
U_1({a}) > U_1({a,b}) > U_1({b}) > U_1({a,b,c}) > U_1({a,c}) > U_1({b,c}) > U_1({b})
$$

whereas if the cardinal utilities satisfy  $U_1(b) < U_1(\lbrace a, c \rbrace)$ , the ranking equals:

$$
U_1({a}) > U_1({a,b}) > U_1({a,c}) > U_1({a,b,c}) > U_1({b}) > U_1({b,c}) > U_1({c}).
$$

We now evaluate the set of equilibria for each possible preference ordering of the player 2, and prove that it satisfies *LP E*.

There are six possible permutations of the three alternatives to be analyzed.

**Case 1:**  $u_2(a) > u_2(b) > u_2(c)$ .

The unique equilibrium outcome is the election of *a*, since partially honest players uniquely cast sincere best responses.

Case 2:  $u_2(a) > u_2(c) > u_2(b)$ .

The same argument as in Case 1 proves the claim.

**Case 3:**  $u_2(b) > u_2(a) > u_2(c)$ .

In this case, the unique equilibrium is  $B = (a; b)$ , which leads to the winning set {*a,b*}. Moreover, this tie is not Pareto dominated by another lottery. Indeed, *U*<sub>1</sub>({*a, b*}) *> U*<sub>1</sub>(*W*) for any *W* ⊆ *X* \ {*a*} and *U*<sub>2</sub>({*a, b*}) *> U*<sub>2</sub>(*W*) for any *W* ⊆ *X* \ {*b*}.

**Case 4:**  $u_2(b) > u_2(c) > u_2(a)$ .

In this case, the equilibrium hinges on the players' preference intensities towards their middle candidate.

If  $U_1({b}) > U_1({a, c})$  and  $U_2({c}) > U_2({a, b})$ , then the equilibrium equals  $B = (ab; bc)$ with *LPE* winning set {*b*} (since *b* is the most preferred outcome of player 2). If  $U_1({b}) > U_1({a, c})$  and  $U_2({c}) < U_2({a, b})$ , then the set of equilibria equals  $B = (a; b)$ with *LPE* winning set  $\{a, b\}$  and  $B' = (ab; bc)$  with *LPE* winning set  $\{b\}$ .

If  $U_1({b}) < U_1({a,c})$  and  $U_2({c}) > U_2({a,b})$ , then the equilibrium set equals  $B =$  $(a; bc)$  with *LPE* winning set  $\{a, b, c\}$ .

If  $U_1({b}) < U_1({a,c})$  and  $U_2({c}) < U_2({a,b})$ , then the equilibrium equals  $B = (a,b)$ with *LPE* winning set  $\{a, b\}$ .

Case 5:  $u_2(c) > u_2(a) > u_2(b)$ .

This case is symmetric to Case 4, switching the role of player 1 and 2, proving the claim.

**Case 6:**  $u_2(c) > u_2(b) > u_2(a)$ .

The equilibrium hinges again on the preference intensities towards their middle ranked candidate.

If  $U_1({b}) > U_1({a, c})$  and  $U_2({b}) > U_2({a, c})$ , then the equilibrium equals  $B = (ab; bc)$ with *LPE* winning set  ${b}$ .

If  $U_1({b}) > U_1({a,c})$  and  $U_2({b}) < U_2({a,c})$ , then the equilibrium set equals  $B =$ (*ab*; *c*) with *LPE* winning set  $\{a, b, c\}$ .

If  $U_1({b}) < U_1({a, c})$  and  $U_2({b}) > U_2({a, c})$ , then the equilibrium equals  $B = (a; bc)$ with *LPE* winning set  $\{a, b, c\}$ .

If  $U_1({b}) < U_1({a,c})$  and  $U_2({b}) < U_2({a,c})$ , then the equilibrium equals  $B = (a;c)$ with *LPE* winning set  $\{a, c\}$ .

Hence, for each possible preference ordering and preference intensities of the players towards their middle rank candidate, the winning sets at equilibrium satisfy *LPE*, concluding the proof.

# C Appendix: Proof of the Example of Insincerity as a Strict Best Response

We now prove that the strategy profile  $\sigma = (\sigma_1, \sigma_2)$  is an equilibrium. Note that since we assume that players are partially honest, no player can be indifferent between a sincere and a non-sincere strategy, since partial honesty would remove the equilibrium.

Moreover, it is weakly dominated for a player to vote for his preferred alternative and never approve his least preferred one. For the sake of presentation, only the weakly undominated strategies are considered in the tables. The table on the left side presents the expected payoffs for each pure weakly undominated strategy for player 1, whereas the second table presents those for player 2.



### References

- D. Ahn and S. Oliveros. Approval Voting and Scoring Rules with Common Values. mimeo, University of California, Berkeley, 2011. 2
- N. Anbarci. Finite Alternating-Move Arbitration Schemes and the Equal Area Solution. *Theory and Decision*, 61:21–50, 2006. 2
- M.A. Ballester and P. Rey-Biel. Does Uncertainty Lead to Sincerity? Simple and Complex Voting Mechanisms. *Social Choice and Welfare*, 33:477–494, 2009. 17
- L. Bouton and M. Castanheira. One Person, Many Votes: Divided Majority and Information Aggregation. *Econometrica*, 80:43–87, 2012. 2
- S.J. Brams and P.C. Fishburn. *Approval Voting*. Birkhauser, Boston, 1983-2007. 19
- S.J. Brams and D.M. Kilgour. Fallback Bargaining. *Group Decision and Negotiation*, 10:287–316, 2001. 2
- J.P. Conley and S. Wilkie. The Ordinal Egalitarian Bargaining Solution for Finite Choice Sets. *Social Choice and Welfare*, 38:23–42, 2012. 3
- S. Courtin and M. Núñez. A Map of Approval Voting Equilibria Outcomes. mimeo, University of Cergy-Pontoise, 2013. 2
- G. De Clippel and K. Eliaz. Reason-based Choice: A Bargaining Rationale for the Attraction and Compromise Effects. *Theoretical Economics*, 7:125–162, 2012. 2
- G. De Clippel, K. Eliaz, and B. Knight. On the Selection of Arbitrators. mimeo, Brown University, 2013. 3, 21, 22
- F. De Sinopoli, B. Dutta, and J-F. Laslier. Approval voting: three examples. *International Journal of Game Theory*, 38:27–38, 2006. 20
- B. Dutta and A. Sen. A Necessary and Sufficient Condition for Two-person Nash Implementation. *Review of Economic Studies*, 58:121–128, 1991. 22
- B. Dutta and A. Sen. Nash Implementation with Partially Honest Individuals. *Games and Economic Behavior*, 74:154–169, 2012. 3, 20, 21
- K. Eliaz and A. Rubinstein. On the Fairness of Random Procedures. mimeo, Tel-Aviv University, 2013. 6
- U. Endriss. Sincerity and Manipulation under Approval Voting. *Theory and Decision*, 74:335–355, 2013. 20
- J. Goertz and F. Maniquet. On the Informational Efficiency of Simple Scoring Rules. *Journal of Economic Theory*, 146:1464–1480, 2011. 2
- L. Hurwicz and D. Schmeidler. Construction of Outcome Functions guaranteeing Existence and Pareto Optimality of Nash Equilibria. *Econometrica*, 46:1447–1474, 1978. 21
- L. Hurwicz and M.R. Sertel. Designing Mechanisms, in particular for Electoral Systems: The Majoritarian Compromise. In R. Sertel Murat, editor, *Economic Design and Behaviour*. London: MacMillan, 1999. 2
- N. Kartik and A. Tercieux. Implementation with Evidence. *Theoretical Economics*, 7: 323–355, 2012. 3
- O. Kibris and M.R. Sertel. Bargaining Over a Finite Set of Alternatives. *Social Choice and Welfare*, 28:421–437, 2007. 2
- S. Kolm. Super-equite.´ *Kyklos*, 26:841–843, 1973. 3
- J.F. Laslier. Strategic Approval Voting in a Large Electorate. *Journal of Theoretical Politics*, 21:113–136, 2009. 2
- J.F. Laslier and R. Sanver. The Basic Approval Voting Game. In J.F. Laslier and R. Sanver, editors, *Handbook on Approval Voting*. Heildelberg: Springer-Verlag, 2010. 19
- C. List, R.C. Luskin, J.S Fishkin, and I. McLean. Deliberation, Single-Peakedness, and the Possibility of Meaningful Democracy: Evidence from Deliberative Polls. *Journal of Politics*, 75:80–95, 2012. 2
- M. Mariotti. Nash Bargaining Theory when the Number of Alternatives can be Finite. *Social Choice and Welfare*, 15:413–421, 1998. 2
- E. Maskin. Nash Equilibrium and Welfare Optimality. *Review of Economic Studies*, 66:23–38, 1999. 21
- H. Matsushima. Role of honesty in full implementation. *Journal of Economic Theory*, 139:353–359, 2008. 3
- S. Merill. Approval Voting: A "Best Buy" Method for Multicandidate Elections? *Mathematics Magazine*, 52:98–102, 1979. 16
- S. Merill and J. Nagel. The Effect of Approval Balloting on Strategic Voting Under Alternative Decision Rules. *American Political Science Review*, 81:509–524, 1987. 16
- R. Myerson. Comparison of Scoring Rules in Poisson Voting Games. *Journal of Economic Theory*, 103:219–251, 2002. 2, 7
- R. Nagahisa and M. Tanaka. An Axiomatization of the Kalai-Smorodinsky Solution when the Feasible Sets can be Finite. *Social Choice and Welfare*, 19:751–761, 2002. 2
- J.F. Nash. The Bargaining Problem. *Econometrica*, 18:155–162, 1950. 2
- M. Núñez. Condorcet Consistency of Approval Voting: A Counter Example on Large Poisson Games. *Journal of Theoretical Politics*, 22:64–84, 2010. 2
- M. Núñez. The Strategic Sincerity of Approval Voting. *Economic Theory*, forthcoming, 2013. 2
- M. Osborne and A. Rubinstein. *Bargaining and Markets*. Academic Press, 1990. 2
- E. Pazner. Pitfalls in the Theory of Fairness. *Journal of Economic Theory*, 14:458–466, 1977. 3
- D. Spector. Rational Debate and One-Dimensional Conflict. *Quartely Journal of Economics*, 115:181–200, 2000. 2
- Y. Sprumont. Intermediate Preferences and Rawlsian Arbitration Rules. *Social Choice and Welfare*, 10:1–15, 1993. 2
- W. Thomson. Fair Allocation Rules. In K. Arrow, A. Sen, and K. Suzumura, editors, *Handbook of Social Choice and Welfare*. North-Holland, Amsterdam, New York, 2010. 3



Figure 1: Existence of Equilibrium with Non-Consensual Best Responses.



Figure 2: Existence of Equilibrium with Consensual Best Responses.